2026

PRODUCT APPLICATIONS



ADAPT SOLUTIONS

20/11/2026

2026 PRODUCT APPLICATIONS

CLICK HERE FOR ADAPT SOLUTIONS PRODUCT OVERVIEW VIDEO

SEARCH BY PRODUCT: Click on the **PICTURE** for the overview page. Click on the **VEHICLE LIST** for the 'Quick Reference' page. Once you find the vehicle application you are looking for, click on it to reach the detailed application information.



VEHICLE LIST



VEHICLE LIST



VEHICLE LIST









SEARCH BY MAKE / MODEL: Click on a **BRAND** to reach a list of vehicle models. Click on the **PRODUCT NAME** to reach the detailed application information. ***Click on BACK at the bottom of any page to return here.***

Need Assistance? CHAT WITH US

CHRYSLER

Ford

GM

HONDA

HYUNDAI

KIA

mazda

Mercedes-Benz

NISSAN

SUBARU

TESLA

TOYOTA

Volkswagen

CHRYSLER APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Caravan / Town & Country- **Stow 'N Go**	2005 - 2007		✓* (driver only)	✓
Caravan / Town & Country - **Without Stow 'N Go**	2005 - 2007		✓ WITH HI-LIFT	✓
Caravan / Town & Country - **Short wheelbase**	2001 - 2007		✓ WITH HI-LIFT	
Caravan / Town & Country - **Long wheelbase**	2001 - 2007		✓ WITH HI-LIFT	
Caravan / Town & Country - **Swivel 'N Go**	2008 - 2011		✓ WITH HI-LIFT	
Caravan / Town & Country - **Stow 'N Go**	2005 - 2020		✓ WITH HI-LIFT	✓
Caravan / Town & Country	2008 - 2020	✓DRIVER* /PASSENGER ✓2nd ROW	✓ WITH HI-LIFT	✓
Grand Caravan	2021 - 2027	✓DRIVER/PASSENGER ✓2nd ROW	✓ ASENTO	✓*
Pacifica	2017 - 2027	✓DRIVER/PASSENGER ✓2nd ROW	✓ ASENTO	✓
Voyager	2020 - 2027	✓DRIVER/PASSENGER ✓2nd ROW	✓ ASENTO	✓*
Journey	2008 - 2020	✓* PASSENGER		
Ram Reg Cab - **2 door**	2002 - 2008		✓	
Ram Quad Cab - **4 door**	2002 - 2008		✓	
Ram Mega Cab - **4 large doors**	2006 - 2008		✓	
Ram Quad Cab / Crew Cab CLASSIC- **4 door**	2009 - 2018	✓ PASSENGER	✓	
Ram 2500/3500 Crew Cab/Mega Cab- **4 door**	2010 - 2018	✓ PASSENGER	✓	
Ram 2500/3500 Crew Cab - **4 door**	2019 - 2027	✓ PASSENGER		
Ram 1500 Quad Cab - **4 door**	2019 - 2027	✓ DRIVER*/PASSENGER	✓ ASENTO	
Ram 1500 Crew Cab - **4 door**	2019 - 2027	✓ DRIVER*/PASSENGER	✓ ASENTO	
Jeep Gladiator	2020 - 2027	✓ DRIVER / PASSENGER		
Jeep Grand Cherokee	2011 - 2022	✓* PASSENGER		
Jeep Wrangler - **4 door**	2007 - 2018		✓*	
Jeep Wrangler - **4 door**	2018 - 2027	✓* DRIVER / PASSENGER		

*Caravan 2008-2020 - LINK: Steering column **must be telescopic**
*Voyager 2020-2026 - **SPEEDY-LIFT**: **NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model
*Grand Caravan 2021-2026 - **SPEEDY-LIFT**: **NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model
*Jeep Grand Cherokee 2011-2022 **NOT AVAILABLE** for model with **MANUAL SEATS & NOT AVAILABLE** for **WL Platform**
*Jeep Wrangler – **4 door** 2018-2026 - **LINK**: **NOT AVAILABLE** for **JK model (2018)**
*Jeep Wrangler – **4 door** 2007-2018 - **XL-SEAT**: **NOT AVAILABLE** for **JL model (2018)**
*Journey 2008–2020 - **LINK**: **ONLY AVAILABLE** for model with **SEAT STORAGE**
*Ram 1500 Crew/Quad 2019-2026: **NOT AVAILABLE** for RAM CLASSIC – **2018 model**
*Ram 1500 Crew/Quad 2019-2026: **NOT AVAILABLE** for RAM TUNGSTEN Trim Level – **2025 model**

FORD APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Mark LT - **4 door**	2006 - 2008		✓	
F-150 Reg Cab - **2 door**	2004 - 2008		✓	
F-150 Reg Cab - **2 door (small suicide door)**	2009 - 2010		✓	
F-150 Super Cab - **Suicide door**	2004 - 2008		✓	
F-150 Super Crew Cab - **4 door**	2004 - 2008		✓	
F-150 Super Cab - **Suicide door**	2009 - 2014	✓ DRIVER / PASSENGER	✓*	
F-150 Super Crew Cab - **4 door**	2009 - 2014	✓ DRIVER / PASSENGER	✓	
F-150 Super Cab – **Suicide door**	2015 - 2020	✓ DRIVER / PASSENGER	✓*	
F-150 Super Crew Cab – **4 door**	2015 - 2020	✓ DRIVER / PASSENGER	✓	
F-150 Super Cab – **Suicide door**	2021 - 2027	✓ DRIVER / PASSENGER		
F-150 Super Crew Cab – **4 door**	2021 - 2027	✓ DRIVER / PASSENGER	✓	
F-150 Raptor Super Cab - **Suicide door**	2011 - 2016	✓* DRIVER / PASSENGER	✓*	
F-150 Raptor Super Crew Cab - **4 door**	2011 - 2016	✓* DRIVER / PASSENGER	✓	
F-150 Raptor Super Cab - **Suicide door**	2017 - 2027	✓ DRIVER / PASSENGER	✓*	
F-150 Raptor Super Crew Cab - **4 door**	2017 - 2027	✓ DRIVER / PASSENGER	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2008 - 2010		✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2008 - 2010		✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2011 - 2016	✓ DRIVER / PASSENGER	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2011 - 2016	✓ DRIVER / PASSENGER	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2017 - 2027	✓ DRIVER / PASSENGER	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2017 - 2027	✓ DRIVER / PASSENGER	✓	
Ranger Super Crew Cab - **4 door**	2019 - 2023	✓* PASSENGER	✓ ASENTO	
Ranger Super Crew Cab - **4 door**	2024 - 2027	✓ PASSENGER	✓ ASENTO	

* Ford F-150 Super Cab - Suicide door **ASENTO**: **NOT AVAILABLE for model with ONLY 2 DOORS**
* Ford F-150 Raptor Super Cab - Suicide door **ASENTO**: **NOT AVAILABLE for model with ONLY 2 DOORS**
* Raptor Super Cab - Suicide door / 4 door 2011 only - **NOT AVAILABLE for model with 4 load cells**
* Ranger Super Crew Cab - **NOT AVAILABLE** for models with **POWER SEAT**

FORD APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Explorer	2011 - 2015	✓ PASSENGER	✓	
Explorer	2016 - 2019	✓ PASSENGER	✓	
Explorer	2020 - 2027	*✓ DRIVER / PASSENGER	*✓	
Escape	2013 - 2019	✓ PASSENGER		
Escape	2020 - 2026	✓ PASSENGER		
Expedition / Navigator	2007 - 2017	✓ PASSENGER		
Expedition / Navigator	2018 - 2024	*✓ DRIVER/PASSENGER *✓ 2nd ROW	✓* ASENTO	
Expedition / Navigator	2025 - 2027	*✓ DRIVER/PASSENGER *✓ 2nd ROW	✓* ASENTO	
Edge	2011 - 2014		✓	
Edge	2015 - 2024	✓ PASSENGER	✓ ASENTO	
Lincoln MKX	2016 - 2018	✓ PASSENGER	✓ ASENTO	
Lincoln Nautilus	2019 - 2023	✓ PASSENGER	✓ ASENTO	
Transit Connect	2010 - 2013		✓	✓

*2018-2024 Ford Expedition FRONT- **LINK**: **NOT AVAILABLE** for model with **MANUAL SEAT**
*2018-2024 Lincoln Navigator FRONT- **LINK**: **NOT AVAILABLE** for model with **PERFECT POSITION SEAT**
*2018-2024 Ford Expedition & Lincoln Navigator 2ND ROW - **LINK**: **ONLY AVAILABLE** for **LONG WHEELBASE** model (Navigator L & Expedition MAX)
*2018-2024 Ford Expedition - **ASENTO**: **NOT AVAILABLE** for model with **PERFECT POSITION SEAT** or model with **MANUAL SEAT**
*2020-2026 Ford Explorer - **ASENTO & LINK**: **NOT AVAILABLE** for model with **MANUAL SEAT**

GENERAL MOTORS APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Avalanche	2007 - 2013	✓ DRIVER / PASSENGER	✓	
Canyon / Colorado Extended Cab - **Suicide door**	2004 - 2012		✓	
Canyon / Colorado Extended Cab- **Suicide door**	2015 - 2022	✓ DRIVER* / PASSENGER*	✓ ASENTO	
Canyon / Colorado Crew Cab- **4 door**	2015 - 2022	✓ DRIVER* / PASSENGER	✓ ASENTO	
Canyon / Colorado Crew Cab- **4 door**	2023 - 2027	✓ DRIVER / PASSENGER	✓ ASENTO	
Sierra / Silverado Regular Cab-1500- **2 door**	1999 - 2013		✓	
Sierra / Silverado Extended Cab-1500- **No suicide door**	1999 - 2002		✓	
Sierra / Silverado Extended Cab-1500- **Suicide door**	2001 - 2006		✓	
Sierra / Silverado Extended Cab-1500- **Suicide door**	2007 - 2013	✓ DRIVER / PASSENGER	✓	
Sierra / Silverado Double Cab-1500- **4 door (2 smaller)**	2014 - 2018	✓ DRIVER / PASSENGER	✓ ASENTO	
Sierra / Silverado Crew Cab-1500- **4 door**	2007 - 2013	✓ DRIVER / PASSENGER	✓	
Sierra / Silverado Crew Cab-1500- **4 door**	2014 - 2018	✓ DRIVER / PASSENGER	✓ ASENTO	
Sierra / Silverado Crew Cab-1500- **4 door**	2019 - 2026	✓* DRIVER / PASSENGER	✓* ASENTO	
Sierra / Silverado Double Cab-1500- **4 door (2 smaller)**	2019 - 2026	✓* DRIVER / PASSENGER	✓* ASENTO	
Sierra / Silverado **HD**-2500 / 3500- **All models**	2007 - 2014	✓ DRIVER / PASSENGER	✓	
Sierra / Silverado **HD**-2500 / 3500- **All models**	2015 - 2027	✓ DRIVER / PASSENGER	✓* ASENTO	
Escalade / Suburban / Tahoe / Yukon - **All models**	2007 - 2014	✓ DRIVER / PASSENGER	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2015 - 2020	✓ DRIVER / PASSENGER	✓ ASENTO	
Escalade / Suburban / Tahoe / Yukon - **All models**	2021 - 2027	✓ DRIVER / PASSENGER	✓ ASENTO	
Blazer	2019 - 2026	✓ DRIVER / PASSENGER*	✓* ASENTO	

*2015–2022 Canyon / Colorado Extended Cab - **LINK**: Rear door must be opened for operation
*2015–2022 Canyon / Colorado Crew Cab - **LINK**: Steering column must be telescopic
*2019–2026 Blazer **- ASENTO & LINK**: **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
*2019–2026 Sierra / Silverado **– LINK & ASENTO**: **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
*2015–2026 Sierra / Silverado HD-2500 / 3500- All models **– LINK & ASENTO**: **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**

GENERAL MOTORS APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Acadia *(See note on Limited)*	2008 - 2016	✓* PASSENGER		
Acadia	2017 - 2023	✓ DRIVER / PASSENGER	✓ ASENTO	
Acadia	2024 - 2027	✓ PASSENGER		
Cadillac XT6	2020 - 2025	✓ DRIVER / PASSENGER		
Enclave	2008 - 2017	✓ PASSENGER		
Enclave	2018 - 2024	✓* DRIVER / PASSENGER & 2nd ROW	✓ ASENTO	
Enclave	2025 - 2027	✓ PASSENGER		
Terrain / Equinox	2010 - 2017	✓ PASSENGER		
Terrain / Equinox	2018 - 2024	✓ DRIVER / PASSENGER	✓ ASENTO	
Terrain / Equinox	2025 - 2027	✓* PASSENGER	✓ ASENTO	
Traverse	2008 - 2017	✓ PASSENGER		
Traverse	2018 - 2023	✓* DRIVER / PASSENGER & 2nd ROW	✓ ASENTO	
Traverse	2024 - 2027	✓ PASSENGER		

GMC Acadia Limited 2017 is the 2008-2016 body style
*Enclave 2018-2024 – **LINK: NOT AVAILABLE** in driver position for model with manual seat. |2nd Row, **NOT AVAILABLE for 8 passenger model**
*Traverse 2018-2023 – **LINK: NOT AVAILABLE** in driver position for model with manual seat. |2nd Row, **NOT AVAILABLE for 8 passenger model**
*Terrain / Equinox 2025-2026 - **LINK: NOT AVAILABLE EV / ELECTRIC VEHICLE**

HONDA APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Odyssey	2005 - 2010		✓ WITH HI-LIFT	✓
Odyssey	2011 - 2017		✓	✓
Odyssey	2018 - 2027	✓2nd ROW	✓ ASENTO	✓

HYUNDAI APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Palisade	2020 - 2025	✓ DRIVER* / PASSENGER*	✓*	

*Palisade 2020-2025 – **LINK & ASENTO: NOT AVAILABLE** for models with **MANUAL SEATS**

KIA APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Carnival	2022 - 2027	✓ DRIVER* / PASSENGER & 2nd ROW	✓*	✓
Sedona	2006 - 2012	✓2nd ROW		
Sedona	2012 - 2014	✓2nd ROW		
Sedona	2015 - 2021	✓ PASSENGER & 2nd ROW*	✓	✓*
Telluride	2020 - 2025	✓ DRIVER* / PASSENGER*	✓*	
Ev9	2023 - 2027	✓ DRIVER* / PASSENGER*	✓	

*Sedona 2015-2021 - **NOT AVAILABLE** for models with **OEM footrest** | *Discontinued in Canada 2019-2020 model*
*Carnival 2022-2026 - **LINK**: **NOT AVAILABLE** in driver position for model with manual seat
*Carnival 2022-2026 - **ASENTO: NOT AVAILABLE** for model with manual seat
*Telluride 2020-2025 – **ASENTO: NOT AVAILABLE** for model with manual seat
*Telluride 2020-2025 – **LINK: NOT AVAILABLE** for model with manual seat
*EV9 2023-2026 - **LINK**: **NOT AVAILABLE** for Relaxation comfort seat (leg rest)

MAZDA APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Mazda 5 *	2006 - 2015			✓

Discontinued in USA in 2015, discontinued in Canada in 2017

MERCEDES APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Metris	2016 - 2023		✓ ASENTO	✓

NISSAN APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Ariya	2022 - 2026		✓ ASENTO	

SUBARU APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Forester	2014 - 2018		✓ ASENTO	

TESLA APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
X	2015 - 2020		✓ ASENTO	*✓ SPEEDY
X	2021 - 2026		✓ ASENTO	*✓ SPEEDY

*Tesla X 2015-2026 – **SPEEDY-LIFT**: **NOT AVAILABLE** PASSENGER side, model with bench seat.
*Tesla X 2021-2026 – **SPEEDY-LIFT**: **NOT AVAILABLE** for model with bucket seat.

TOYOTA APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Sienna	2004 - 2010		✓ WITH HI-LIFT	✓
Sienna - **Power seat**	2005 - 2010		✓ WITH HI-LIFT	✓
Sienna- **7 & 8 passenger**	2011 - 2020	✓DRIVER/PASSENGER ✓2nd ROW*	✓ WITH HI-LIFT	✓ *SEE NOTE
Sienna- **7 & 8 passenger**	2021 - 2027	✓DRIVER/PASSENGER ✓2nd ROW*	✓ ASENTO	✓ *SEE NOTE
Tacoma Access Cab - **Suicide door**	2005 - 2015	✓ PASSENGER	✓	
Tacoma Access Cab - **Suicide door**	2016 - 2023	✓ PASSENGER	✓ ASENTO	
Tacoma Double Cab - **4 reg. door**	2005 - 2023	✓ PASSENGER	✓	
Tacoma Double Cab - **4 reg. door**	2024 - 2027	✓*DRIVER/PASSENGER		
Tundra Double Cab - **4 door (rear doors smaller)**	2014 - 2021	✓ DRIVER / PASSENGER	✓ ASENTO	
Tundra Crew Max - **4 door**	2014 - 2021	✓ DRIVER / PASSENGER	✓ ASENTO	
Tundra Crew Max – **4 door**	2022 - 2027	✓ DRIVER / PASSENGER		
4 Runner	2003 - 2024		✓	
Rav 4	2006 - 2012		✓	
Rav 4	2013 - 2018	✓ PASSENGER	✓*	
Rav 4	2019 - 2025	✓* PASSENGER	✓ ASENTO	
Venza	2008 - 2016	✓* PASSENGER		
Highlander	2014 - 2019	✓ PASSENGER	✓ ASENTO	
Highlander	2020 - 2026	✓* PASSENGER		
Grand Highlander	2020 - 2027	✓ PASSENGER		

*SEE MORE NOTES ON NEXT PAGE
*Highlander 2020-2026- **LINK**: passenger side **NOT AVAILABLE** **FOR MANUAL SEATS**
*Sienna 2011-2020 (8 passenger) - **LINK**: 2nd row - driver side **NOT AVAILABLE** & passenger side **NOT AVAILABLE** with footrest.

*Sienna 2021-2026 (8 passenger) - **LINK**: 2nd row - driver side **NOT AVAILABLE** & passenger side **NOT AVAILABLE** with footrest.
*Sienna 2011-2020 (8 passenger) - **SPEEDY**: Passenger side all mid-row seats will be removed.
*Sienna 2021-2026 (8 passenger) - **SPEEDY**: Passenger side all mid-row seats will be removed.
*Rav 4 2019-2025 - **LINK**: **ONLY AVAILABLE** for model with manual seat.
*Tacoma 2024-2026- **LINK**: **NOT AVAILABLE** for model with manual seat.
*Venza 2008-2016 - **LINK**: passenger side **ONLY AVAILABLE** for model with manual seat.


Volkswagen

VOLKSWAGEN APPLICATIONS

MODEL	YEAR	LINK 2.0	XL-SEAT ASENTO	SPEEDY LIFT
Routan	2009 - 2012	✓DRIVER/PASSENGER ✓2nd ROW	✓ WITH HI-LIFT	✓
Atlas	2018 - 2026	✓*DRIVER/PASSENGER	✓	
ID Buzz	2025 - 2027	✓	✓	✓

*Atlas 2018-2026 – **LINK**: Front passenger **NOT AVAILABLE** for model with manual seat.

LINK 2.0



WEBSITE RESOURCES
Connect to the locked portion of the site.

HOW IT WORKS VIDEO
In just a few minutes, see all of the key features of the product.

WHAT IS LINK 2.0
Overview of the LINK 2.0 features.

HIGHLIGHTS

- Only uses OEM seat
- All safety features retained
- Great comfort, legroom and space
- Seating behind LINK is not affected
- Customizable movements
- Compatible with 100's of vehicles
- 3 year warranty, 350 lbs capacity

THINGS TO REMEMBER


- The LINK uses the original seat; however, due to the many trim levels available for a given application, it is possible that some of the vehicle's original features will need to be cancelled or removed at the time of installation.
- Note that during the install, OEM wire harness is cut and extended under the seat to maintain the OEM security and comfort features. Installation also involves trim and/or shroud modification based on vehicle year, make and model.

LINK 2.0 | REFERENCES



USER DELIVERY VIDEO

Learn how the pendant and seat adjustments work.



REDUCED POWER MODE

If the vehicle battery dies or gets disconnected, the LINK protects itself with a reduced power mode.



AUTO-DIAGNOSTIC

The LINK is equipped with an auto-diagnostic system that can be run over the phone with a technician.



Throughout this tool you will find references to assist you in evaluating the feasibility of a LINK in specific vehicles to meet your client's specific needs. In some applications, the seated position and/or the forward and aft travel of the seat changes with the LINK installed. Below is a visual aid to explain how these details are to be understood.

(OEM = Original Equipment Manufacturer. |Chrysler; GM, Toyota, etc.| from the factory)



MANUAL BACK UP VIDEO

In the unlikely event of an issue, the LINK is equipped with a manual back up.

SEAT HEIGHT



This information will give an idea of the seat height with the LINK installed. Due to the various seat styles offered by vehicle manufacturers, the information is supplied as a reference to assist you in establishing if the seated height on the LINK will be suitable for your client. ***Example:*** In the 2015 Ford F-150 Super Cab – the note reads as follows:

"**Seat height:** ½ inch lower than OEM (non-adjustable manual seat)"

This means that in that model of Ford, with a manual seat (a seat that doesn't offer 'height' adjustment) the LINK will sit half an inch lower than it did before the installation.

(See visual aid – **not to scale**)

SEAT ADJUSTMENT



This information is so you can establish the forward and back movements of the seat with the LINK. In all applications, the LINK adds power forward and backward movements, regardless of the seat's original functions. In some applications, the travel is limited. The seat adjustment information will allow you to confirm if the installation of the LINK will be suitable for your client's needs.

FRONT is to indicate towards the steering wheel or front of the vehicle.

BACK is to indicate towards the rear of the vehicle.

VERTICAL TRAVEL



This information is so you can establish the estimated transfer height of the LINK in most vehicles.

<u>As suspensions, tires and wheels can affect the exact height</u> at which a vehicle sits, this method can allow you to evaluate more accurately the transfer height in your specific vehicle.

The LINK has two travel lengths, **SHORT**: for most minivans, SUV's and smaller vehicles; and **LONG**: for trucks and large SUV's. Please confirm the model in question, SHORT or LONG with our sales or service department.

(See visual aid – **not to scale**)



LINK 2.0 QUICK REFERENCE

CHRYSLER		DRIVER	PASSENGER	2nd ROW
Caravan / Town & Country (*T&C discontinued 2016)	⧗2008 - 2020	✓*	✓	✓
Grand Caravan	2021 - 2027	✓	✓	✓
Pacifica	2017 - 2027	✓	✓	✓
Voyager	2020 - 2027	✓	✓	✓
Ram 1500 CLASSIC Crew Cab - **4 door**	2009 - 2023		✓	
Ram 1500 Crew cab - **4 door**	2019 - 2027	✓*	✓*	
Ram 1500 CLASSIC Quad Cab - **4 door**	2009 - 2023		✓	
Ram 1500 Quad Cab - **4 door**	2019 - 2026	✓*	✓*	
Ram 2500/3500 - **4 door**	2010 - 2018		✓	
Ram 2500/3500 - **4 door**	2019 - 2027		✓	
Jeep Gladiator	2020 - 2027	✓	✓	
Jeep Grand Cherokee	2011 - 2022		✓*	
Jeep Wrangler – **4 door**	2018 - 2027	✓*	✓*	
Journey	⧗2008 - 2020		✓*	
FORD		**DRIVER**	**PASSENGER**	**2nd ROW**
F-150 Super Cab - **Suicide door**	⧗2009 - 2014	✓	✓*	
F-150 Super Crew Cab - **4 door**	⧗2009 - 2014	✓	✓*	
F-150 Super Cab - **Suicide door**	2015 - 2020	✓	✓	
F-150 Super Crew Cab - **4 door**	2015 - 2020	✓	✓	
F-150 Super Cab - **Suicide door**	2021 – 2027	✓	✓	
F-150 Super Crew Cab - **4 door**	2021 - 2027	✓	✓	
Raptor Super Cab - **Suicide door**	⧗2011 - 2016	✓	✓*	
Raptor Super Crew Cab - **4 door**	⧗2011 - 2016	✓	✓*	
Raptor Super Cab - **Suicide door**	2017 - 2027	✓	✓	
Raptor Super Crew Cab - **4 door**	2017 - 2027	✓	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	⧗2011 - 2016	✓	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	⧗2011 - 2016	✓	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2017 - 2027	✓	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2017 - 2027	✓	✓	
Ranger Super Crew Cab - **4 Door**	2019 - 2023		✓*	
Ranger Super Crew Cab - **4 Door**	2024 - 2027		✓	
Explorer	⧗2011 - 2015		✓	
Explorer	2016 - 2019		✓	
Explorer	2020 - 2027	✓*	✓*	
Expedition / Navigator	⧗2007 - 2017		✓	
Expedition / Navigator	2018 - 2024	✓*	✓*	✓*
Expedition / Navigator	2025 - 2027	✓*	✓*	✓*
Escape	⧗2013 - 2019		✓	
Escape	2020 - 2026		✓	
Edge	2015 - 2024		✓	
Lincoln MKX	⧗2016 - 2021		✓	
Nautilus	2019 - 2023		✓	
GENERAL MOTORS (Continued on page 2)		**DRIVER**	**PASSENGER**	**2nd ROW**
Avalanche⚠	⧗2007 - 2013	✓	✓	
Colorado / Canyon Extended Cab – **Suicide door**	2015 - 2022	✓*	✓*	
Colorado / Canyon Crew Cab – **4 door**	2015 - 2022	✓*	✓	
Colorado / Canyon Crew Cab – **4 door**	2023 - 2027	✓	✓	

⧗**LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

LINK 2.0 QUICK REFERENCE

GENERAL MOTORS		DRIVER	PASSENGER	2nd ROW
Sierra / Silverado Extended Cab -1500- **Suicide door**⚠	⧗2007 - 2013	✓	✓	
Sierra / Silverado Double Cab -1500- **4 door** (2 smaller)	2014 - 2018	✓	✓	
Sierra / Silverado Double Cab -1500- **4 door** (2 smaller)	2019 - 2026	✓*	✓*	
Sierra / Silverado Crew Cab -1500- **4 door**⚠	⧗2007 - 2013	✓	✓	
Sierra / Silverado Crew Cab -1500- **4 door**	2014 - 2018	✓	✓	
Sierra / Silverado Crew Cab -1500- **4 door**	2019 - 2026	✓*	✓*	
Sierra / Silverado **HD** -2500 / 3500- **Ext. & 4 door**⚠	⧗2007 - 2014	✓	✓	
Sierra / Silverado **HD** -2500 / 3500- **4 door**	2015 - 2019	✓	✓	
Sierra / Silverado **HD** -2500 / 3500- **4 door**	2020 - 2027	✓*	✓*	
Escalade / Suburban / Tahoe / Yukon - **All models**⚠	⧗2007 - 2014	✓	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2015 - 2020	✓	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2021 - 2027	✓	✓	
Acadia	⧗2008 - 2016		✓	
Acadia	2017 - 2023	✓*	✓	
Acadia	2024 - 2027		✓	
Blazer	2019 - 2026	✓*	✓*	
Cadillac XT6	2020 - 2025	✓	✓	
Enclave	⧗2008 - 2017		✓	
Enclave	2018 - 2024	✓*	✓	✓*
Enclave	2025 - 2027		✓	
Traverse	⧗2008 - 2017		✓	
Traverse	2018 - 2023	✓*	✓	✓*
Traverse	2024 - 2027		✓	
Terrain / Equinox	⧗2010 - 2017		✓	
Terrain / Equinox	2018 - 2024	✓*	✓*	
Terrain / Equinox	2025 - 2027		✓*	
HONDA		**DRIVER**	**PASSENGER**	**2nd ROW**
Odyssey	2018 - 2027			✓
HYUNDAI		**DRIVER**	**PASSENGER**	**2nd ROW**
Palisade	2020 - 2025	✓*	✓*	
KIA		**DRIVER**	**PASSENGER**	**2nd ROW**
Carnival	2022 – 2027	✓*	✓	✓*
EV9	2023 - 2027	✓*	✓*	
Sedona	⧗2006 - 2014			✓*
Sedona	2015 - 2021		✓	✓*
Telluride	2020 - 2025	✓*	✓*	
TOYOTA		**DRIVER**	**PASSENGER**	**2nd ROW**
Sienna	⧗2011 - 2020	✓	✓	✓*
Sienna	2021 - 2027	✓	✓	✓*
Tacoma Access Cab – **Suicide door**	2005 - 2023		✓	
Tacoma Double Cab – **4 door**	2005 - 2023		✓	
Tacoma Double Cab – **4 door**	2024 - 2027	✓*	✓*	
Tundra Double Cab – **4 door** (2 smaller)	2014 - 2021	✓	✓	
Tundra Crew Max – **4 door**	2014 - 2021	✓	✓	
Tundra Crew Max – **4 door**	2022 - 2027	✓*	✓*	
Rav 4	⧗2013 - 2018		✓	
Rav 4	2019 - 2025		✓*	
Venza	⧗2008 - 2016		✓*	

⧗**LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

LINK 2.0 QUICK REFERENCE

TOYOTA		DRIVER	PASSENGER	2nd ROW
Highlander	⌛2014 - 2019		✓	
Highlander	2020 - 2026		✓*	
Grand Highlander	2020 - 2027		✓	
VOLKSWAGEN		**DRIVER**	**PASSENGER**	**2nd ROW**
Routan	⌛2009 - 2012	✓	✓	✓
Atlas	2018 - 2026	✓	✓*	
ID Buzz	2025 - 2027	✓	✓	

⌛**LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

LINK 2.0 QUICK REFERENCE

Notes to specific applications - marked * on the QUICK REFERENCE		
Caravan / Town & Country	2008 - 2020	* **STEERING COLUMN MUST BE TELESCOPIC.**
Ram 1500 Quad/ Crew Cab – **4 door**	2019 - 2027	* **NOT AVAILABLE** for **CLASSIC** body style – 2018 model.
Ram 1500 TUNGSTEN	- 2026	* **NOT AVAILABLE** for **TUNGSTEN** TRIM LEVEL.
Jeep Wrangler – **4 door**	2018 - 2027	* **NOT AVAILABLE** for **JK** model (2018) * **ONLY AVAILABLE** for manual seat
Jeep Gladiator	2020 - 2027	* **ONLY AVAILABLE** for manual seat
Jeep Grand Cherokee	2011 - 2022	* **NOT AVAILABLE** for model with **MANUAL SEAT** * **NOT AVAILABLE** for WL Platform
Journey	2008 - 2020	* **ONLY AVAILABLE** for model with **SEAT STORAGE**
F-150 Super Cab - **Suicide door / 4 door**	2011 - only	* **NOT AVAILABLE** for model with 4 load cells (*see pics Install Page*)
Explorer	2020 - 2027	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Raptor Super Cab - **Suicide door / 4 door**	2011 - only	* **NOT AVAILABLE** for model with 4 load cells (*see pics Install Page*)
Ford Ranger Super Crew	2019 - 2023	* **NOT AVAILABLE** for model with **POWER SEAT**
Acadia	2017 - 2023	* **NOT AVAILABLE** for Driver position 2017 **LIMITED** trim level
Ford Expedition (Front)	2018 - 2024	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Ford Expedition/Navigator (2nd Row)	2018 - 2024	* **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)
Ford Expedition (Front)	2025 - 2027	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Ford Expedition/Navigator (2nd Row)	2025 - 2027	* **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)
Navigator (Front)	2018 - 2024	* **NOT AVAILABLE** for model with **PERFECT POSITION SEAT**
Canyon/ Colorado Ext Cab – **Suicide door**	2015 - 2022	* **Rear door MUST BE OPEN for** LINK **operation**
Canyon/ Colorado Crew Cab – **4 door**	2015 - 2022	* **STEERING COLUMN MUST BE TELESCOPIC**
Extended Cab – **Suicide door**	2015 - 2022	* **STEERING COLUMN MUST BE TELESCOPIC**
Sierra / Silverado	2019 – 2026	* **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
Sierra / Silverado HD-2500 / 3500- **All models**	2015 – 2027	* **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
Blazer	2019 - 2026	* **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
Enclave (Driver/Front)	2018 - 2024	* **NOT AVAILABLE** for Driver position with **MANUAL SEAT**
Enclave (2nd ROW)	2018 - 2024	* **NOT AVAILABLE** for **8 PASSENGER** model
Traverse (Driver/Front)	2018 - 2023	* **NOT AVAILABLE** for Driver position with **MANUAL SEAT**
Traverse	2018 - 2023	* **NOT AVAILABLE** for **8 PASSENGER** model
Equinox	2018 - 2024	* **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
Terrain/ Equinox	2025 - 2027	* **NOT AVAILABLE** for **EV / ELECTRIC VEHICLE**
Kia Carnival	2022 - 2027	* **NOT AVAILABLE** for Driver position with **MANUAL SEAT**
Kia EV9	2023 - 2027	* **NOT AVAILABLE** for Relaxation comfort seat (leg rest)
Kia Sedona	⧗2006 - 2014	* **NOT AVAILABLE** for short wheelbase model
Kia Sedona	2015 - 2021	* **NOT AVAILABLE** for mid-row driver side with OEM footrest *Discontinued in Canada 2019-2020 model*
Kia Telluride	2020 - 2025	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Hyundai Palisade	2020 - 2025	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Toyota Highlander	2020 - 2026	* **NOT AVAILABLE** for model with **MANUAL SEAT**
Toyota Sienna	2011 - 2020	* **NOT AVAILABLE** for 8-passenger 2nd row on the driver side or for configurations equipped with the OEM footrest
Toyota Sienna	2021 - 2027	* **NOT AVAILABLE** for 8-passenger 2nd row on the driver side or for configurations equipped with the OEM footrest
Toyota Tacoma	2024 - 2027	* **NOT AVAILABLE** for **MANUAL SEATS**
Toyota Tundra	2022 - 2027	* **ONLY AVAILABLE** for model with **POWER SEATS**
Toyota Rav 4	2019 - 2025	* **ONLY AVAILABLE** for model with **MANUAL SEATS**
Toyota Venza	⧗2008 - 2016	* **NOT AVAILABLE** for model with power seats.
Volkswagen Atlas	2018 - 2022	* **NOT AVAILABLE** Front passenger for model manual seat
ALL MODEL		**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

⚠**NOT AVAILABLE** for 2007 model with integrated seatbelt:
Avalanche / Escalade / Suburban / Tahoe / Yukon / Sierra / Silverado: Extended Cab / Crew Cab / HD (2500/3500)

Tablet part #: **LK1000** | Bluetooth part #: **LK1100** | LINK footrest part #: **LK14000**

Need Assistance? CHAT WITH US

⧗**LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2008-2020⧗ Caravan / Town & Country | DRIVER

LK2-CHRG08L

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED
Power seat buttons integrated into provided shroud.
➲ **Please specify if equipped with power seats.**
Mid-row seat (Stow 'N Go) immediately behind **LINK** *cannot be stowed.*

Transfer height: 19" | Average install: 6-8 hrs
Seat | FRONT: 2 inches less than OEM | **BACK:** 2 inches more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Armrest must be modified | Retained. Action required for use.
OEM wire harness must be cut and extended under seat.
⚠ **STEERING COLUMN MUST BE TELESCOPIC.**

2008-2020⧗ Caravan / Town & Country | FRONT PASSENGER

LK2-CHRG08R

Seat height: OEM
OEM shrouds must be trimmed.
Mid-row seat (Stow 'N Go) immediately behind **LINK** *cannot be stowed.*

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.

2008-2020⧗ Caravan / Town & Country | 2nd ROW LEFT (driver side)

LK2-CHRG08CL

Seat height: OEM
OEM shrouds must be trimmed.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

Transfer height: 19" | Average install: 6-8 hrs
Seat | FRONT: 5 inches more than OEM | **BACK:** OEM
⚠ **Must be Stow 'N Go seating (not bench)**
Option available: Additional Seat Security Anchor Kit

2008-2020⧗ Caravan / Town & Country | 2nd ROW RIGHT (passenger side)

LK2-CHRG08CR

Seat height: OEM
OEM shrouds must be trimmed.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 5 inches more than OEM | **BACK:** OEM
⚠ **Must be Stow 'N Go seating (not bench)**
Option available: Additional Seat Security Anchor Kit

2021-2027 Grand Caravan | DRIVER

LK2-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**
Armrest must be modified | Adapter is included

Transfer height: 19" | Average install: 10-14 hrs
Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

USER INTERACTION REQUIRED: Watch video for details. Click here for video

2021-2027 Grand Caravan | FRONT PASSENGER

LK2-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2021-2027 Grand Caravan | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK2-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Doorsill moulding needs to be cut | STENCIL PROVIDED.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
Jump seat in 8 passenger model must be removed.

2017-2027 Pacifica | DRIVER

LK2-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**
Armrest must be modified | Adapter is included
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 19" | Average install: 10-14 hrs
Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Compatible with HYBRID model.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

USER INTERACTION REQUIRED: Watch video for details. Click here for video

---

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2017-2027 Pacifica | FRONT PASSENGER

LK2-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Compatible with HYBRID model.

2017-2027 Pacifica | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK2-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Doorsill moulding needs to be cut | STENCIL PROVIDED.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**
➲ **Please specify if it is hybrid or the Pinnacle model**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
Jump seat in 8 passenger model must be removed.

2020-2027 Voyager | DRIVER

LK2-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**
Armrest must be modified | Adapter is included

Transfer height: 19" | Average install: 10-14 hrs
Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

USER INTERACTION REQUIRED: Watch video for details. Click here for video

2020-2027 Voyager | FRONT PASSENGER

LK2-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(additional install time)**
➲ **Please specify if equipped with power seats. (Add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2020-2027 Voyager | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK2-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Doorsill moulding needs to be cut | STENCIL PROVIDED.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
Jump seat in 8 passenger model must be removed.

2009-2023 Ram 1500 Crew Cab CLASSIC - 4 door | FRONT PASSENGER

LK2-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2009-2023 Ram 1500 Quad Cab CLASSIC - 4 door | FRONT PASSENGER

LK2-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2019-2027 Ram 1500 Quad Cab - 4 door | DRIVER

LK2-RAMQ19L

Seat height: 2¨ higher than OEM lowest (2.5¨adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
➲ **Please specify if equipped with power seats.**
➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL**

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 2¨less than OEM | **BACK:** ½¨ more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions signature TALL programing **NOT AVAILABLE**.
NOT AVAILABLE for CLASSIC body style – 2018 model.
NOT AVAILABLE for TUNGSTEN TRIM LEVEL

2019-2027 Ram 1500 Quad Cab - 4 door | FRONT PASSENGER

LK2-RAMQ19R

Transfer height: 20" | Average install: 8-10 hrs

Seat height: 2¨ higher than OEM lowest (2.5¨adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL (RAMQ09R)**

Seat adjustments | FRONT: 2¨less than OEM | **BACK:** ½¨ more than OEM
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for TUNGSTEN TRIM LEVEL

2019-2027 Ram 1500 Crew Cab - 4 door | DRIVER

LK2-RAMQ19L

Transfer height: 20" | Average install: 8-10 hrs

Seat height: 2¨ higher than OEM lowest (2.5¨adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
➲ **Please specify if equipped with power seats.**
➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL**

Seat adjustments | FRONT: 2¨less than OEM | **BACK:** ½¨ more than OEM
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
NOT AVAILABLE for CLASSIC body style – 2018 model.
NOT AVAILABLE for TUNGSTEN TRIM LEVEL

2019-2027 Ram 1500 Crew Cab - 4 door | FRONT PASSENGER

LK2-RAMQ19R

Transfer height: 20" | Average install: 8-10 hrs

Seat height: 2¨ higher than OEM lowest (2.5¨adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL (RAMQ09R)**

Seat adjustments | FRONT: 2¨less than OEM | **BACK:** ½¨ more than OEM
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for TUNGSTEN TRIM LEVEL

2010-2018 ⌛ Ram 2500/3500 - 4 door | FRONT PASSENGER

LK2-RAMQ09R

Transfer height: 23" | Average install: 6-8 hrs

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2019-2027 Ram 2500/3500 - 4 door | FRONT PASSENGER

LK2-RAMQ09R

Transfer height: 23" | Average install: 6-8 hrs

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2018-2027 Jeep Wrangler – 4 door | DRIVER

LK2-WRG18L

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
NOT AVAILABLE FOR MODEL WITH POWER SEAT
NOT AVAILABLE FOR JK MODEL (2018)

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.
Compatible with HYBRID model.

2018-2027 Jeep Wrangler – 4 door | FRONT PASSENGER

LK2-WRG18R

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
NOT AVAILABLE FOR MODEL WITH POWER SEAT
NOT AVAILABLE FOR JK MODEL (2018)

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.
Compatible with HYBRID model.

2020-2027 Jeep Gladiator | DRIVER

LK2-WRG18L

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
NOT AVAILABLE FOR MODEL WITH POWER SEAT

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.

2020-2027 Jeep Gladiator | FRONT PASSENGER

LK2-WRG18R

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
NOT AVAILABLE FOR MODEL WITH POWER SEAT

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.

2011-2022 Jeep Grand Cherokee | FRONT PASSENGER

LK2-GCH11R

Seat height: 1 ½ inches higher than lowest point of adjustable seat (2 ½")
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 1 ¾ more than OEM | **BACK:** 1 ¾ more than OEM
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for WL Platform
NOT AVAILABLE FOR MODEL WITH MANUAL SEATS.

2008-2020 ⧗ Journey | FRONT PASSENGER

LK2-JOU08R

Seat height: ¼ inch higher than OEM
OEM shrouds must be trimmed.
Plastic seat pan must be trimmed | OEM reconfiguration not affected

Transfer height: 19" | Average install: 9-11 hrs
Seat adjustments | FRONT: ¼ more than OEM | **BACK:** ¼ more than OEM
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE FOR MODEL WITHOUT SEAT STORAGE

2009-2014 ⧗ F-150 Super Cab – Suicide door | DRIVER

LK2-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Vented seats retained.
➲ **Please specify if equipped with power seats.**
OEM wire harness must be cut and extended under seat.

2009-2014 ⧗ F-150 Super Cab – Suicide door | FRONT PASSENGER

LK2-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for model with 4 load cells. (SEE INSTALL PAGE)

2009-2014 ⧗ F-150 Super Crew Cab – 4 door | DRIVER

LK2-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Vented seats retained.
➲ **Please specify if equipped with power seats.**
OEM wire harness must be cut and extended under seat.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2009-2014 ⧗ F-150 Super Crew Cab – 4 door | FRONT PASSENGER

LK2-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 8-10 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for model with 4 load cells. (SEE INSTALL PAGE)

2011-2016 ⧗ F-150 Raptor Super Cab – Suicide door | DRIVER

LK2-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ ***Please specify if equipped with power seats.***
OEM wire harness must be cut and extended under seat.

2011-2016 ⧗ F-150 Raptor Super Cab – Suicide door | FRONT PASSENGER

LK2-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for model with 4 load cells. (SEE INSTALL PAGE)

2011-2016 ⧗ F-150 Raptor Super Crew Cab – 4 door | DRIVER

LK2-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ **Please specify if equipped with power seats.**
OEM wire harness must be cut and extended under seat.

2011-2016 ⧗ F-150 Raptor Super Crew Cab – 4 door | FRONT PASSENGER

LK2-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for model with 4 load cells. (SEE INSTALL PAGE)

2017-2027 F-150 Raptor Super Cab – Suicide door | DRIVER

LK2-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 22" | Average install: 10-12 hrs

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (add. parts & time)**
OEM wire harness must be cut and extended under seat.

2017-2027 F-150 Raptor Super Cab – Suicide door | FRONT PASSENGER

LK2-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 22" | Average install: 10-12 hrs

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (add. parts & time)**
OEM wire harness must be cut and extended under seat.

2017-2027 F-150 Raptor Super Crew Cab – 4 door | DRIVER

LK2-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 22" | Average install: 10-12 hrs

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

2017-2027 F-150 Raptor Super Crew Cab – 4 door | FRONT PASSENGER

LK2-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 22" | Average install: 10-12 hrs

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

2015-2027 F-150 Super Cab – Suicide door | DRIVER

LK2-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

2015-2027 F-150 Super Cab – Suicide door | FRONT PASSENGER

LK2-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

2015-2027 F-150 Super Crew Cab – 4 door | DRIVER

LK2-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

2015-2027 F-150 Super Crew Cab – 4 door | FRONT PASSENGER

LK2-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.

2011-2016 ⧗ F-250, F-350, F-450 Super or Super Crew Cab – Suicide door or 4 door | DRIVER

LK2-F250C11L

Seat height: ¼ inch higher than OEM (manual or power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 24" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 inches less than OEM | **BACK:** OEM
➲ **Please specify if equipped with power seats. (Add. parts & time)**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
Transfer height is based on the F-250 model

2011-2016 ⧗ F-250, F-350, F-450 Super or Super Crew Cab – Suicide or 4 door | FRONT PASSENGER

LK2-F250C11R

Seat height: ¼ inch higher than OEM (manual or power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 24" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 inches less than OEM | **BACK:** OEM
➲ **Please specify if equipped with power seats. (Add. parts & time)**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
Transfer height is based on the F-250 model

2017-2027 F-250, F-350, F-450 Super Crew Cab – Suicide door or 4 door | DRIVER

LK2-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 24" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.
Transfer height is based on the 4X4 model

2017-2027 F-250, F-350, F-450 Super Crew Cab – Suicide or 4 door | FRONT PASSENGER

LK2-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 24" | Average install: 8-10 hrs
Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ **Please specify if equipped with power seats.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
OEM wire harness must be cut and extended under seat.
Transfer height is based on the 4X4 model

2019-2023 Ranger Super Crew Cab | FRONT PASSENGER

LK2-RNG19R

Seat height: 1 1/16" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar trim need to be cut | STENCIL PROVIDED

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 2" less than OEM | **BACK:** 1" less than OEM.
OEM wire harness must be cut and extended under seat.
NOT CURRENTLY AVAILABLE for SuperCab model.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2024-2027 Ranger Super Crew Cab | FRONT PASSENGER

LK2-RNG24R

Seat height: 1 7/8" higher than OEM lowest (2-3/4'' adjustable seat)
Outer seat trim must be modified | STENCIL PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Transfer height: 19" | Average install: 8-12 hrs

Seat adjustments | FRONT: 1/4" less than OEM | **BACK:** 2-1/2" more than OEM.
OEM wire harness must be cut and extended under seat.

2011-2015 ⌛ Explorer | FRONT PASSENGER

LK2-EXL11R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Seat base must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 19" | Average install: 8-10 hrs

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

2016-2019 Explorer | FRONT PASSENGER

LK2-EXL16R

Seat height: 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Seat base must be cut | OEM reconfiguration not affected
OEM wire harness must be cut and extended under seat.

Transfer height: 19" | Average install: 9-11 hrs

Seat adjustments | FRONT: OEM | **BACK:** 1 3/4" less than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Retain fan in seat | Models with ventilated seat.
➲ **Please specify if equipped with vented seat. (add. parts & time)**

2020-2027 Explorer | DRIVER

LK-EXL20L

Seat height: 5/16" higher than OEM lowest (power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

Transfer height: 19.5" | Average install: 8-10 hrs

Seat adjustments | FRONT: 3/4" less than OEM | **BACK:** OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Control box relocated under the LINK.
NOT CURRENTLY AVAILABLE for model with manual seats.

2020-2027 Explorer | FRONT PASSENGER

LK2-EXL20R

Seat height: 5/16" higher than OEM lowest (power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.

Transfer height: 19.5" | Average install: 8-10 hrs

Seat adjustments | FRONT: 3/4" less than OEM | **BACK:** OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
NOT CURRENTLY AVAILABLE for model with manual seats.

2007-2017 ⌛ Expedition / Navigator | FRONT PASSENGER

LK2-EXP07R

Seat height: 3/8 inch higher than OEM
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seats.***
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

Transfer height: 19" | Average install: 6-8 hrs

Seat adjustments | FRONT: 2 3/4 inch less than OEM | **BACK:** 1" more than OEM
Vented seats retained.
OEM wire harness must be cut and extended under seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.

2018-2024 Expedition / Navigator | DRIVER

LK2-EXP18L

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
NOT AVAILABLE for model with **MANUAL SEAT.**
NOT AVAILABLE for model with **PERFECT POSITION SEAT (Navigator).**

Transfer height: 21" | Average install: 8-12 hrs

Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Additional time required for relocating memory box.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2018-2024 Expedition / Navigator | FRONT PASSENGER

LK2-EXP18R

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ **Please specify if equipped with vented seat. (add. parts & time)**
NOT AVAILABLE for model with **MANUAL SEAT.**
NOT AVAILABLE for model with **PERFECT POSITION SEAT (Navigator).**

Transfer height: 21" | Average install: 8-12 hrs

Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2018-2024 Expedition / Navigator | 2nd ROW LEFT (DRIVER SIDE)

LK2-EXP18CL

Seat height: OEM
Lower C pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ **Please specify if equipped with heated seat. (add. parts & time)**

Must be Long wheelbase (Exp. MAX & Nav. L)

Transfer height: 21" | Average install: 6-8 hrs

Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
Inner arm rest must be removed.

Transfer height depends on models and equipment, validate with our team before ordering.
LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

2018-2024 Expedition / Navigator | 2nd ROW RIGHT (PASSENGER SIDE)

LK2-EXP18CR

Seat height: OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ **Please specify if equipped with heated seat. (add. parts & time)**

⚠ **Must be Long wheelbase (Exp. MAX & Nav. L)**
Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
Inner arm rest must be removed.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

2025-2027 Expedition / Navigator | DRIVER

LK2-EXP25L

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
NOT AVAILABLE for model with **MANUAL SEAT.**
NOT AVAILABLE for model with **PERFECT POSITION SEAT (Navigator).**

Transfer height: 21" | Average install: 8-12 hrs
Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Additional time required for relocating memory box.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2025-2027 Expedition / Navigator | FRONT PASSENGER

LK2-EXP25R

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ **Please specify if equipped with vented seat. (add. parts & time)**
NOT AVAILABLE for model with **MANUAL SEAT.**
NOT AVAILABLE for model with **PERFECT POSITION SEAT (Navigator).**

Transfer height: 21" | Average install: 8-12 hrs
Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2025-2027 Expedition / Navigator | 2nd ROW LEFT (DRIVER SIDE)

LK2-EXP25CL

Seat height: OEM
Lower C pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ **Please specify if equipped with heated seat. (add. parts & time)**

⚠ **Must be Long wheelbase (Exp. MAX & Nav. L)**
Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
Inner arm rest must be removed.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

2025-2027 Expedition / Navigator | 2nd ROW RIGHT (PASSENGER SIDE)

LK2-EXP25CR

Seat height: OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ **Please specify if equipped with heated seat. (add. parts & time)**

⚠ **Must be Long wheelbase (Exp. MAX & Nav. L)**
Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
Inner arm rest must be removed.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

2013-2019 ⧗ Escape | FRONT PASSENGER

LK2-ESC13R

Seat height: OEM
OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ½ inch less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

2020-2026 Escape | FRONT PASSENGER

LK2-ESC20R

Seat height: 2 5/16" higher than OEM lowest (adjustable seat)

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM | **BACK:** 1" less than OEM
OEM seat trim must be modified.

2015-2024 Edge | FRONT PASSENGER

LK2-EDG15R

Seat height: ¼" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 19" | Average install: 10-12 hrs
Seat adjustments | FRONT: ¼" more than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.

2016-2023 Lincoln MKX / Nautilus | FRONT PASSENGER

LK2-EDG15R

Seat height: ¼" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with vented seat. (add. parts & time)**
➲ **Please specify if 22 position seat. (add. parts, manual & time)**

Transfer height: 19" | Average install: 10-12 hrs
Seat adjustments | FRONT: ¼" more than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2007-2013 ⧗ Avalanche | DRIVER

LK2-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

2007-2013 ⧗ Avalanche | FRONT PASSENGER

LK2-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

2015-2022 Canyon / Colorado Extended Cab – Suicide door | DRIVER

LK2-COLC15L

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 3/8" less that OEM **| BACK:** OEM
OEM wire harness must be cut and extended under seat.
⚠ Rear door must be open for LINK operation.
⚠ STEERING COLUMN MUST BE TELESCOPIC.

2015-2022 Canyon / Colorado Extended Cab – Suicide door | FRONT PASSENGER

LK2-COLC15R

Seat height: ¾" higher than OEM
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 3/8" less that OEM **| BACK:** OEM
OEM wire harness must be cut and extended under seat.
⚠ Rear door must be open for LINK operation.

2015-2022 Canyon / Colorado Crew Cab – 4 door | DRIVER

LK2-COLC15L

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 3/8" less that OEM **| BACK:** OEM
OEM wire harness must be cut and extended under seat.
⚠ STEERING COLUMN MUST BE TELESCOPIC.

2015-2022 Canyon / Colorado Crew Cab – 4 door | FRONT PASSENGER

LK2-COLC15R

Seat height: ¾" higher than OEM
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 3/8" less that OEM **| BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2023-2027 Canyon / Colorado Crew Cab – 4 door | DRIVER

LK2-COLC23L

Seat height: 2 13/16" higher than OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if equipped with power seats.***
Black trims will be supplied for all interiors

Transfer height: 21" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1.43" less that OEM **| BACK:** 1''
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Vented seat base fan removed from seat.
TALL Preset not available for Driver Side

2023-2027 Canyon / Colorado Crew Cab – 4 door | FRONT PASSENGER

LK2-COLC23R

Seat height: 2 5/16" higher than OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Black trims will be supplied for all interiors

Transfer height: 21" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1 7/16" less that OEM **| BACK:** 7/8"
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Vented seat base fan removed from seat.

2007-2013 ⧗ Sierra / Silverado Extended Cab-1500- Suicide door | DRIVER

LK2-SILX07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2007-2013 ⧗ Sierra / Silverado Extended Cab-1500- Suicide door | FRONT PASSENGER

LK2-SILX07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

Transfer height: 19" | Average install: 6-8 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | DRIVER

LK2-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 20" | Average install: 7-9 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | FRONT PASSENGER

LK2-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

Transfer height: 20" | Average install: 7-9 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2007-2013 ⧗ Sierra / Silverado Crew Cab-1500- 4 door | DRIVER

LK2-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

2007-2013 ⧗ Sierra / Silverado Crew Cab-1500- 4 door | FRONT PASSENGER

LK2-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 6-8 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat

2014-2018 Sierra / Silverado Crew Cab-1500- 4 door | DRIVER

LK2-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 20" | Average install: 7-9 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2014-2018 Sierra / Silverado Crew Cab-1500- 4 door | FRONT PASSENGER

LK2-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

Transfer height: 20" | Average install: 7-9 hrs

Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2019-2026 Sierra / Silverado Crew Cab & Double Cab-1500- 4 door | DRIVER

LK2-SILC19L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if POWER SEAT.**
➲ **Please specify if equipped with seat memory. (add. parts & time)**
➲ **Please specify if equipped with vented seat. (add. parts & time)**
➲ **Please specify if LD / Limited or New Body Style (If older style, Vented seat base fan removed from seat)**

Transfer height: 21" | Average install: 6-8 hrs

Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
NOT AVAILABLE FOR ELECTRIC VEHICLE

2019-2026 Sierra / Silverado Crew Cab & Double Cab-1500- 4 door | FRONT PASSENGER

LK2-SILC19R

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if POWER SEAT.***
➲ ***Please specify if equipped with vented seat. (Add. parts & time)***
➲ **Please specify if LD / Limited or New Body Style (If older style, Vented seat base fan removed from seat)**

Transfer height: 21" | Average install: 6-8 hrs

Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
NOT AVAILABLE FOR ELECTRIC VEHICLE

PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

2007-2014 ⧗ Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door | DRIVER

LK2-SILX07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
Seat belt reel must be relocated | BRACKET PROVIDED

Transfer height: 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Replace rocker panel shroud | PROVIDED

2007-2014 ⧗ Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door | FRONT PASSENGER

LK2-SILX07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:

Transfer height: 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat
Seat belt reel must be relocated | BRACKET PROVIDED

2007-2014 ⧗ Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door | DRIVER

LK2-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2007-2014 ⧗ Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door | FRONT PASSENGER

LK2-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER

LK2-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
♦2500 model sits one inch higher that the 1500 & 3500 model.

Transfer height: 20"-21" | Average install: 7-9 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER

LK2-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 20"-21" | Average install: 7-9 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
2500 model sits one inch higher that the 1500 & 3500 model.

2020-2027 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER

LK2-SILC19L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
➲ **Please specify if POWER SEAT.**
➲ **Please specify if equipped with seat memory. (add. parts & time)**
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 25" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE FOR ELECTRIC VEHICLE

PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

2020-2027 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER

LK2-SILC19R

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if POWER SEAT.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

Transfer height: 25" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL
NOT AVAILABLE FOR ELECTRIC VEHICLE

2007-2014 ⧗ Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK2-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height:19"or 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat
HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

2007-2014 ⧗ Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK2-SILC07R
Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

Transfer height:19"or 23" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE for 2007 model with seatbelt integrated into the seat
HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK2-SILC14L
Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Transfer height: 20" | Average install: 7-9 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK2-SILC14R
Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

Transfer height: 20" | Average install: 7-9 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2021- 2027 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK2-SILC19L
Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
➲ **Please specify if POWER SEAT.**
➲ **Please specify if equipped with seat memory. (add. parts & time)**
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models. (Add time)
If equipped with TV/DVD or SPEAKERS in seatback, NO LONGER FUNCTIONAL
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

2021- 2027 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK2-SILC19R
Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
➲ **Please specify if equipped with vented seat. (add. parts & time)**
➲ **Please specify if POWER SEAT.**

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 ¼" less than OEM **| BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
If equipped with TV/DVD or SPEAKERS in seatback, NO LONGER FUNCTIONAL
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*
Extensive wire harness work required on fully equipped models. (Add time)

2008-2016 ⧗ Acadia | FRONT PASSENGER

LK2-TRV08R
Seat height: INFO N/A
OEM shrouds must be trimmed.
Vehicle battery access available | Installation does not block access.
GMC Acadia Limited 2017 (Built on 2016 body style)

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected

2017-2025 Acadia | DRIVER

LK2-ACA17L
Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut | STENCIL PROVIDED
➲ **Please specify if POWER SEAT.**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Door must be shimmed | SHIM PROVIDED
NOT AVAILABLE for 2017 ACADIA LIMITED MODEL

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM **| BACK:** 1" less than OEM
Vented seat base fan removed from seat.
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Seat offset 1" to the left of the steering.
If equipped with manual seats, recline handle is replaced | PROVIDED

2017-2025 Acadia | FRONT PASSENGER

LK2-ACA17R
Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
2017 GMC Acadia Limited model use 2016 Acadia KIT
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
➲ **Please specify if POWER SEAT.**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM **| BACK:** 1"less than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2024-2027 Acadia | FRONT PASSENGER

LK2-TRV24R
Seat height: 2 3/16" higher than OEM lowest
OEM shrouds must be trimmed.

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1" less than OEM **| BACK:** 1 ½" more than OEM
OEM wire harness must be cut and extended under seat.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2017-2025 Cadillac XT6 | DRIVER

LK2-ACA17L

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut | STENCIL PROVIDED
➲ ***Please specify if POWER SEAT.***
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
Door must be shimmed | SHIM PROVIDED
NOT AVAILABLE for 2017 ACADIA LIMITED MODEL

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1" less than OEM
Vented seat base fan removed from seat.
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Seat offset 1" to the left of the steering.
If equipped with manual seats, recline handle is replaced | PROVIDED

2017-2025 Cadillac XT6 | FRONT PASSENGER

LK2-ACA17R

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
2017 GMC Acadia Limited model use 2016 Acadia KIT
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
➲ ***Please specify if POWER SEAT.***

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1"less than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2019-2026 Blazer | DRIVER

LK2-BLZ19L

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut | STENCIL PROVIDED
➲ ***Please specify if POWER SEAT.***
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
Door must be shimmed | SHIM PROVIDED
NOT AVAILABLE for ELECTRIC MODEL (BLAZER EV)

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1"less than OEM
➲ ***Please specify if equipped with vented seat. (Add. parts & time)***
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Seat offset 1" to the left of the steering.
If equipped with manual seats, recline handle is replaced | PROVIDED

2019-2026 Blazer | FRONT PASSENGER

LK2-BLZ19R

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if POWER SEAT.**
➲ **Please specify if equipped with vented seat. (Add. parts & time)**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1"less than OEM
NOT AVAILABLE for ELECTRIC MODEL (BLAZER EV)
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2008-2017 ⧗ Enclave | FRONT PASSENGER

LK2-TRV08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Vehicle battery access available | Installation does not block access.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected

2018-2024 Enclave | DRIVER

LK2-TRV18L

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if equipped with vented seat. (Add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 1¼" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
NOT AVAILABLE FOR MANUAL SEATS MODEL

2018-2024 Enclave | FRONT PASSENGER

LK2-TRV18R

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with vented seat. (Add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 1¼" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

2025-2027 Enclave | FRONT PASSENGER

LK2-TRV24R

Seat height: 2 3/16" higher than OEM lowest
OEM shrouds must be trimmed.

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1" less than OEM | **BACK: 1** ½" more than OEM
OEM wire harness must be cut and extended under seat.

2008-2017 ⧗ Traverse | FRONT PASSENGER

LK2-TRV08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Vehicle battery access available | Installation does not block access.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected

2018-2023 Traverse | DRIVER

LK2-TRV18L

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 1¼" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
NOT AVAILABLE FOR MANUAL SEATS MODEL

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

2018-2023 Traverse | FRONT PASSENGER

LK2-TRV18R

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 19" | Average install: 10-14 hrs
Seat adjustments | FRONT: 1¼" less than OEM **| BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

2018-2023 Traverse | 2nd ROW LEFT (driver side)

LK2-TRV18CL

Seat height: OEM
NOT AVAILABLE for 8 passenger model.
➲ **Please specify if equipped with heated seat. (add. parts & time)**

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 2 ½" more than OEM **| BACK:** 1" more than OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.

2018-2023 Traverse | 2nd ROW RIGHT (passenger side)

LK2-TRV18CR

Seat height: OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 2 ½" more than OEM **| BACK:** 1" more than OEM
'Smart Slide®' quick access to 3rd row feature no longer functional.
NOT AVAILABLE for 8 passenger model.

2024-2027 Traverse | FRONT PASSENGER

LK2-TRV24R

Seat height: 2 3/16" higher than OEM lowest
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.

Transfer height: 20" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1" less than OEM **| BACK:** 1 ½" more than OEM
OEM wire harness must be cut and extended under seat.

2018-2024 Enclave | 2nd ROW RIGHT (passenger side)

LK2-TRV18CR

Seat height: OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.
➲ **Please specify if equipped with heated seat. (add. parts & time)**

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 2 ½" more than OEM **| BACK:** 1" more than OEM
'Smart Slide®' quick access to 3rd row feature no longer functional.
NOT AVAILABLE for 8 passenger model.

2018-2024 Enclave | 2nd ROW LEFT (driver side)

LK2-TRV18CL

Seat height: OEM
NOT AVAILABLE for 8 passenger model.
➲ **Please specify if equipped with heated seat. (add. parts & time)**

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 2 ½" more than OEM **| BACK:** 1" more than OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.

2010-2017 ⧗ Terrain / Equinox | FRONT PASSENGER

LK2-TER10R

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

Transfer height: 19" | Average install: 5-7 hrs
Seat adjustments | FRONT: OEM **| BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.
Seat recline handle removed and replaced | PROVIDED.

2018-2024 Terrain / Equinox | DRIVER

LK2-TER18L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: OEM **| BACK:** ½" less than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
NOT AVAILABLE FOR EV MODEL

2018-2024 Terrain / Equinox | FRONT PASSENGER

LK2-TER18R

Seat height: 2" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
➲ ***Please specify if POWER SEAT.***
➲ **Please specify if equipped with vented seat. (add. parts & time)**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ½" more than OEM **| BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
NOT AVAILABLE FOR EV MODEL

2025-2027 Terrain / Equinox | FRONT PASSENGER

LK2-TER25R

Seat height: " higher than OEM lowest (" adjustable seat)
OEM shrouds must be trimmed.
Outer seat trim must be modified | STENCIL PROVIDED
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 5/16" more than OEM **| BACK:** 1/8" less than OEM
OEM backrest lever replacement
Seat belt retractor relocated. Automatic retraction may be affected.
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE FOR EV MODEL

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

HONDA

2018-2027 Odyssey | 2nd ROW LEFT (driver side)

LK2-HDA18CL

Seat height: 1 inch higher than OEM

Jump seat in 8 passenger model is retained.

Transfer height: 19" | Average install: 4-6 hrs

Seat adjustments | FRONT: 2 ¼ more than OEM **| BACK:** ¾ more than OEM

➲ **Please specify if 7 or 8 passengers.**

Option Available: Adapt Solutions 100 pounds capacity Seat Anchor kit

CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE

If equipped with Magic Slide, the function is cancelled only at the seating position where the LINK is installed.

2018-2027 Odyssey | 2nd ROW RIGHT (passenger side)

LK2-HDA18CR

Seat height: 1 inch higher than OEM

Jump seat in 8 passenger model is retained.

Transfer height: 19"

Seat adjustments | FRONT: 2 ¼ more than OEM **| BACK:** ¾ more than OEM

➲ **Please specify if 7 or 8 passengers.**

Option Available: Adapt Solutions 100 pounds capacity Seat Anchor kit

CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE

If equipped with Magic Slide, the function is cancelled only at the seating position where the LINK is installed.

HYUNDAI

2020-2025 Palisade | DRIVER

LK2-PAL20L

Seat height: 1 ¾'' lower than OEM highest **|** 3/8 '' higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Door must be shimmed | SHIM PROVIDED

If seat is equipped with extendable thigh support, feature is cancelled

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: 1 3/4'' less than OEM **| BACK: 1 3/4**'' more than OEM

OEM wire harness must be cut and extended under seat.

If your seat is equipped with ventilation, feature is cancelled

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees

NOT AVAILABLE FOR MODELS WITH MANUAL SEAT

2020-2025 Palisade | FRONT PASSENGER

LK2-PAL20R

Seat height: 2 1/8'' lower than OEM highest **|** 3/8 '' higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Door must be shimmed | SHIM PROVIDED

If seat is equipped with ventilation, feature is cancelled

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: 1 3/4'' less than OEM **| BACK: 1 3/4**'' more than OEM

OEM wire harness must be cut and extended under seat.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees

NOT AVAILABLE FOR MODELS WITH MANUAL SEAT

KIA

2023-2027 EV9 | DRIVER

LK2-EV924L

Seat height: 1 3/8'' lower than OEM highest **| 1**'' higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

NOT AVAILABLE FOR MODELS WITH OEM POWER LEGS

Transfer height: 19" | Average install: 8-10 hrs

Seat adjustments | FRONT: 2'' less than OEM **| BACK: 3**'' more than OEM

OEM wire harness must be cut and extended under seat.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees

Fabric flap behind the seat has to be cut & modified

2023-2027 EV9 | FRONT PASSENGER

LK2-EV924R

Seat height: 1 7/8'' lower than OEM highest **| 1**'' higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

NOT AVAILABLE FOR MODELS WITH OEM POWER LEGS

Vented seat base fan removed from seat.

Transfer height: 19" | Average install: 8-10 hrs

Seat adjustments | FRONT: 2'' less than OEM **| BACK: 3**'' more than OEM

OEM wire harness must be cut and extended under seat.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees

Fabric flap behind the seat has to be cut & modified

2006-2014 ⧗ Sedona | 2nd ROW LEFT (driver side)

LK2-KIA06CL

Seat height: ½ inch higher than OEM

OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 4-6 hrs

Seat adjustments | FRONT: 1 ½ more than OEM **| BACK:** 1" more than OEM

⚠ **MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.**

2006-2014 ⧗ Sedona | 2nd ROW RIGHT (passenger side)

LK2-KIA06CR

Seat height: ½ inch higher than OEM

OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 4-6 hrs

Seat adjustments | FRONT: 1 ½ more than OEM **| BACK:** 1" more than OEM

⚠ **MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.**

Transfer height depends on models and equipment, validate with our team before ordering.

⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2020-2025 Telluride | DRIVER

LK2-PAL20L

Seat height: 1 ¾'' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Door must be shimmed | SHIM PROVIDED
If seat is equipped with extendable thigh support, feature is cancelled

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: 1 3/4'' less than OEM **| BACK: 1 3/4''** more than OEM
OEM wire harness must be cut and extended under seat.
If your seat is equipped with ventilation, feature is cancelled
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
NOT AVAILABLE FOR MODELS WITH MANUAL SEAT

2020-2025 Telluride | FRONT PASSENGER

LK2-PAL20R

Seat height: 2 1/8'' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Door must be shimmed | SHIM PROVIDED
If seat is equipped with ventilation, feature is cancelled

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: 1 3/4'' less than OEM **| BACK: 1 3/4''** more than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
NOT AVAILABLE FOR MODELS WITH MANUAL SEAT

2015-2021 Sedona | FRONT PASSENGER

LK2-KIA16R

Seat height: OEM (adjustable seat = 3" of travel – sits 1" higher than lowest)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if POWER SEATS | additional parts supplied.**

Transfer height: 19" | Average install: 6-8 hrs

Seat adjustments | FRONT: ¾" less than OEM **| BACK:** 1¼" more than OEM
OEM wire harness must be cut and extended under seat.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

2015-2021 Sedona | 2nd ROW LEFT (driver side)

LK2-KIA16CL

Seat height: OEM
OEM shrouds must be trimmed.
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

Transfer height: 19" | Average install: 7-9 hrs

Seat adjustments | FRONT: 1½" more than OEM **| BACK:** OEM
NOT AVAILABLE FOR MODELS WITH OEM FOOTREST | ***Discontinued in Canada 2019-2020 model.***

2015-2021 Sedona | 2nd ROW RIGHT (passenger side)

LK2-KIA16CR

Seat height: OEM
OEM shrouds must be trimmed.
➲ **Please specify if equipped with OEM footrest | LK-KIA16CFR (Footrest removed)**

Transfer height: 19" | Average install: 7-9 hrs

Seat adjustments | FRONT: 1½" more than OEM **| BACK:** OEM
➲ **Please specify if equipped with heated seats. (Add. parts & time)**

2022-2027 Carnival | DRIVER

LK2-KIA22L

Seat height: 1 ¾'' lower than OEM highest | **1 ¼''** higher than OEM lowest
B pillar shroud needs to be cut | STENCIL PROVIDED
OEM seat trim must be modified | STENCIL PROVIDED
➲ **Please specify if equipped with seat memory. (Add. parts & time)**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**
Compatible with HYBRID model.

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: ¼'' less than OEM **| BACK:** 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
Floor mat behind the LINK has to be removed or modified
Fabric flap behind the seat has to be cut & modified
Vented seat base fan removed from seat.
NOT AVAILABLE FOR MODELS WITH MANUAL SEAT.

2022-2027 Carnival | FRONT PASSENGER

LK2-KIA22R

Seat height: 1 1/8'' higher than OEM highest | **1 1/8 ''** higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
Control box needs to be relocated.
Custom tool provided for access to spare wheel under LINK.
➲ **Please specify if POWER SEATS different install manual supplied.**
Compatible with HYBRID model.

Transfer height: 19" | Average install: 10-12 hrs

Seat adjustments | FRONT: 1 7/8'' less than OEM **| BACK: 1** 3/8'' more than OEM
OEM wire harness must be cut and extended under seat.
Occupant sensor plug must be extended directly from the floor
Floor mat behind the LINK has to be removed or modified
Fabric flap behind the seat has to be cut & modified
Vented seat base fan removed from seat.

2022-2027 Carnival | 2nd ROW LEFT (driver side)

LK2-KIA22CL

Seat height: 9/16''higher than OEM highest | **9/16**'' higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
➲ **Please specify if equipped with OEM footrest**
VIP Lounge Seating – Relaxation Mode feature NO LONGER FUNCTIONAL

Transfer height: 18 1/4" | Average install: 6-8 hrs

Seat adjustments FRONT: 1 7/8" less than OEM **| BACK:** 1" less than OEM
Rear foam of the seat cushion must be modified
Compatible with HYBRID model.

2022-2027 Carnival | 2nd ROW RIGHT (passenger side)

LK2-KIA22CR

Seat height: 9/16''higher than OEM highest | **9/16**'' higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
➲ **Please specify if equipped with OEM footrest**
VIP Lounge Seating – Relaxation Mode feature NO LONGER FUNCTIONAL

Transfer height: 18 1/4" | Average install: 6-8 hrs

Seat adjustments FRONT: 1 7/8" less than OEM **| BACK:** 1" less than OEM
Rear foam of the seat cushion must be modified
Compatible with HYBRID model.

Transfer height depends on models and equipment, validate with our team before ordering.
LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

2011-2020 ⧗ Sienna | DRIVER

LK2-TOY11L

Seat height: OEM (Manual seat) | 1" lower than OEM top (adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
➲ ***Please specify if ALL WHEEL DRIVE | additional parts supplied.***

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Armrest must be modified | Retained. Action required for use.
➲ ***Please specify if ADJUSTABLE ARMREST WITH BUTTON.***
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)

2011-2020 ⧗ Sienna | FRONT PASSENGER

LK2-TOY11R

Seat height: OEM (Manual seat) | 1" lower than OEM top (adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
➲ ***Please specify if JBL SOUND SYSTEM | additional parts supplied.***

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if ALL WHEEL DRIVE | additional parts supplied.***
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)

2011-2020 ⧗ Sienna | 2nd ROW LEFT (driver side)

LK2-TOY11CL

Seat height: OEM
OEM shrouds must be replaced | PROVIDED.
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)
➲ **Please specify if equipped with OEM footrest | LK-TOY11CFL Footrest removed**

Transfer height: 19" | Average install: 7-9 hrs
Seat adjustments | FRONT: 5 ¼" less than OEM | **BACK:** OEM (9" travel)
Gas tank must be partially lowered to access floor adaptor bolts.
NOT AVAILABLE FOR 8 PASSENGER SIENNA (60/40 SPLIT)

2011-2020 ⧗ Sienna | 2nd ROW RIGHT (passenger side)

LK2-TOY11CR

Seat height: OEM
OEM shrouds must be replaced | PROVIDED.
➲ **Please specify if equipped with OEM footrest | LK-TOY11CFR Footrest removed**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 5 ¼" less than OEM | **BACK:** OEM (9" travel)
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)
NOT AVAILABLE FOR 8 PASSENGER with OEM Footrest

2021-2027 Sienna | DRIVER

LK2-TOY21L

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if POWER SEATS | additional parts supplied.**
➲ **Please specify if SEAT is equipped with LUMBAR SUPPORT.**

Transfer height: 19" | Average install: 8-12 hrs
Seat adjustments | FRONT: 3" less than OEM | **BACK:** 2 1/2" more than OEM
OEM wire harness must be cut and extended under seat.
Fan removed from seat and seatback.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Black trims will be supplied for all interiors

LIMITED SPACE | TIGHT APPLICATION. Watch video for details. ▶ Click here

2021-2027 Sienna | FRONT PASSENGER

LK2-TOY21R

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if POWER SEATS | additional parts supplied.**
Black trims will be supplied for all interiors

Transfer height: 19" | Average install: 8-12 hrs
Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Fan removed from seat and seatback.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

2021-2027 Sienna | 2nd ROW LEFT (driver side)

LK2-TOY21C7L

Seat height: 5/16" higher than OEM
OEM wire harness must be cut and extended under seat.
➲ **Please specify if equipped with OEM footrest**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 7/8" more than OEM | **BACK:** 3 1/4" less than OEM.
NOT AVAILABLE FOR 8 PASSENGER SIENNA (60/40 SPLIT)
Black trims will be supplied for all interiors

2021-2027 Sienna | 2nd ROW RIGHT (passenger side)

LK2-TOY21C7R

Seat height: 5/16" higher than OEM
OEM wire harness must be cut and extended under seat.
➲ **Please specify if 8 passengers | LK-TOY21C8R.**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 7/8" more than OEM | **BACK:** 3 1/4" less than OEM.
NOT AVAILABLE FOR 8 PASSENGER with OEM Footrest
Black trims will be supplied for all interiors

2005-2023 Tacoma Access Cab – Suicide door | FRONT PASSENGER

LK2-TACD05R

Seat height: 1" higher than OEM
OEM shrouds must be trimmed.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

2005-2023 Tacoma Double Cab – 4 door | FRONT PASSENGER

LK2-TACD05R

Seat height: 1" higher than OEM
OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 4-6 hrs
Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

TOYOTA

2024-2027 Tacoma Double Cab – 4 door | DRIVER

LK2-TACD24L

Seat height: OEM highest | **2 5/8**'' higher than OEM lowest
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

Transfer height: 22" | Average install: 8-10 hrs
Seat adjustments | FRONT: OEM | **BACK: 1/8**" less than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Black trims will be supplied for all interiors
NOT AVAILABLE FOR MANUAL SEATS.

2024-2027 Tacoma Double Cab – 4 door | FRONT PASSENGER

LK2-TACD24R

Seat height: 2 7/8" higher than OEM highest
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

Transfer height: 19 1/2" | Average install: 8-10 hrs
Seat adjustments | FRONT: OEM | **BACK: 1/8**" less than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Black trims will be supplied for all interiors
NOT AVAILABLE FOR MANUAL SEATS.

2014-2021 Tundra Double Cab - 4 door (2 smaller) | DRIVER

LK2-TUN14L

Seat height: OEM (Manual seat) | 1" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if 12 way seat (power thigh) | additional parts supplied.**

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan retained.
Higher trim levels may cause loss of some seat features.

2014-2021 Tundra Double Cab - 4 door (2 smaller) | FRONT PASSENGER

LK2-TUN14R

Seat height: OEM (Manual seat) | 1" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat. (In *LIMITED & 1794*)

2014-2021 Tundra Crew Max – 4 door | DRIVER

LK2-TUN14L

Seat height: OEM (Manual seat) | 1" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if 12 way seat (power thigh) | additional parts supplied.**

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan retained.
Higher trim levels may cause loss of some seat features.

2014-2021 Tundra Crew Max – 4 door | FRONT PASSENGER

LK2-TUN14R

Seat height: OEM (Manual seat) | 1" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat. (In *LIMITED & 1794*)

2022-2027 Tundra Crew Max – 4 door | DRIVER

LK2-TUN22L

Seat height: 2" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
Control box needs to be relocated.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if 12 way seat (power thigh) | additional parts supplied.**

Transfer height: 21 1/2" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Fabric flap behind the seat has to be cut & modified
Ventilated seat removed
NOT AVAILABLE FOR MANUAL SEATS MODEL

2022-2027 Tundra Crew Max – 4 door | FRONT PASSENGER

LK2-TUN22R

Seat height: 2" higher than OEM lowest(adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
Control box needs to be relocated &Ventilated seat removed
Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Transfer height: 21 1/2" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Fabric flap behind the seat has to be cut & modified
NOT AVAILABLE FOR MANUAL SEATS MODEL

2013-2018 ⌛ Rav 4 | FRONT PASSENGER

LK2-RAV13R

Seat height: ½" higher than OEM
OEM shrouds must be trimmed.
➲ **Please specify if POWER SEATS | additional parts supplied.**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 3 ¼" less than OEM | **BACK:** 2 ¼" more than OEM
OEM wire harness must be cut and extended under seat.

2019-2025 Rav 4 | FRONT PASSENGER

LK2-RAV19R

Seat height: ½" higher than OEM
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
Compatible with HYBRID model.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: ½" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
NOT AVAILABLE FOR ELECTRIC SEATS MODEL

Transfer height depends on models and equipment, validate with our team before ordering.
⌛**LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

TOYOTA

2008-2016 ⧗ Venza | FRONT PASSENGER

LK2-VNZ08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Door opening increased with shim | PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Transfer height: 19" | Average install: 5-7 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
NOT AVAILABLE IF EQUIPPED WITH POWER SEAT ON PASSENGER SIDE.

2014-2019 ⧗ Highlander | FRONT PASSENGER

LK2-HLD14R

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ **Please specify if POWER SEATS | additional parts supplied.**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 2 ¼" less than OEM. **| BACK:** 1¼" more than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Vented seatback retained.

2020-2027 Grand Highlander | FRONT PASSENGER

LK2-HLD24R

Seat height: 1 3/8'' lower than OEM highest **| 7/8**'' higher than OEM lowest
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Compatible with HYBRID model

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 7/8'' less than OEM **| BACK: 1 1/8**'' more than OEM
Vented seat base fan removed from seat.
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2020-2026 Highlander | FRONT PASSENGER

LK2-HLD24R

Seat height: 1 3/8'' lower than OEM highest **| 7/8**'' higher than OEM lowest
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Compatible with HYBRID model.

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 7/8'' less than OEM **| BACK: 1 1/8**'' more than OEM
Vented seat base fan removed from seat.
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
NOT AVAILABLE FOR MANUAL SEATS.

Volkswagen

2009-2012 ⧗ Routan | DRIVER

LK2-CHRG08L

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED
Power seat buttons integrated into provided shroud.
➲ **Please specify if equipped with power seats.**

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Armrest must be removed | COVER CAP PROVIDED.
OEM wire harness must be cut and extended under seat.
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

2009-2012 ⧗ Routan | FRONT PASSENGER

LK2-CHRG08R

Seat height: OEM
OEM shrouds must be trimmed.
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.

2009-2012 ⧗ Routan | 2nd ROW LEFT (driver side)

LK2-CHRG08CL

Seat height: OEM
OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 6-8 hrs
Seat | FRONT: 5 inches more than OEM **| BACK:** OEM
⚠ **Must be Stow 'N Go seating (not bench)**

2009-2012 ⧗ Routan | 2nd ROW RIGHT (passenger side)

LK2-CHRG08CR

Seat height: OEM
OEM shrouds must be trimmed.

Transfer height: 19" | Average install: 6-8 hrs
Seat adjustments | FRONT: 5 inches more than OEM **| BACK:** OEM
⚠ **Must be Stow 'N Go seating (not bench)**

2018-2026 Atlas | DRIVER

LK2-ATL18L

Seat height: 1" lower than OEM highest **|** 1 ½" higher than OEM lowest
Outer seat trim panel modified. Inner trim panel cut | STENCIL PROVIDED.
Lower B-pillar shroud needs to be trimmed | STENCIL PROVIDED.
➲ **Please specify if equipped with seat memory (add parts & time)**
Memory control needs to be relocated.

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 1 ½'' less than OEM **| BACK: 2 ½**'' more than OEM
OEM wire harness must be cut and extended under seat.
Fabric flap behind the seat has to be cut & modified
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Black trims will be supplied for all interiors

LIMITED SPACE | TIGHT APPLICATION.

Transfer height depends on models and equipment, validate with our team before ordering.
⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

2018-2026 Atlas | FRONT PASSENGER

LK2-ATL18R

Seat height: 1" lower than OEM highest | 1 ½" higher than OEM lowest
OEM shrouds must be trimmed. | STENCIL PROVIDED.
Lower B-pillar shroud needs to be trimmed | STENCIL PROVIDED.
➲ **Please specify if Manual Seat.**
NOT AVAILABLE model for manual seats between 2018-2022

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 2 ½" less than OEM **| BACK: 1 ½"** more than OEM
OEM wire harness must be cut and extended under seat.
Fabric flap behind the seat has to be cut & modified
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**.
Black trims will be supplied for all interiors

2025-2027 ID BUZZ | DRIVER

LK2-BUZ25L

Seat height: 7/16" higher than OEM lowest (2-7/16" adjustable seat)
Lower B-pillar shroud needs to be trimmed | STENCIL PROVIDED.
Outer and inner seat trim must be modified | STENCIL PROVIDED

Transfer height: 19" | Average install: 8-10 hrs
Seat adjustments | FRONT: 2-1/16" less than OEM | BACK: 5/8" less than OEM
OEM wire harness must be cut and extended under seat.
Black trims will be supplied for all interiors

2025-2027 ID BUZZ | FRONT PASSENGER

LK2-BUZ25R

Seat height: 7/16" higher than OEM lowest (2-7/16" adjustable seat)
Lower B-pillar shroud needs to be trimmed | STENCIL PROVIDED.
Outer and inner seat trim must be modified | STENCIL PROVIDED

Transfer height: 19-7/16" | Average install: 8-10 hrs
Seat adjustments | FRONT: 2-1/16" less than OEM | BACK: 5/8" less than OEM
OEM wire harness must be cut and extended under seat.
Black trims will be supplied for all interiors

ASENTO|XL-SEAT

HI-LIFT



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all of the key features of the product.

PRODUCT VIDEO
Overview of the ASENTO & SPEEDY-LIFT in motion.

HIGHLIGHTS:

- OEM seat and adjustments remain intact
- Easy to use, foldable and removable transfer board.
- Can be paired with the SPEEDY-LIFT
- Driver or front passenger applications available
- 3-year warranty
- 275 lbs capacity.

THINGS TO NOTE

OEM plastic shroud and trim might be modified or replace on a per vehicle basis for the transfer board operation. If additional information is required, we, or our authorized dealers, will provide information needed on request.



XL SEAT|ASENTO QUICK REFERENCE

★= HI-LIFT available with XL-SEAT
HI-LIFT NOT AVAILABLE with ASENTO

CHRYSLER			DRIVER	FRONT PASSENGER
Caravan / Grand Caravan / Town & Country	2008 - 2020	★	✓	✓
Grand Caravan	2021 - 2027		✓	✓
Jeep Wrangler - 4 door	⌛2007 - 2018		✓*	✓*
Pacifica	2017 - 2027		✓	✓
Ram 1500|2500|3500 Reg Cab - 2 door	⌛2003 - 2009		✓	✓
Ram 1500|2500|3500 Quad Cab - 4 door	⌛2003 - 2009		✓	✓
Ram 1500|2500|3500 Crew/Mega Cab - 4 door	⌛2006 - 2009		✓	✓
Ram 1500 CLASSIC Crew Cab - 4 door	2009 - 2024		✓	✓
Ram 1500 Crew Cab – 4 door	2019 - 2027		✓*	✓*
Ram 1500 CLASSIC Quad Cab - 4 door	2009 - 2024		✓	✓
Ram 1500 Quad Cab – 4 door	2019 - 2027		✓*	✓*
Ram 2500/3500 Crew/Mega Cab - 4 door	2010 - 2018		✓	✓
Voyager	2020 - 2027		✓	✓
FORD			**DRIVER**	**FRONT PASSENGER**
Edge	⌛2011 - 2014		✓	✓
Edge	2015 - 2024		✓	✓
Explorer	2011 - 2019		✓	✓
Explorer	2020 - 2027		✓*	✓*
Expedition / Navigator	2018 - 2024		✓*	✓*
F-150 Reg Cab - 2 door	⌛2004 - 2008		✓	✓
F-150 Reg Cab - 2 door, small suicide door	⌛2009 - 2010		✓	✓
F-150 Super Cab - Suicide door	⌛2004 - 2008		✓*	✓*
F-150 Super Cab - Suicide door	⌛2009 - 2014		✓*	✓*
F-150 Super Cab - Suicide door	2015 - 2027		✓*	✓*
F-150 Super Crew Cab - 4 door	⌛2004 - 2008		✓	✓
F-150 Super Crew Cab - 4 door	⌛2009 - 2014		✓	✓
F-150 Super Crew Cab - 4 door	2015 - 2017		✓	✓
F-150 Super Crew Cab - 4 door	2018 - 2027		✓	✓
F-250, F-350, F-450 Super Cab - Suicide door	⌛2008 - 2016		✓	✓
F-250, F-350, F-450 Super Cab - Suicide door	2017 - 2027		✓	✓
F-250, F-350, F-450 Super Crew - 4 door	⌛2008 - 2016		✓	✓
F-250, F-350, F-450 Super Crew - 4 door	2017 - 2027		✓	✓
Lincoln MKX	2016 - 2018		✓	✓
Mark LT - 4 door	⌛2006 - 2008		✓	✓
Nautilus	2019 - 2023		✓	✓
Transit Connect	⌛2010 - 2013		✓	✓

⌛ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

⏮ **Transfer height depends on models and equipment, validate with our team before ordering.**

XL SEAT/ASENTO QUICK REFERENCE

FORD		DRIVER	FRONT PASSENGER
Ranger Super Crew Cab – 4 Door	2019 - 2023	✓	✓
Ranger Super Crew Cab – 4 Door	2024 - 2027	✓	✓
Raptor Super Cab - Suicide door	⌛2011 - 2016	✓*	✓*
Raptor Super Cab - Suicide door	2017 - 2027	✓*	✓*
Raptor Super Crew Cab - 4 door	⌛2011 - 2016	✓	✓
Raptor Super Crew Cab - 4 door	2017 - 2027	✓	✓
GENERAL MOTORS		**DRIVER**	**FRONT PASSENGER**
Acadia	2017 - 2023	✓	✓
Avalanche	⌛2007 - 2010	✓	✓
Avalanche	⌛2011 - 2013	✓	✓
Blazer	2019 - 2026	✓*	✓*
Canyon / Colorado Extended Cab - Suicide door	⌛2004 - 2012	✓	✓
Canyon / Colorado Extended Cab - Suicide door	⌛2015 - 2022	✓	✓
Canyon / Colorado Crew Cab – 4 door	⌛2015 - 2022	✓	✓
Canyon / Colorado Crew Cab – 4 door	2023 - 2027	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models	⌛2007 - 2010	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models	2011 - 2014	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models	2015 - 2020	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models	2021 - 2027	✓	✓
Sierra / Silverado Regular Cab - 2 door	⌛1999 - 2006	✓	✓
Sierra / Silverado Extended Cab - Without suicide door	⌛1999 - 2002	✓	✓
Sierra / Silverado Extended Cab - Suicide door	⌛2001 - 2006	✓	✓
Sierra / Silverado Extended Cab - Suicide door	⌛2007 - 2013	✓	✓
Sierra / Silverado Crew Cab - 4 door	⌛2007 - 2010	✓	✓
Sierra / Silverado Crew Cab - 4 door	⌛2011 - 2013	✓	✓
Sierra / Silverado **HD** (2500/3500) –Crew Cab	⌛2007 - 2010	✓	✓
Sierra / Silverado **HD** (2500/3500) –Crew Cab	⌛2011 - 2014	✓	✓
Sierra / Silverado **HD** (2500/3500) –Extended Cab	⌛2007 - 2014	✓	✓
Sierra / Silverado Double Cab – 4 door (2 smaller)	2014 - 2018	✓	✓
Sierra / Silverado Crew Cab - 4 door	2014 - 2018	✓	✓
Sierra / Silverado Double Cab - 4 door	2019 - 2026	✓*	✓*
Sierra / Silverado Crew Cab - 4 door	2019 - 2026	✓*	✓*
Sierra / Silverado **HD** (2500/3500) – All models	2015 - 2019	✓	✓
Sierra / Silverado **HD** (2500/3500) – All models	2020 - 2027	✓*	✓*
Terrain / Equinox	2018 - 2024	✓*	✓*
Terrain / Equinox	2025 - 2027	✓*	✓*
Traverse / Enclave	2018 - 2024	✓	✓
HONDA		**DRIVER**	**FRONT PASSENGER**
Odyssey	⌛2005 - 2010 ★	✓	✓
Odyssey	⌛2011 - 2017	✓	✓
Odyssey	2018 - 2027	✓	✓
HYUNDAI		**DRIVER**	**FRONT PASSENGER**
Palisade	2020 - 2025	✓*	✓*

⌛ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

⏮ **Transfer height depends on models and equipment, validate with our team before ordering.**

XL SEAT/ASENTO QUICK REFERENCE

KIA			DRIVER	FRONT PASSENGER
	2024 - 2027		✓	✓
Sedona	2015 - 2021		✓	✓
Carnival	2022 - 2027		✓*	✓
Telluride	2020 - 2025		✓*	✓*
MERCEDES			**DRIVER**	**FRONT PASSENGER**
Metris	2016 - 2023		✓	✓
NISSAN			**DRIVER**	**FRONT PASSENGER**
Ariya	2022 - 2026		✓	✓
SUBARU			**DRIVER**	**FRONT PASSENGER**
Forester	2014 - 2018		✓	✓
TESLA			**DRIVER**	**FRONT PASSENGER**
X	2015 - 2020		✓	✓
X	2021 - 2026		✓	✓
TOYOTA			**DRIVER**	**FRONT PASSENGER**
4 Runner	2010 - 2024		✓	✓
Highlander	⌛2014 - 2019		✓	✓
Rav 4	⌛2006 - 2012		✓	✓
Rav 4	⌛2013 - 2018		✓*	✓*
Rav 4	2019 – 2025		✓	✓
Sienna	⌛2004 - 2010	★	✓	✓
Sienna	⌛2011 - 2020	★	✓	✓
Sienna	2021 - 2027		✓	✓
Tacoma Access Cab - Suicide door	2005 - 2015		✓	✓
Tacoma Double Cab - 4 reg. door	2005 - 2015		✓	✓
Tacoma Double Cab - 4 reg. door	2016 - 2023		✓	✓
Tacoma Access Cab - Suicide door	2016 - 2023		✓	✓
Tundra Double Cab - 4 door (2 smaller)	2014 - 2021		✓	✓
Tundra Crew Max - 4 door	2014 - 2021		✓	✓
VOLKSWAGEN			**DRIVER**	**FRONT PASSENGER**
Routan	⌛2009 - 2012	★	✓	✓
Atlas	2018 - 2026		✓	✓
ID Buzz	2025 - 2027		✓	✓

Notes to specific applications marked * on the XL-SEAT/ASENTO QUICK **REFERENCE**

ASENTO	Ram 2500 / 3500	2019-2027	**NOT AVAILABLE - Space and transfer height not compatible.**
XL-SEAT	Jeep Wrangler– 4 Door	2007-2018	**NOT AVAILABLE for JL model (2018)**
ASENTO	F-150 Super Cab	2009-2014	**NOT AVAILABLE for model with ONLY 2 DOORS**
ASENTO	F-150 Super Cab	2009-2014	**NOT AVAILABLE for model with ONLY 2 DOORS**
ASENTO	Ranger Super Cab	2019-2023	**NOT AVAILABLE**
ASENTO	Expedition	2018-2024	**NOT AVAILABLE for model with MANUAL SEAT**
ASENTO	Explorer	2020-2027	**NOT AVAILABLE for model with MANUAL SEAT**
ASENTO	Blazer	2019-2026	**NOT AVAILABLE for ELECTRIC MODEL (Blazer EV)**
ASENTO	Sierra\ Silverado	2019-2027	**NOT AVAILABLE for ELECTRIC MODEL**
ASENTO	Terrain\ Equinox	2018-2024	**NOT AVAILABLE for ELECTRIC MODEL**
ASENTO	Terrain\ Equinox	2025-2027	**NOT AVAILABLE for ELECTRIC MODEL**
ASENTO	Palisade	2020-2025	**NOT AVAILABLE for model with MANUAL SEAT**

⌛ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

⏮ **Transfer height depends on models and equipment, validate with our team before ordering.**

XL SEAT/ASENTO QUICK REFERENCE

ASENTO	Telluride	2020-2025	**NOT AVAILABLE for model with MANUAL SEAT**
ASENTO	Navigator	2018-2024	**NOT AVAILABLE for model with PERFECT POSITION SEAT**
ASENTO	Carnival	2022-2027	**NOT AVAILABLE for model with MANUAL SEAT (Driver)**
XL-SEAT	Rav 4	2013-2018	**NOT AVAILABLE for model with POWER SEATS**

★ = HI-LIFT available with XL-SEAT. HI-LIFT NOT AVAILABLE with ASENTO

The ASENTO is available in driver & front passenger positions

HI-LIFT NOT AVAILABLE with **ASENTO**

CHRYSLER

2021-2027 Grand Caravan

EV-CHR17

Lower B-pillar shroud must be modified.

Height: 21" / Average install: 2-4 hrs

Seatbelt pre-tensioner must be relocated.

2017-2027 Pacifica

EV-CHR17

Lower B-pillar shroud must be modified.

Compatible with HYBRID model.

Height: 21" / Average install: 2-4 hrs

Seatbelt pre-tensioner must be relocated.

2020-2027 Voyager

EV-CHR17

Lower B-pillar shroud must be modified.

Height: 21" / Average install: 2-4 hrs

Seatbelt pre-tensioner must be relocated.

2019-2027 Ram 1500 Crew Cab – 4 door

EV-RAMQ19

Doorsill shrouds must be cut | STENCIL PROVIDED.

➲ **Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.**

➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL**

Height: 24" / Average install: 3-5 hrs

Lower B pillar shroud replaced | PROVIDED.

PASSENGER SIDE ONLY: Jack kit assembly must be relocated.

2019-2027 Ram 1500 Quad Cab – 4 door

EV-RAMQ19

Doorsill shrouds must be cut | STENCIL PROVIDED.

➲ **Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.**

➲ **Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL**

Height: 24" / Average install: 3-5 hrs

Lower B pillar shroud replaced | PROVIDED.

PASSENGER SIDE ONLY: Jack kit assembly must be relocated.

Ford

2015-2024 Edge

EV-EDG15

Lower B-pillar shroud must be modified.

Height: 22½ " / Average install: 2-4 hrs

2018-2024 Expedition / Navigator

EV-EXP18

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

NOT AVAILABLE for model with MANUAL SEAT.

NOT AVAILABLE for model with PERFECT POSITION SEAT (Navigator).

Height: 25.75" / Average install: 3-5 hrs

OEM Seat trim must be modified

Power seat buttons relocated to the front of the seat

2020-2027 Explorer

EV-EXL20

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

Height: 22" / Average install: 2-4 hrs

NOT AVAILABLE FOR MODEL WITH MANUAL SEAT.

2017-2027 Raptor Super Crew Cab - 4 door

EV-F150C18

Upper B-pillar shroud modified.

Height: 28" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

2018-2027 F-150 Super Crew Cab – 4 door

EV-F150C18

Upper B-pillar shroud modified.

Height: 26" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

2017-2027 F-250, F-350, F-450 Super Crew Cab – 4 door

EV-F150C18

Upper B-pillar shroud modified.

Height: 28" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

2016-2023 Lincoln MKX / Nautilus

EV-EDG15

Lower B-pillar shroud must be modified.

Height: 22½ " / Average install: 2-4 hrs

⌛ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

Transfer height depends on models and equipment, validate with our team before ordering.

2019-2023 Ranger Super Crew Cab

EV-RNG19
Lower B-pillar shroud must be modified. | STENCIL PROVIDED
Height: 25" / Average install: 3-5 hrs
OEM seat trim must be modified. | STENCIL PROVIDED

2024-2027 Ranger Super Crew Cab

EV-RNG24
Lower B-pillar shroud must be modified. | STENCIL PROVIDED
Height: 25 ¾'' / Average install: 2-4 hrs

GM

2017-2023 Acadia

EV-ACA17
Lower B pillar shroud must be cut | STENCIL PROVIDED.
If equipped with manual seats, recline handle is replaced | PROVIDED
Height: 21" / Average install: 2-4 hrs
➲ **Please specify if POWER SEATS | additional parts supplied.**

2019-2026 Blazer

EV-BLZ19
Lower B pillar shroud must be cut | STENCIL PROVIDED.
If equipped with manual seats, recline handle is replaced | PROVIDED
Height: 21"-23" / Average install: 2-4 hrs
➲ **Please specify if POWER SEATS | additional parts supplied.**
NOT AVAILABLE FOR ELECTRIC MODEL EV

2015-2022 Canyon / Colorado Extended Cab - Suicide door

EV-COLX15
Seat shroud must be modified | PARTS SUPPLIED.
Height: 25" / Average install: 3-5 hrs

2015-2022 Canyon / Colorado Crew Cab - 4 door

EV-COLC15
Seat shroud must be modified | PARTS SUPPLIED.
Height: 24.5" / Average install: 3-5 hrs
Lower B-pillar shroud must be modified.

2023-2027 Canyon / Colorado Crew Cab - 4 door

EV-COLC23
Seat shroud must be modified/ STENCIL PROVIDED.
Height: 25.5" / Average install: 3-5 hrs
Lower B-pillar shroud must be modified/ STENCIL PROVIDED.

2014-2018 Sierra / Silverado Double Cab - 4 door (2 smaller)

EV-SILC14
Lower B-pillar shroud must be modified.
Height: 24" (4x4) / Average install: 2-4 hrs
Seat shroud must be modified | PARTS SUPPLIED.

2014-2018 Sierra / Silverado Crew Cab - 4 door

EV-SILC14
Lower B-pillar shroud must be modified.
Height: 24" (4x4) / Average install: 2-4 hrs
Seat shroud must be modified | PARTS SUPPLIED.

2019-2026 Sierra / Silverado Double Cab - 4 door

EV-SILC19
Lower B pillar shroud must be cut | STENCIL PROVIDED.
Height: 24.5" (4x4) / Average install: 3-5 hrs
NOT AVAILABLE FOR ELECTRIC MODEL EV
➲ **Please specify if LD / Limited or New Body Style (If older style, Vented seat base fan removed from seat)**
if POWER SEATS | additional parts supplied. Buttons relocated to front of seat

2019-2026 Sierra / Silverado Crew Cab - 4 door

EV-SILC19
Lower B pillar shroud must be cut | STENCIL PROVIDED.
***Height: 24.5" (4x4) / Average install: 3-5 hrs**
NOT AVAILABLE FOR ELECTRIC MODEL EV
Specify LD / Limited or New Body Style (If older style, Vented seat base fan removed from seat)
if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.

2015-2019 Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab)

EV-SILC14
Lower B-pillar shroud must be modified.
Height: 25 & 24" (4X4) / Average install: 2-4 hrs
• 2500 model is one inch higher off the ground than the 3500 model.

2020-2027 Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab)

EV-SILC19
Lower B pillar shroud must be cut | STENCIL PROVIDED.
NOT AVAILABLE FOR ELECTRIC MODEL EV
Height: 24.5 / Average install: 2-4 hrs
Transfer height may vary with tires, wheels and suspension.
➲ **Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.**

The ASENTO is available in driver & front passenger positions

HI-LIFT NOT AVAILABLE with ASENTO

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models

EV-SILC14 — Height: 24.5" (4x4) / Average install: 2-4 hrs

Lower B-pillar shroud must be modified.

2021-2027 Escalade / Suburban / Tahoe / Yukon - All models

EV-SILC19 — Height: 24.5" (4x4) / Average install: 3-5 hrs

Lower B pillar shroud must be cut | STENCIL PROVIDED.

➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***

2018-2024 Terrain / Equinox

EV-TER18 — Height: 21" / Average install: 3-5 hrs

Lower B-pillar shroud must be modified.

Lower seat shroud must be replaced | PROVIDED.

➲**Please specify if POWER SEAT.**

Seat recline handle must be replaced in manual seat model | PROVIDED.

NOT AVAILABLE FOR ELECTRIC MODEL EV

2025-2027 Terrain / Equinox

EV-TER25 — Height: 22 1/4" / Average install: 3-5 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

NOT AVAILABLE FOR ELECTRIC MODEL EV

2018-2024 Traverse / Enclave

EV-TRV18 — Height: 21" / Average install: 3-5 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

HONDA

2018-2027 Odyssey

EV-HDA18 — Height: 21" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified.

HYUNDAI

2020-2025 Palisade

EV-PAL20 — Height: 20 7/8" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

NOT AVAILABLE for model with MANUAL SEAT

KIA

⌛ 2024-2027 EV9

EV-EV924 — Height: 22-1/2" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

2022-2027 Carnival

EV-KIA22 — Height: 21" / Average install: 4-6 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

Power seat controls must be relocated to the front of the seat

OEM seat controls wire must be cut and extended

NOT AVAILABLE for model with MANUAL SEAT (Driver).

Compatible with HYBRID model.

2020-2025 Telluride

EV-PAL20 — Height: 20 7/8" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

NOT AVAILABLE for model with MANUAL SEAT+

⌛ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.**

Transfer height depends on models and equipment, validate with our team before ordering.

Mercedes-Benz

2016-2023 Metris

EV-MET16 — ⏮Height: 22" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified.

NISSAN

2022-2026⌛ Ariya

EV-ARY22 — ⏮Height: 21" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

MANUAL SEAT model: seat handle must be replaced | provided

➲ **Please specify if equipped with power seats.**

SUBARU

2014-2018⌛ Forester

EV-FOR14 — ⏮Height: 20.5" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified.

TESLA

2015-2020 Tesla X

EV-TESX15 — ⏮Height: 19'' / Average install: 2-4 hrs

Lower B-pillar shroud must be modified **-** STENCIL PROVIDED

(Black trims will be supplied for all interiors)

2021-2026 Tesla X

EV-TESX21 — ⏮Height: 19'' / Average install: 2-4 hrs

Lower B-pillar shroud must be modified **-** STENCIL PROVIDED

➲**Please specify for 2021 only -> 2020 Model or 2021 Redesigned Model**

TOYOTA

2021-2027 Sienna

EV-TOY21 — **Height: 20 ¾" / Average install: 2-4 hrs**

MANUAL SEAT model: seat handle must be replaced | provided
(Black trims will be supplied for all interiors)
Lower B-pillar shroud must be modified.
Limited legroom and headroom due to door dimensions.

➲ **Please specify if SEAT is equipped with LUMBAR SUPPORT.**
➲ **Please specify if POWERED SEATS. OEM seat trim must be modified - STENCIL NOT PROVIDED FOR RIGHT - Parts supplied. Buttons relocated to front of seat.**

2016-2023 Tacoma Access Cab - Suicide door

EV-TACA16 — **Height: 24.5" / Average install: 2-4 hrs**

Modification of the doorsill moulding required.

2014-2021 Tundra Double Cab - 4 door (2 smaller)

EV-TUN14 — **Height: 25.5" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

2014-2021 Tundra Crew Max - 4 door

EV-TUN14 — **Height: 25.5" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

2019-2025 Rav 4

EV-RAV19 — **Height: 23" / Average install: 3-5 hrs**

Seat handles must be replaced | PROVIDED.
Compatible with HYBRID model.

➲ **Please specify if POWER SEATS | additional parts supplied. Shroud must be modified. Buttons relocated to front of seat.**

2014-2019 Highlander

EV-HLD14 — **Height: 22" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.
Compatible with HYBRID model.

Volkswagen

2018-2026 Atlas

EV-ATL18 — **Height: 21"3/8 / Average install: 4-6 hrs**

Door sill trim panel must be modified. | STENCIL PROVIDED.
Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

2025-2027 ID Buzz

EV-BUZ25 — **Height: 23'' / Average install: 4-6 hrs**

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

CHRYSLER

★= Available with HI-LIFT

2008-2020 Caravan / Town & Country (♦discontinued 2016)

XLS-CHRG08 ★ Available with HI-LIFT
Removal or modification of doorsill moulding required.
If power seat, controls may need to be relocated.

Height: 18" / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.
➲ ***Please specify if equipped with power seats.***

2003-2009 ⌛ Ram Reg Cab - 2 door (1500, 2500, 3500)

XLS-RAMR02
If power seat, controls may need to be relocated.
The seatbelt anchor must be connected to our equipment.
OEM Map pocket may need to be removed or modified on some models

Height: 27" (4X4) / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.

2003-2009 ⌛ Ram Quad Cab- 4 door (1500, 2500, 3500)

XLS-RAMQ02
Lower B-pillar trim to be replaced by one provided for driver side.
The OEM B-pillar trim and shrouds need to be trimmed for passenger side.
The seatbelt retractor must be relocated to our equipment.

Height: 27" (4X4) / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.
OEM Map pocket may need to be removed or modified on some models

2009-2024 Ram 1500 Quad Cab CLASSIC- 4 door

XLS-RAMQ09
Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.
Seat reclining handles will have to be replaced with those provided.

Height: 27" (4X4) / Average install: 2-4 hrs
Lower B-pillar trim to be replaced by one provided.
Removal or modification of doorsill moulding required.

2009-2024 Ram 1500 Crew Cab - 4 door

XLS-RAMQ09
Lower B-pillar trim to be replaced by one provided.
If power seat, controls may need to be relocated.
Tight application. Trims may get scratched.

Height: 27" (4X4) / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.
Removal or modification of doorsill moulding required.

2006-2009 ⌛ Ram Mega Cab - 4 big doors (1500, 2500, 3500)

XLS-RAMQ02
Lower B-pillar trim to be replaced by one provided for driver side.
The OEM B-pillar trim and shrouds need to be trimmed for passenger side.
Seat reclining handles will have to be replaced with those provided.

Height: 27" (4X4) / Average install: 2-4 hrs
The seatbelt retractor must be relocated to our equipment.
OEM Map pocket may need to be removed or modified on some models

2010-2018 Ram 2500/3500 Crew/Mega Cab - 4 doors

XLS-RAMQ09
Lower B-pillar trim to be replaced by one provided.
If power seat, controls may need to be relocated.
Tight application. Trims may get scratched.

Height: 27" (4X4) / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.
Removal or modification of doorsill moulding required.

2007-2018 Jeep Wrangler - 4 door

XLS-WRG07
Lower B-pillar trim to be replaced by one provided.
NOT AVAILABLE for JL model (2018)

Height: 27.5" (4X4) / Average install: 2-4 hrs
Seat reclining handles will have to be replaced with those provided.

The XL-SEAT is available in driver & front passenger positions

★= Available with HI-LIFT

2006-2008 ⧗ Mark LT - 4 door

XLS-F150C04
Removal or modification of doorsill moulding required.
If power seat, controls may need to be relocated.
Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.

2004-2008 ⧗ F-150 Reg Cab - 2 door

XLS-F150S04
Removal or modification of doorsill moulding required.
If power seat, controls may need to be relocated.
Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.

2009-2010 ⧗ F-150 Reg Cab - 2 door, small suicide door

XLS-F150C09
The OEM B-pillar trim will need to be trimmed.
If power seat, controls may need to be relocated.
Height: 24.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

2004-2008 ⧗ F-150 Super Cab - Suicide door

XLS-F150S04
Removal or modification of doorsill moulding required.
If power seat, controls may need to be relocated.
Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.

2009-2014 ⧗ F-150 Super Cab - Suicide door

XLS-F150S09
The OEM B-pillar trim will need to be trimmed.
Height: 26.5" (4X4) / Average install: 2-4 hrs
Removal or modification of doorsill moulding required.

2015-2027 F-150 Super Cab - Suicide door

XLS-F150S15
Height: 26.5" (4X4) / Average install: 2-4 hrs

2011-2016 ⧗ Raptor Super Cab - Suicide door

XLS-F150S09
The OEM B-pillar trim will need to be trimmed.
Height: 28.5" (4X4) / Average install: 2-4 hrs
Removal or modification of doorsill moulding required.

2017-2027 Raptor Super Cab - Suicide door

XLS-F150S15
Interior door panel must be modified | STENCIL & REPLACEMENT CUTOUT PROVIDED
Height: 28.5" (4X4) / Average install: 2-4 hrs

2004-2008 ⧗ F-150 Super Crew Cab - 4 door

XLS-F150C04
The OEM B-pillar trim will need to be trimmed.
If power seat, controls may need to be relocated.
Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

2009-2014 ⧗ F-150 Super Crew Cab - 4 door

XLS-F150C09
The OEM B-pillar trim will need to be trimmed.
Height: 25.5" (4X4) / Average install: 2-4 hrs
The seat belt detonator must be relocated to the floor adaptor.

2015-2017 F-150 Super Crew Cab - 4 door

XLS-F150C15
The OEM B-pillar shroud will need to be trimmed | STENCIL PROVIDED.
If power seat, controls may need to be relocated.
Height: 24.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

2011-2016 ⧗ Raptor Super Crew Cab - 4 door

XLS-F150C09
The OEM B-pillar trim will need to be trimmed.
Height: 25.5" (4X4) / Average install: 2-4 hrs
The seat belt detonator must be relocated to the floor adaptor.

2008-2016 ⧗ F-250, F-350, F-450 Super Cab - Suicide door

XLS-F250S08
Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.
Height: 27" (4X4) / Average install: 2-4 hrs
Removal or modification of doorsill moulding required.
This installation requires bolting to the rocker panel.

2008-2016 ⧗ F-250, F-350, F-450 Crew Cab - 4 door

XLS-F250C08
Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.
This installation requires bolting to the rocker panel.
Height: 27" (4X4)
Removal or modification of doorsill moulding required.
The seatbelt retractor must be relocated to our equipment.
The OEM B-pillar trim will need to be trimmed.

2017-2027 F-250, F-350, F-450 Super Cab - Suicide door

XLS-F150S15
Interior door panel must be modified, STENCIL & CUTOUT PROVIDED
Height: 27" (4X4) / Average install: 2-4 hrs
2017 Ford F-250 & F-350 4X4 model sit 1" lower than the 2017 F-150.

⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

Transfer height depends on models and equipment, validate with our team before ordering.

★= Available with HI-LIFT

2011-2014 Edge	
XLS-EDG11	**Height: 21"**
Seat reclining handles will have to be replaced with those provided.	The OEM B-pillar trim will need to be trimmed.
2011-2019 Explorer	
XLS-EXL11	**Height: 23.5"**
The OEM B-pillar trim will need to be trimmed.	Tight application. Trims may get scratched.
2010-2013 ⌛ Transit Connect	
XLS-FTC10	**Height: 26.5" / Average install: 2-4 hrs**
The OEM B-pillar trim will need to be trimmed.	Removal or modification of doorsill moulding required.

The XL-SEAT is available in driver & front passenger positions

★= Available with HI-LIFT

2007-2010 ⧗ Avalanche

XLS-SILC07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.

2011-2013 ⧗ Avalanche

XLS-SILC11 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

If power seat, controls may need to be relocated.
Lower B-pillar trim to be replaced by one provided.

2004-2012 ⧗ Canyon / Colorado Extended Cab - Suicide door

XLS-COLX04 — Height: 21" (2X4) / Average install: 2-4 hrs

Seat reclining handles will have to be replaced with those provided.
Removal or modification of doorsill moulding required.

1999-2006 ⧗ Sierra / Silverado Regular Cab - 2 door

XLS-SILR99 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.
OEM Map pocket may need to be removed or modified on some models

1999-2002 ⧗ Sierra / Silverado Extended Cab - Without suicide door

XLS-SILR99 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

This installation requires bolting to the rocker panel.
Removal or modification of doorsill moulding required.
If power seat, controls may need to be relocated.
The OEM B-pillar trim will need to be trimmed.
OEM Map pocket may need to be removed or modified on some models

1999-2006 ⧗ Sierra / Silverado Extended Cab - Suicide door

XLS-SILX03 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Seat reclining handles will have to be replaced with those provided.
•Transfer height may vary with tires, wheels and suspension.
If power seat, controls may need to be relocated.
Removal or modification of doorsill moulding required.
This installation requires bolting to the rocker panel.
The OEM map pocket may need to be removed.
OEM Map pocket may need to be removed or modified on some models

2007-2013 ⧗ Sierra / Silverado Extended Cab - Suicide door

XLS-SILX07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

The seatbelt retractor must be relocated to our equipment.
Removal or modification of doorsill moulding required.
OEM Map pocket may need to be removed or modified on some models

2007-2010 ⧗ Sierra / Silverado Crew Cab - 4 door

XLS-SILC07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.
OEM Map pocket may need to be removed or modified on some models

2011-2013 ⧗ Sierra / Silverado Crew Cab - 4 door

XLS-SILC11 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

If power seat, controls may need to be relocated.
Lower B-pillar trim to be replaced by one provided.
OEM Map pocket may need to be removed or modified on some models

2007-2014 ⧗ Sierra / Silverado HD (2500/3500) – Extended Cab – Suicide door

XLS-SILX07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.
OEM Map pocket may need to be removed or modified on some models

2007-2010 ⧗ Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door

XLS-SILC07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.
OEM Map pocket may need to be removed or modified on some models

2011-2014 ⧗ Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door

XLS-SILC11 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

If power seat, controls may need to be relocated.
Lower B-pillar trim to be replaced by one provided.
OEM Map pocket may need to be removed or modified on some models

2007-2010 ⧗ Escalade / Suburban / Tahoe / Yukon - All models

XLS-SILC07 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

Tight application. Trims may get scratched.
OEM Map pocket may need to be removed or modified on some models

2011-2014 ⧗ Escalade / Suburban / Tahoe / Yukon - All models

XLS-SILC11 — Height: 24"-25" (4X4) / Average install: 2-4 hrs

If power seat, controls may need to be relocated.
Lower B-pillar trim to be replaced by one provided.
OEM Map pocket may need to be removed or modified on some models

⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

Transfer height depends on models and equipment, validate with our team before ordering.

HONDA

2005-2010 ⌛ Odyssey

XLS-HDA05 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
The seatbelt anchor must be connected to our equipment.
Height: 18" / Average install: 2-4 hrs
If power seat, controls may need to be relocated.

2011-2017 ⌛ Odyssey

XLS-HDA11
Tight application. Trims may get scratched.
The OEM B-pillar trim will need to be trimmed.
Height: 21" / Average install: 2-4 hrs
If power seat, controls may need to be relocated.

KIA

2015-2021 Sedona

XLS-KIA16
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Height: 20.5" / Average install: 2-4 hrs
Seat shroud must be cut | STENCIL & MODIFIED TRIM PROVIDED

TOYOTA

2004-2010 ⌛ Sienna

XLS-TOY04 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.
Height: 18" / Average install: 2-4 hrs

2011-2020 ⌛ Sienna

XLS-TOY11 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
Height: 22" / Average install: 2-4 hrs
If power seat, controls may need to be relocated.

2005-2015 Tacoma Access Cab - Suicide door

XLS-TACA05
Height: 24.5" (4X4) / Average install: 2-4 hrs

2005-2015 Tacoma Double Cab – 4 reg. door

XLS-TACD05
The OEM B-pillar trim will need to be trimmed.
Height: 24.5" (4X4) / Average install: 2-4 hrs
Removal or modification of doorsill moulding required.

2016-2023 Tacoma Double Cab – 4 reg. door

XLS-TACD16
The OEM B-pillar trim removed and replaced | PROVIDED
Height: 25.5" (4X4) / Average install: 2-4 hrs

2010-2024 4 Runner

XLS-T4R10
Tight application. Trims may get scratched.
Height: 25.5" (4X4) / Average install: 2-4 hrs
The OEM B-pillar trim will need to be trimmed.

2006-2012 ⌛ RAV 4

XLS-RAV06
Seat reclining handles will have to be replaced with those provided.
Height: 21.5" / Average install: 2-4 hrs
If power seat, controls may need to be relocated.

2013-2018 ⌛ RAV 4

XLS-RAV13
Tight application. Trims may get scratched.
Seat reclining handles will have to be replaced with those provided.
Height: 21" / Average install: 2-4 hrs
NOT AVAILABLE if equipped with power seats

Volkswagen

★= Available with HI-LIFT

2009-2012 ⌛ Routan

XLS-CHRG08 ★ Available with HI-LIFT

Seat reclining handles will have to be replaced with those provided.
If power seat, controls may need to be relocated.

⏮Height: 18" / Average install: 2-4 hrs

Removal or modification of doorsill moulding required.

SPEEDY-LIFT



FIND A DEALER
Looking for a dealer near you or a client, use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEO
Overview of the ASENTO & SPEEDY-LIFT in motion with music.

HIGHLIGHTS:
- Fast moving complete with automatic locking mechanism.
- Takes up very little space; in most applications only one seat is removed.
- 95 lbs capacity.
- 3-year warranty.
- Adapter available for folding chairs – less than 2 lbs and easily removed.
  Part # SL-WCBR-00

THINGS TO NOTE
Designed for mid-row in minivans, manual rigid or folding frame wheelchair.

SPEEDY-LIFT QUICK REFERENCE

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

CHRYSLER	
Caravan / Town & Country - Stow 'N Go	2005 - 2007
Town & Country - Swivel 'N Go	2008 - 2011
Caravan / Town & Country	⌛2008 - 2020
Grand Caravan	* 2021 - 2027
Pacifica *	* 2017 - 2027
Voyager * (USA)	2020 - 2027
FORD	
Transit Connect	⌛2010 - 2013
HONDA	
Odyssey	⌛2005 - 2010
Odyssey	⌛2011 - 2017
Odyssey	2018 - 2027
KIA	
Sedona	⌛* 2015 - 2021
Carnival	2022 - 2027
MAZDA	
Mazda 5 ***Discontinued in USA in 2015, 2017 in Canada.**	⌛2006 - 2017
MERCEDES	
Metris	2016 - 2023
TESLA	
X	*2015 - 2026
TOYOTA	
Sienna	⌛2004 - 2010
Sienna - 7 passenger	⌛2011 - 2020
Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed)	⌛2011 - 2020
Sienna - 7 passenger	2021 - 2027
Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed)	2021 - 2027
VOLKSWAGEN	
Routan	⌛2009 - 2012
ID Buzz	2025 - 2027

Notes to specific applications marked * on the SPEEDY-LIFT QUICK REFERENCE

Chrysler Pacifica	**2017-2027**	***NOT AVAILABLE for passenger side equipped with bench seat & 8 passenger LXi model**
Grand Caravan	**2021-2027**	***NOT AVAILABLE for passenger side equipped with bench seat & 8 passenger LXi model**
Toyota Sienna	**2011-2020**	***NOT AVAILABLE for models with OEM footrest.**
Voyager	**2020-2027**	***NOT AVAILABLE for passenger side equipped with bench seat & 8 passenger LXi model**
Sedona	**2015-2021**	***NOT AVAILABLE for models with OEM footrest (Discontinued in Canada 2019-2020 model)**
Tesla X	**2015-2026**	***NOT AVAILABLE passenger side for model with Bench seat.**
Tesla X	**2021-2026**	***NOT AVAILABLE for model with Bucket Seat.**

⌛ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

CHRYSLER

2005-2007	**Caravan / Town & Country – Stow 'N Go**	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
2008-2011	**Town & Country – Swivel 'N Go**	
SP-CHRG05	*Average install: 1.5-2.5 hours	
2008-2020	**Grand Caravan / Town & Country**	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
2021-2027	**Grand Caravan**	
SP-CHR17	*Average install: 1.5-2.5 hours	**NOT AVAILABLE** for PASSENGER side equipped with bench seat.
➲ Please specify 2nd Row Seating: Bench or Stow 'N Go		**NOT AVAILABLE** for 8 passenger LXi model.
➲ **Please specify if it is hybrid.**		Stow n Go seat stays in the floor.
➲ **Please specify** driver or passenger side application - Left or Right.		In the 8 passenger model, the jump seat must be removed.
2017-2027	**Chrysler Pacifica**	
SP-CHR17	*Average install: 1.5-2.5 hours	**NOT AVAILABLE** for PASSENGER side equipped with bench seat.
➲ **Please specify** 2nd Row Seating: Bench or Stow 'N Go		**NOT AVAILABLE** for 8 passenger LXi model.
➲ **Please specify** if it is hybrid.		Stow n Go seat stays in the floor.
➲ **Please specify** driver or passenger side application - Left or Right.		In the 8 passenger model, the jump seat must be removed.
2020-2027	**Voyager (USA)**	
SP-CHR17	*Average install: 1.5-2.5 hours	**NOT AVAILABLE** for PASSENGER side equipped with bench seat.
➲ **Please specify** 2nd Row Seating: Bench or Stow 'N Go		**NOT AVAILABLE** for 8 passenger LXi model.
➲ **Please specify** if it is hybrid.		Stow n Go seat stays in the floor.
➲ **Please specify** driver or passenger side application - Left or Right.		In the 8 passenger model, the jump seat must be removed.

Ford

2010-2013 ⧗	**Transit Connect**	
SP-FTC10L	*Average install: 1.5-2.5 hours	➲Please specify driver or passenger side application - Left or Right.

HONDA

2005-2010 ⧗	**Odyssey**	
SP-HDA05	*Average install: 1.5-2.5 hours	➲Please specify driver or passenger side application - Left or Right.
2011-2017 ⧗	**Odyssey**	
SP-HDA11	*Average install: 1.5-2.5 hours	**In the 8-passenger model, the jump seat must be removed.**
2018-2027	**Odyssey**	
SP-HDA18	*Average install: 1.5-2.5 hours	**In the 8-passenger model, the jump seat must be removed.**

KIA

2015-2021 ⧗	**Sedona**	
SP-KIA16	*Average install: 1.5-2.5 hours	**NOT AVAILABLE** for models with **OEM footrest**. *Discontinued in Canada 2019-2020 model.*
2022-2027	**Carnival**	
SP-KIA22	*Average install: 1.5-2.5 hours	➲ ***Please specify if equipped with OEM footrest VIP Lounge Seats model SX***

⧗ **LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time**

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

mazda

2006-2017 ⧗	Mazda 5	
SP-MZD506	*Average install: 1.5-2.5 hours	*Mazda 5 discontinued in USA in 2015; 2017 in Canada.

Mercedes-Benz

2016-2023	Metris	
SP-MET16	*Average install: 1.5-2.5 hours	ALL MIDROW SEATS MUST BE REMOVED

TESLA

2015-2026	Tesla X	
SP-TESX15	*Average install: 4 - 5 hours	**NOT AVAILABLE** PASSENGER side model with bench seat.
➲Please specify 2nd Row Seating: Bench or Bucket		**NOT AVAILABLE** for BUCKET SEAT model 2021+
		ALL MIDROW SEATS MUST BE REMOVED

TOYOTA

2004-2010 ⧗	Sienna	
SP-TOY04		
2011-2020 ⧗	**Sienna | 7 or 8 passenger minivans**	
SP-TOY11	*Average install: 1.5-2.5 hours	**In the right or passenger side of the 8-passenger minivan,**
		ALL MIDROW SEATS MUST BE REMOVED
2021-2027	**Sienna | 7 or 8 passenger minivans**	
SP-TOY21	*Average install: 1.5-2.5 hours	**In the right or passenger side of the 8-passenger minivan,**
		ALL MIDROW SEATS MUST BE REMOVED

Volkswagen

2009-2012 ⧗	Routan	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
2025-2027	**ID BUZZ**	
SP-BUZ25	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.

⧗ LEGACY: Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time

HI-LIFT



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEO
Overview of the XL-SEAT & HI-LIFT in motion.

HIGHLIGHTS:
- Very compact and easy to use.
- Manual track allows for additional space inside the vehicle. Seat can be used in vehicle if chair is not being transported.
- Makes a great pair with the XL-SEAT.
- 75 lbs capacity.
- 3 year warranty.

THINGS TO NOTE
Only available in limited minivan applications. See list on next page. Ideally for rigid frame chairs. Folding chairs are not likely to fit 'height wise' in the door opening and therefore would be stowed not folded.

HI-LIFT QUICK REFERENCE

CHRYSLER			DRIVER	FRONT PASSENGER
Caravan / Grand Caravan / Town & Country	★	1991 - 2007⧗	✓	✓
Caravan / Grand Caravan / Town & Country	★	2005 - 2007⧗	✓	
Caravan / Grand Caravan / Town & Country	★	2008 - 2020⧗	✓	✓
Voyager - Short & Long wheelbase	★	1991 - 2003	✓	✓
FORD			**DRIVER**	**FRONT PASSENGER**
Freestar / Monterey	★	2004 - 2007⧗	✓	✓
Windstar	★	1999 - 2003⧗	✓	✓
GENERAL MOTORS			**DRIVER**	**FRONT PASSENGER**
Montana/Silhouette/Transport	★	1997 - 2004⧗	✓	✓
Terreza/Uplander/Relay/Venture	★	1997 - 2004⧗	✓	✓
Montana/Silhouette/Transport	★	2005 - 2009⧗	✓	✓
Terreza/Uplander/Relay/Venture	★	2005 - 2009⧗	✓	✓
HONDA			**DRIVER**	**FRONT PASSENGER**
Odyssey	★	1999 - 2004⧗	✓	✓
Odyssey	★	2005 - 2010⧗	✓	✓
KIA			**DRIVER**	**FRONT PASSENGER**
Sedona	★	2006 - 2012⧗	✓	✓
NISSAN			**DRIVER**	**FRONT PASSENGER**
Quest	★	2011 - 2016 ⧗	✓	✓
TOYOTA			**DRIVER**	**FRONT PASSENGER**
Sienna	★	2004 - 2010⧗	✓	✓
Sienna	★	2011 - 2020⧗	✓	✓
VOLKSWAGEN			**DRIVER**	**FRONT PASSENGER**
Routan	★	2009 - 2012	✓	✓

⧗ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated price and lead time.

XL-BOARD



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

PRODUCT VIDEO
Overview of the XL-BOARD & SPEEDY-LIFT in motion.

HIGHLIGHTS:

- 275 lbs capacity. Static board, no motor. Easy to use; folds up and out of the way.
- Ideal vehicle for those that want a sedan with space for their wheelchair. Works great when paired with the SPEEDY-LIFT.
- Keep up to 5 seats – depending on the size of the wheelchair.

THINGS TO NOTE
This product is only available for the MAZDA 5. No other vehicles. Mazda 5 discontinued in 2015 in USA and 2017 in Canada.




XL-BOARD QUICK REFERENCE

MAZDA		
Mazda 5 *	2006 - 2017	XLB-MZD506

Mazda 5 discontinued in USA in 2015; 2017 in Canada.

POWER-PULL



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEOS
Overview of the POWER-PULL in a side entry and rear entry lowered floor minivan, in motion.

HIGHLIGHTS:

- Available in two models, one designed specifically for side entry and one designed specifically for rear entry.
- Does not take up space on the floor. Allows easy maneuvering.
- Multiple safety features and wireless pendant.
- Release feature allows easier positioning.
- 350 lbs capacity. 15 feet of strong, stainless steel cable.
- 3 year warranty.

THINGS TO NOTE
Requires user to hook onto their wheelchair. Button must be depressed to make unit move.





POWER-PULL QUICK REFERENCE

LOWERED FLOOR MINIVAN	
SIDE ENTRY	**PP000-01**
REAR ENTRY	**PR000-01**