2022

PRODUCT APPLICATIONS



ADAPT SOLUTIONS

16/09/2022

2022 PRODUCT APPLICATIONS

SEARCH BY PRODUCT

Click on the product APPLICATION to reach the 'Quick Reference' page.
Click on the product REFERENCE to reach the product overview page.
Once you find the vehicle application you are looking for, click on it to reach the detailed application information.
Click on **BACK** at the bottom of any page to bring you back here.

CLICK HERE FOR ADAPT SOLUTIONS PRODUCT OVERVIEW VIDEO

VEHICLE LIST

VEHICLE LIST

VEHICLE LIST

VEHICLE LIST

SEARCH BY MAKE / MODEL

Click on a brand to reach a list of vehicle models.
Once you find the vehicle/product you are looking for,
click on the PRODUCT NAME to reach the detailed application information.
Click on BACK at the bottom of any page to bring you back here.

Need Assistance? **CHAT WITH US**

CHRYSLER | Ford | GM

HONDA | HYUNDAI | KIA

mazda | Mercedes-Benz | NISSAN

SUBARU | TOYOTA | Volkswagen

CHRYSLER APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Caravan / Town & Country / Voyager	1996 - 2000				✓
Voyager - **Both wheelbases**	1991 - 2003			✓ WITH HI-LIFT	
Caravan / Town & Country - **Both wheelbases**	1991 - 2004		✓ FRONT	✓ WITH HI-LIFT	✓
Caravan / Town & Country*- **Stow 'N Go**	2005 - 2007		✓ FRONT	✓* (driver only)	✓
Caravan / Town & Country - **Without Stow 'N Go**	2005 - 2007		✓ FRONT	✓ WITH HI-LIFT	✓
Caravan / Town & Country - **Short wheelbase**	2001 - 2007		✓ CENTER	✓ WITH HI-LIFT	✓
Caravan / Town & Country - **Long wheelbase**	2001 - 2007		✓ CENTER	✓ WITH HI-LIFT	✓
Caravan / Town & Country - **Swivel 'N Go**	2008 - 2011			✓ WITH HI-LIFT	
Caravan / Town & Country* - **Stow 'N Go**	2005 - 2020		✓ CENTER	✓ WITH HI-LIFT	✓
Caravan / Town & Country*	2008 - 2020	✓ DRIVER* /PASSENGER ✓ 2nd ROW	✓ FRONT	✓ WITH HI-LIFT	✓
Grand Caravan*	2021 - 2023	✓ DRIVER*/PASSENGER* ✓ 2nd ROW*		✓ ASENTO	✓*
Pacifica*	2017 - 2023	✓ DRIVER/PASSENGER ✓ 2nd ROW*		✓ ASENTO	✓*
Voyager*	2020 - 2023	✓ DRIVER*/PASSENGER* ✓ 2nd ROW*		✓ ASENTO	✓*
Dakota Club Cab	1997 - 2011			✓	
Dakota Quad Cab - **4 door**	1997 - 2011			✓	
Durango	2004 - 2009			✓	
Journey	2008 - 2020	✓* PASSENGER			
Ram Extended Cab/Quad Cab - **Suicide door**	1998 - 2002			✓	
Ram Reg Cab - **2 door**	2002 - 2008			✓	
Ram Quad Cab - **4 door**	2002 - 2008			✓	
Ram Mega Cab - **4 large doors**	2006 - 2008			✓	
Ram Quad Cab / Crew Cab - **4 door**	2009 - 2018	✓ PASSENGER		✓	
Ram 2500/3500 Crew Cab/Mega Cab- **4 door**	2010 - 2018	✓ PASSENGER		✓	
Ram 2500/3500 Crew Cab* - **4 door**	2019 - 2023	✓ PASSENGER		**NOT AVAILABLE**	
Ram 1500 Quad Cab - **4 door***	2019 - 2023	✓ DRIVER*/PASSENGER		✓ ASENTO	
Ram 1500 Crew Cab - **4 door***	2019 - 2023	✓ DRIVER*/PASSENGER		✓ ASENTO	

CHRYSLER APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Jeep Compass / Patriot	2007 - 2016			✓	
Jeep Gladiator	2020 - 2023	✓ DRIVER / PASSENGER			
Jeep Grand Cherokee*	2011 - 2022	✓* PASSENGER			
Jeep Wrangler - **4 door**	2007 - 2018			✓*	
Jeep Wrangler - **4 door**	2018 - 2023	✓* DRIVER / PASSENGER			

*Caravan 2008-2020 LINK: Steering column **must be telescopic**.

*Pacifica 2017-2023 **LINK**: **NOT AVAILABLE** for mid-row in **HYBRID**

*Chrysler Pacifica **PINNACLE** 2021 & up **SPEEDY-LIFT & LINK: NOT AVAILABLE** for mid-row

*Grand Caravan 2022- **LINK**: ONLY AVAILABLE for **Stow 'N Go** model

*Grand Caravan 2022- **SPEEDY-LIFT**: **NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model.

*Jeep Grand Cherokee 2011-2022 **NOT AVAILABLE** for model with **MANUAL SEATS & NOT AVAILABLE** for 2021 Grand Cherokee L (Long Wheelbase model) **NOT AVAILABLE** for **WL model.**

*Jeep Wrangler – **4 door** 2018 -2023 **LINK**: **NOT AVAILABLE** for **JK model.**

*Jeep Wrangler – **4 door** 2007 - 2018 **XL-SEAT**: **NOT AVAILABLE** for **JL model.**

*Journey 2008 - 2020- **LINK**: ONLY AVAILABLE for model with **SEAT STORAGE**

*Ram 1500 Crew/Quad 2019-2023 **NOT AVAILABLE** for RAM CLASSIC – **2018 model**.

*Town & Country discontinued in 2016.

*Voyager 2020-2023 **LINK**: ONLY AVAILABLE for **Stow 'N Go** model

*Voyager 2020-2023 **SPEEDY-LIFT**: **NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model.

FORD APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Windstar - **Without power seat**	1995 - 1999		✓ FRONT / CENTER	✓	
Windstar - **Without power seat**	1999 - 2003		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
Freestar / Monterey - **Power seat**	2004 - 2007		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
Freestar / Monterey - **Without power seat**	2004 - 2007		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
Mark LT - **4 door**	2006 - 2008			✓	
F-150 Reg Cab - **2 door**	2004 - 2008			✓	
F-150 Reg Cab - **2 door (small suicide door)**	2009 - 2010			✓	
F-150 Super Cab - **Suicide door**	2004 - 2008			✓	
F-150 Super Crew Cab - **4 door**	2004 - 2008			✓	
F-150 Super Cab* - **Suicide door**	2009 - 2014	✓ DRIVER / PASSENGER		✓*	
F-150 Super Crew Cab - **4 door**	2009 - 2014	✓ DRIVER / PASSENGER		✓	
F-150 Super Cab – **Suicide door**	2015 - 2020	✓ DRIVER / PASSENGER		✓	
F-150 Super Crew Cab – **4 door**	2015 - 2020	✓ DRIVER / PASSENGER		✓	
F-150 Super Cab – **Suicide door**	2021 - 2023	✓ DRIVER / PASSENGER			
F-150 Super Crew Cab – **4 door**	2021 - 2023	✓ DRIVER / PASSENGER		✓	
F-150 Raptor Super Cab - **Suicide door**	2011 - 2016	✓ DRIVER / PASSENGER		✓	
F-150 Raptor Super Crew Cab - **4 door**	2011 - 2016	✓ DRIVER / PASSENGER		✓	
F-150 Raptor Super Cab - **Suicide door**	2017 - 2023	✓ DRIVER / PASSENGER		✓	
F-150 Raptor Super Crew Cab - **4 door**	2017 - 2023	✓ DRIVER / PASSENGER		✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2008 - 2010			✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2008 - 2010			✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2011 - 2016	✓ DRIVER / PASSENGER		✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2011 - 2016	✓ DRIVER / PASSENGER		✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2017 - 2023	✓ DRIVER / PASSENGER		✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2017 - 2023	✓ DRIVER / PASSENGER		✓	
Ranger Super Crew Cab - **4 door**	2019 - 2022	✓* PASSENGER		✓ ASENTO	

* Ford F-150 Super Cab - **NOT AVAILABLE for model with ONLY 2 DOORS**.
* Ranger Super Crew Cap - **NOT AVAILABLE** for models with **POWER SEAT**

FORD APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Explorer	2011 - 2015	✓ PASSENGER		✓	
Explorer	2016 - 2019	✓ PASSENGER		✓	
Explorer	2020 - 2023	*✓ DRIVER / PASSENGER		*✓	
Escape	2013 - 2019	✓ PASSENGER			
Expedition / Navigator	2007 - 2017	✓ PASSENGER			
Expedition* / Navigator*	2018 - 2022	*✓ DRIVER/PASSENGER *✓ 2nd ROW		✓* ASENTO	
Edge	2011 - 2014			✓	
Edge	2015 - 2023	✓ PASSENGER		✓ ASENTO	
Lincoln MKX	2016 - 2018	✓ PASSENGER		✓ ASENTO	
Lincoln Nautilus	2019 - 2023	✓ PASSENGER		✓ ASENTO	

*2018-2022 **Ford Expedition** FRONT- LINK **NOT AVAILABLE** for model with **MANUAL SEAT**.
*2018-2022 **Lincoln Navigator** FRONT LINK – **NOT AVAILABLE** for model with **PERFECT POSITION SEAT**.
*2018-2022 **Ford Expedition** & **Lincoln Navigator** 2ND ROW - LINK **AVAILABLE ONLY** for **LONG WHEELBASE** model (Navigator L & Expedition MAX)
*2018-2022 **Ford Expedition** - ASENTO **NOT AVAILABLE** for model with **PERFECT POSITION SEAT** or model with **MANUAL SEAT**
*2020-2023 **Ford Explorer** - ASENTO & LINK **NOT AVAILABLE** for model with **MANUAL SEAT**

GENERAL MOTORS APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Astro / Safari	1995 - 2005		✓ FRONT		
Montana / Silhouette / Transport / Venture	1997 - 2004		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
SV6 / Terraza / Uplander / Venture / Relay	2005 - 2009		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
Avalanche	2007 - 2013	✓ DRIVER / PASSENGER		✓	
Canyon / Colorado Extended Cab - **Suicide door**	2004 - 2012			✓	
Canyon / Colorado Extended Cab*- **Suicide door**	2015 - 2022	✓ DRIVER*/ PASSENGER*		✓ ASENTO	
Canyon / Colorado Crew Cab*- **4 door**	2015 - 2022	✓ DRIVER*/ PASSENGER		✓ ASENTO	
Sierra / Silverado Regular Cab-1500- **2 door**	1999 - 2013			✓	
Sierra / Silverado Extended Cab-1500- **No suicide door**	1999 - 2002			✓	
Sierra / Silverado Extended Cab-1500- **Suicide door**	2001 - 2006			✓	
Sierra / Silverado Extended Cab-1500- **Suicide door**	2007 - 2013	✓ DRIVER / PASSENGER		✓	
Sierra / Silverado Double Cab-1500- **4 door (2 smaller)**	2014 - 2018	✓ DRIVER / PASSENGER		✓ ASENTO	
Sierra / Silverado Crew Cab-1500- **4 door**	2007 - 2013	✓ DRIVER / PASSENGER		✓	
Sierra / Silverado Crew Cab-1500- **4 door**	2014 - 2018	✓ DRIVER / PASSENGER		✓ ASENTO	
Sierra / Silverado Crew Cab-1500- **4 door**	2019 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	
Sierra / Silverado Double Cab-1500- **4 door (2 smaller)**	2019 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	
Sierra / Silverado **HD**-2500 / 3500- **All models**	2007 - 2014	✓ DRIVER / PASSENGER		✓	
Sierra / Silverado **HD**-2500 / 3500- **All models**	2015 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	
Escalade / Suburban / Tahoe / Yukon - **All models**	2007 - 2014	✓ DRIVER / PASSENGER		✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2015 - 2020	✓ DRIVER / PASSENGER		✓ ASENTO	
Escalade / Suburban / Tahoe / Yukon - **All models**	2021 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	
Blazer	2019 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	

* Canyon / Colorado Ext Cab LINK: Rear door must be opened for operation.
* Canyon / Colorado Crew Cab LINK: Steering column must be telescopic.

GENERAL MOTORS APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Acadia *(See note on Limited)*	2008 - 2016	✓ PASSENGER			
Acadia	2017 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	
Cadillac XT6	2020 - 2023	✓ DRIVER / PASSENGER			
Traverse / Enclave	2008 - 2017	✓ PASSENGER			
Traverse / Enclave*	2018 - 2023	✓* DRIVER / PASSENGER & 2nd ROW		✓ ASENTO	
Terrain / Equinox	2010 - 2017	✓ PASSENGER			
Terrain / Equinox	2018 - 2023	✓ DRIVER / PASSENGER		✓ ASENTO	

GMC Acadia Limited 2017 is the 2008-2016 body style.

***Traverse/Enclave 2018-2023 LINK NOT AVAILABLE** in driver position for model with manual seat.|2nd Row, **NOT AVAILABLE** **for 8 passenger model.**

HONDA APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Odyssey	1999 - 2004			✓ WITH HI-LIFT	✓
Odyssey	2005 - 2010		✓ CENTER	✓ WITH HI-LIFT	✓
Odyssey	2011 - 2017		✓ FRONT / CENTER	✓	✓
Odyssey	2018 - 2023	✓2nd ROW		✓ ASENTO	✓

HYUNDAI APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Entourage	2006 - 2009		✓ CENTER	✓	✓
Palisade	2020 - 2023	✓ DRIVER* / PASSENGER*		✓*	

*Palisade 2020-2023 - **Asento NOT AVAILABLE** for model with manual seat.
*Palisade 2020-2023 - **LINK NOT AVAILABLE** for models with **MANUAL SEATS**

KIA APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Carnival*	2022 -	✓ FRONT* / CENTER*		✓*	✓*
Sedona	1999 - 2005		✓ FRONT / CENTER	✓	✓
Sedona	2006 - 2012	✓ 2nd ROW	✓ CENTER	✓ WITH HI-LIFT	✓
Sedona	2012 - 2014	✓ 2nd ROW			✓
Sedona*	2015 - 2021	✓ PASSENGER & 2nd ROW*		✓	✓*
Telluride*	2020 - 2023	✓ DRIVER* / PASSENGER*		✓*	

*Sedona 2015-2021 - **NOT AVAILABLE** for models with **OEM footrest** | *Discontinued in Canada 2019-2020 model.*
*Carnival 2022- - **LINK NOT AVAILABLE** in front position for models with **Vented Seat** | **LINK NOT AVAILABLE** in driver position for model with manual seat
- **LINK NOT AVAILABLE** in midrow for 7 passenger model.
*Carnival 2022- - **Speedy-Lift NOT AVAILABLE** for 7 passenger model.
*Carnival 2022- - **Asento NOT AVAILABLE** for model with manual seat.
*Telluride 2020-2023 - **Asento NOT AVAILABLE** for model with manual seat.
*Telluride 2020-2023 - **LINK NOT AVAILABLE** for model with manual seat.

MAZDA APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Mazda 5 *	2006 - 2015				✓

**discontinued in USA in 2015, discontinued in Canada in 2017*

MERCEDES APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Metris	2016 - 2022			✓ ASENTO	✓

NISSAN APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Quest	2011 - 2016			✓ WITH HI-LIFT	✓

SUBARU APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Forester	2014 - 2018			✓ ASENTO	

TOYOTA APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Sienna	2004 - 2010		✓ FRONT / CENTER	✓ WITH HI-LIFT	✓
Sienna - **Power seat**	2005 - 2010		✓ FRONT	✓ WITH HI-LIFT	✓
Sienna*- **7 & 8 passenger**	2011 - 2020	✓DRIVER/PASSENGER ✓2nd ROW*	✓ CENTER	✓ WITH HI-LIFT	✓ *SEE NOTE
Sienna*- **With footrest**	2011 - 2020	✓DRIVER/PASSENGER ✓2nd ROW*	✓ CENTER	✓ WITH HI-LIFT	✓
Sienna*- **7 & 8 passenger**	2021 - 2023	✓DRIVER/PASSENGER ✓2nd ROW*		✓ ASENTO	✓ *SEE NOTE
Tacoma Access Cab - **Suicide door**	2005 - 2015	✓ PASSENGER		✓	
Tacoma Access Cab - **Suicide door**	2016 - 2022	✓ PASSENGER		✓ ASENTO	
Tacoma Double Cab - **4 reg. door**	2005 - 2023	✓ PASSENGER		✓	
Tundra Double Cab - **4 door (rear doors smaller)**	2014 - 2021	✓ DRIVER / PASSENGER		✓ ASENTO	
Tundra Crew Max - **4 door**	2014 - 2021	✓ DRIVER / PASSENGER		✓ ASENTO	
4 Runner	2003 - 2022			✓	
Rav 4	2006 - 2012			✓	
Rav 4*	2013 - 2018	✓ PASSENGER		✓*	
Rav 4*	2019 - 2023	✓* PASSENGER		✓ ASENTO	
Venza*	2008 - 2016	✓* PASSENGER			
Highlander	2014 - 2019	✓ PASSENGER		✓ ASENTO	

*Rav 4 2013-2018 - XL-SEAT **AVAILABLE FOR MANUAL SEATS ONLY**
*Sienna 2011-2020 8 passenger: Passenger side all mid-row seats will be removed
*Sienna 2021-2023 8 passenger: Passenger side all mid-row seats will be removed
*Rav 4 2019-2023 LINK **AVAILABLE FOR MANUAL SEATS ONLY**
*Sienna 8 passenger, 2nd row, driver side LINK **NOT AVAILABLE**
*Venza 2008-2016 passenger side LINK **AVAILABLE FOR MANUAL SEATS ONLY**

VOLKSWAGEN APPLICATIONS

MODEL	YEAR	LINK	XL-BASE	XL-SEAT ASENTO	SPEEDY LIFT
Routan	2009 - 2012	✓DRIVER/PASSENGER ✓2nd ROW	✓ FRONT / CENTER	✓ WITH HI-LIFT	✓

LINK

WEBSITE RESOURCES
Connect to the locked portion of the site.

HOW IT WORKS VIDEO
In just a few minutes, see all of the key features of the product.

PRODUCT VIDEO
Overview of the LINK in motion.

HIGHLIGHTS

- Only uses OEM seat
- All safety features retained
- Great comfort, legroom and space
- Seating behind LINK is not affected
- Customizable movements
- Compatible with 100s of vehicles
- 3 year warranty, 350 lbs capacity

THINGS TO REMEMBER

- The LINK uses the original seat; however, due to the many trim levels available for a given application, it is possible that some of the vehicle's original features will need to be cancelled or removed at the time of installation.
- Note that during the install, OEM wire harness is cut and extended under the seat to maintain the OEM security and comfort features. Installation also involves trim and/or shroud modification based on vehicle year, make and model.

LINK | REFERENCES

USER DELIVERY VIDEO
Learn how the pendant and seat adjustments work.

REDUCED POWER MODE.
If the vehicle battery dies or gets disconnected, the LINK protects itself with a reduced power mode.

REMOTE DIAGNOSTICS
The LINK is equipped with a remote diagnostic system that can be run over the phone with a technician.

Throughout this tool you will find references to assist you in evaluating the feasibility of a LINK in specific vehicles to meet your client's specific needs. In some applications, the seated position and/or the forward and aft travel of the seat changes with the LINK installed. Below is a visual aid to explain how these details are to be understood.

(OEM = Original Equipment Manufacturer. |Chrysler; GM, Toyota, etc.| from the factory)

MANUAL BACK UP VIDEO
In the unlikely event of an issue, the LINK is equipped with a manual back up.

SEAT HEIGHT	SEAT ADJUSTMENT	VERTICAL TRAVEL
This information will give an idea of the seat height with the LINK installed. Due to the various seat styles offered by vehicle manufacturers, the information is supplied as a reference to assist you in establishing if the seated height on the LINK will be suitable for your client. ***Example:*** In the 2015 Ford F-150 Super Cab – the note reads as follows: "**Seat height:** ½ inch lower than OEM (non-adjustable manual seat)" This means that in that model of Ford, with a manual seat (a seat that doesn't offer 'height' adjustment) the LINK will sit half an inch lower than it did before the installation. (See visual aid – **not to scale**)	This information is so you can establish the forward and back movements of the seat with the LINK. In all applications, the LINK adds power forward and backward movements, regardless of the seat's original functions. In some applications, the travel is limited. The seat adjustment information will allow you to confirm if the installation of the LINK will be suitable for your client's needs. **FRONT** is to indicate towards the steering wheel or front of the vehicle. **BACK** is to indicate towards the rear of the vehicle.	This information is so you can establish the estimated transfer height of the LINK in most vehicles. **As suspensions, tires and wheels can affect the exact height** at which a vehicle sits, this method can allow you to evaluate more accurately the transfer height in your specific vehicle. The LINK has two travel lengths, **SHORT**: for most minivans, SUV's and smaller vehicles; and **LONG**: for trucks and large SUV's. Please confirm the model in question, SHORT or LONG with our sales or service department. (See visual aid – **not to scale**)

LINK QUICK REFERENCE

See next pages for more applications & additional notes

CHRYSLER		DRIVER	PASSENGER	2nd ROW
Caravan / Town & Country (*T&C discontinued 2016)	2008 - 2020	✓*	✓	✓
Grand Caravan	2021 - 2023	✓*	✓*	✓*
Pacifica	2017 - 2023	✓	✓	✓*
Voyager	2020 - 2023	✓*	✓*	✓*
Ram 1500 CLASSIC Crew Cab - **4 door**	2009 - 2023		✓	
Ram 1500 CLASSIC Quad Cab - **4 door**	2009 - 2023		✓	
Ram 2500/3500 - **4 door**	2010 - 2018		✓	
Ram 2500/3500 - **4 door**	2019 - 2023		✓	
Ram 1500 Quad Cab - **4 door**	2019 - 2023	✓*	✓	
Ram 1500 Crew Cab - **4 door**	2019 - 2023	✓*	✓	
Jeep Gladiator	2020 - 2023	✓	✓	
Jeep Grand Cherokee	2011 - 2022		✓*	
Jeep Wrangler – **4 door**	2018 - 2023	✓*	✓*	
Journey	2008 - 2020		✓*	
FORD		**DRIVER**	**PASSENGER**	**2nd ROW**
F-150 Super Cab - **Suicide door**	2009 - 2014	✓	✓*	
F-150 Super Crew Cab - **4 door**	2009 - 2014	✓	✓*	
F-150 Super Cab - **Suicide door**	2015 - 2020	✓	✓	
F-150 Super Crew Cab - **4 door**	2015 - 2020	✓	✓	
F-150 Super Cab - **Suicide door**	2021 - 2023	✓	✓	
F-150 Super Crew Cab - **4 door**	2021 - 2023	✓	✓	
Raptor Super Cab - **Suicide door**	2011 - 2016	✓	✓*	
Raptor Super Crew Cab - **4 door**	2011 - 2016	✓	✓*	
Raptor Super Cab - **Suicide door**	2017 - 2023	✓	✓	
Raptor Super Crew Cab - **4 door**	2017 - 2023	✓	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2011 - 2016	✓	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2011 - 2016	✓	✓	
F-250, F-350, F-450 Super Cab - **Suicide door**	2017 - 2023	✓	✓	
F-250, F-350, F-450 Super Crew Cab - **4 door**	2017 - 2023	✓	✓	
Ranger Super Crew Cab - **4 Door**	2019 - 2022		✓	
Explorer	2011 - 2015		✓	
Explorer	2016 - 2019		✓	
Explorer	2020 - 2023	✓*	✓*	
Expedition / Navigator	2007 - 2017		✓	
Expedition / Navigator	2018 - 2022	✓*	✓*	✓*
Escape	2013 - 2019		✓	
Edge	2015 - 2023		✓	
Lincoln MKX	2016 - 2021		✓	
Nautilus	2019 - 2023		✓	
GENERAL MOTORS (Continued on page 2)		**DRIVER**	**PASSENGER**	**2nd ROW**
Avalanche★ *(See note)*	2007 - 2013	✓	✓	
Colorado / Canyon Extended Cab – **Suicide door**	2015 - 2022	✓*	✓*	
Colorado / Canyon Crew Cab – **4 door**	2015 - 2022	✓*	✓	

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

LINK QUICK REFERENCE

GENERAL MOTORS		DRIVER	PASSENGER	2nd ROW
Sierra / Silverado Extended Cab -1500- **Suicide door**★	2007 - 2013	✓	✓	
Sierra / Silverado Double Cab -1500- **4 door** (2 smaller)	2014 - 2018	✓	✓	
Sierra / Silverado Double Cab -1500- **4 door** (2 smaller)	2019 - 2023	✓	✓	
Sierra / Silverado Crew Cab -1500- **4 door**★ *(See note)*	2007 - 2013	✓	✓	
Sierra / Silverado Crew Cab -1500- **4 door**	2014 - 2018	✓	✓	
Sierra / Silverado Crew Cab -1500- **4 door**	2019 - 2023	✓	✓	
Sierra / Silverado **HD** -2500 / 3500- **Ext. & 4 door**★	2007 - 2014	✓	✓	
Sierra / Silverado **HD** -2500 / 3500- **4 door**	2015 - 2019	✓	✓	
Sierra / Silverado **HD** -2500 / 3500- **4 door**	2020 - 2023	✓	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**★	2007 - 2014	✓	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2015 - 2020	✓	✓	
Escalade / Suburban / Tahoe / Yukon - **All models**	2021 - 2023	✓	✓	
Acadia	2008 - 2016		✓	
Acadia (*See note on Limited)	2017 - 2023	✓	✓	
Blazer	2019 - 2023	✓	✓	
Cadillac XT6	2020 - 2023	✓	✓	
Traverse / Enclave	2008 - 2017		✓	
Traverse / Enclave	2018 - 2023	✓*	✓	✓*
Terrain / Equinox	2010 - 2017		✓	
Terrain / Equinox	2018 - 2023	✓	✓	
HONDA		**DRIVER**	**PASSENGER**	**2nd ROW**
Odyssey	2018 - 2023			✓
HYUNDAI		**DRIVER**	**PASSENGER**	**2nd ROW**
Palisade	2020 - 2023	✓*	✓*	
KIA		**DRIVER**	**PASSENGER**	**2nd ROW**
Carnival	2022 -	✓*	✓*	✓*
Sedona *(See note)*	2006 - 2014			✓*
Sedona *(See note)*	2015 - 2021		✓	✓*
Telluride	2020 - 2023	✓*	✓*	
TOYOTA		**DRIVER**	**PASSENGER**	**2nd ROW**
Sienna	2011 - 2020	✓	✓	✓*
Sienna	2021 - 2023	✓	✓	✓*
Tacoma Access Cab – **Suicide door**	2005 - 2022		✓	
Tacoma Double Cab – **4 door**	2005 - 2023		✓	
Tundra Double Cab – **4 door** (2 smaller)	2014 - 2021	✓	✓	
Tundra Crew Max – **4 door**	2014 - 2021	✓	✓	
Rav 4	2013 - 2018		✓	
Rav 4	2019 - 2023		✓*	
Venza *(See note)*	2008 - 2016		✓*	
Highlander	2014 - 2019		✓	
VOLKSWAGEN		**DRIVER**	**PASSENGER**	**2nd ROW**
Routan	2009 - 2012	✓	✓	✓

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS
BACK
10-2022

LINK QUICK REFERENCE

Notes to specific applications - marked * on the QUICK REFERENCE		
Caravan / Town & Country	2008 - 2020	* **STEERING COLUMN MUST BE TELESCOPIC.**
Grand Caravan	2021 - 2023	* **ONLY AVAILABLE** for **Stow 'N Go** model.
Pacifica	2017 - 2023	* **NOT AVAILABLE** for mid-row in **HYBRID MODEL.** * **NOT AVAILABLE** for mid-row in **PINNACLE MODEL (2021+).**
Voyager	2020 - 2023	* **ONLY AVAILABLE** for **Stow 'N Go** model.
Ram 1500 Quad/ Crew Cab – **4 door**	2019 - 2022	* **NOT AVAILABLE** for **CLASSIC** body style – 2018 model.
Jeep Wrangler – **4 door**	2018 - 2023	* **NOT AVAILABLE** for **JK** model
Jeep Grand Cherokee	2011 - 2022	* **NOT AVAILABLE** for model with **MANUAL SEAT.** * **NOT AVAILABLE** for 2021 L Model (Long Wheelbase) * **NOT AVAILABLE** for WL model.
Journey	2008 - 2020	* **ONLY AVAILABLE** for model with **SEAT STORAGE.**
F-150 Super Cab - **Suicide door / 4 door**	2011 - only	* **NOT AVAILABLE** for model with 4 load cells (see details)
Explorer	2020 - 2023	* **NOT AVAILABLE** for model with **MANUAL SEAT.**
Raptor Super Cab - **Suicide door / 4 door**	2011 - only	* **NOT AVAILABLE** for model with 4 load cells (see details)
Ford Ranger Super Crew	2019 - 2021	* **NOT AVAILABLE** for model with Power Seat
Acadia	2017 - 2023	* **NOT AVAILABLE** for 2017 LIMITED model for the Driver
Ford Expedition (Front)	2018 - 2022	* **NOT AVAILABLE** for model with **MANUAL SEAT.**
Ford Expedition/Navigator (2nd Row)	2018 - 2022	* **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)
Navigator (Front)	2018 - 2022	* **NOT AVAILABLE** for model with **PERFECT POSITION SEAT.**
Canyon/ Colorado Ext Cab – **Suicide door**	2015 - 2022	* **Rear door MUST BE OPEN for** LINK **operation.**
Canyon/ Colorado Crew Cab – **4 door**	2015 - 2022	* **STEERING COLUMN MUST BE TELESCOPIC.**
Traverse / Enclave (Driver/Front)	2018 - 2023	* **NOT AVAILABLE** in driver position for model manual seat
Traverse / Enclave (2nd ROW)	2018 - 2023	* **NOT AVAILABLE** for 8 passenger model.
Kia Carnival	2022 -	* **NOT AVAILABLE** for model with **vented seat** (**Front** position) * **NOT AVAILABLE** for model with **manual seat**(**Driver** position) * **NOT AVAILABLE** for midrow in **7 passenger** model.
Kia Sedona	2006 - 2014	* **NOT AVAILABLE** for short wheelbase model.
Kia Sedona	2015 - 2021	* **NOT AVAILABLE** for mid-row driver side with OEM footrest *Discontinued in Canada 2019-2020 model.*
Kia Telluride	2020 - 2023	* **NOT AVAILABLE** for model with **MANUAL SEAT.**
Hyundai Palisade	2020 - 2023	* **NOT AVAILABLE** for model with **MANUAL SEAT.**
Toyota Sienna	2011 - 2020	* **NOT AVAILABLE** for 8 passenger 2nd row on the driver side
Toyota Sienna	2021 - 2023	* **NOT AVAILABLE** for 8 passenger 2nd row on the driver side
Toyota Rav 4	2019 - 2023	* **ONLY AVAILABLE** for model with **MANUAL SEATS** .
Toyota Venza	2008 - 2016	* **NOT AVAILABLE** for model with power seats.
ALL MODEL		**If equipped with TV/ DVD in seatback, UNIT NO LONGER FUNCTIONAL**
★**NOT AVAILABLE for 2007 model with integrated seatbelt. 2007 MODEL, INCLUDES:** Avalanche; Sierra / Silverado Extended Cab; Sierra / Silverado Crew Cab; Sierra / Silverado HD (2500/3500) Extended Cab / Silverado HD (2500/3500) Crew Cab; Escalade / Suburban / Tahoe / Yukon.		

Tablet part #: **LK1000**
Bluetooth part #: **LK1100**
LINK footrest part #: **LK14000**

2008-2020 Caravan / Town & Country | DRIVER

LK-CHRG08L

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED
Power seat buttons integrated into provided shroud.
➲ ***Please specify if equipped with power seats.***
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat | FRONT: 2 inches less than OEM | **BACK:** 2 inches more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Armrest must be modified | Retained. Action required for use.
OEM wire harness must be cut and extended under seat.
★**STEERING COLUMN MUST BE TELESCOPIC.**

2008-2020 Caravan / Town & Country | FRONT PASSENGER

LK-CHRG08R

Seat height: OEM
OEM shrouds must be trimmed.
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.

2008-2020 Caravan / Town & Country | 2nd ROW LEFT (driver side)

LK-CHRG08CL

Seat height: OEM
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with heated seats.*** ***(Add. parts & time)***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat | FRONT: 5 inches more than OEM | **BACK:** OEM
★Must be **Stow 'N Go** seating (not bench)

2008-2020 Caravan / Town & Country | 2nd ROW RIGHT (passenger side)

LK-CHRG08CR

Seat height: OEM
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with heated seats.*** ***(Add. parts & time)***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 5 inches more than OEM | **BACK:** OEM
★Must be **Stow 'N Go** seating (not bench)

2021-2023 Grand Caravan | DRIVER

LK-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. ***(additional install time)***
➲ ***Please specify if equipped with power seats.*** ***(add. parts & time)***
➲ ***Please specify OPTION 1, 2 or 3 for armrest***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seat belt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
★**ONLY AVAILABLE FOR STOW 'N GO**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

USER INTERACTION REQUIRED: Watch video for details. Click here for video

2021-2023 Grand Caravan | FRONT PASSENGER

LK-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. ***(additional install time)***
➲ ***Please specify if equipped with power seats.*** ***(add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seat belt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
★**ONLY AVAILABLE FOR STOW 'N GO**

2021-2023 Grand Caravan | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Door sill moulding needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if equipped with heated seats.*** ***(add. parts & time)***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
★**Jump seat in 8 passenger model must be removed.**
★**ONLY AVAILABLE FOR STOW 'N GO**

***ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

CHRYSLER

2017-2023 Pacifica | DRIVER

LK-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ ***Please specify if equipped with power seats. (Add. parts & time)***
➲ ***Please specify OPTION 1, 2 or 3 for armrest***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Compatible with HYBRID model.
★Adapt Solutions' signature TAILprograming **NOT AVAILABLE.**

USER INTERACTION REQUIRED: Watch video for details. Click here for video

2017-2023 Pacifica | FRONT PASSENGER

LK-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ ***Please specify if equipped with power seats. (Add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Compatible with HYBRID model.

2017-2023 Pacifica | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Door sill moulding needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if equipped with heated seats. (Add. parts & time)***
★**ONLY AVAILABLE FOR STOW 'N GO**

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
★**Jump seat in 8 passenger model must be removed.**
★**NOT AVAILABLE FOR HYBRID MODEL**
★**NOT AVAILABLE FOR PINNACLE MODEL (2021 & up).**

2020-2023 Voyager | DRIVER

LK-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(Additional install time)**
➲ ***Please specify if equipped with power seats. (Add. parts & time)***
➲ ***Please specify OPTION 1, 2 or 3 for armrest***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
★**ONLY AVAILABLE FOR STOW 'N GO**
★Adapt Solutions' signature TAILprograming **NOT AVAILABLE.**

USER INTERACTION REQUIRED: Watch video for details. Click here for video

2020-2023 Voyager | FRONT PASSENGER

LK-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 3/4" above lowest point)
OEM shrouds must be trimmed.
Outer seat trim modified. Inner trim replaced | PARTS PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED
Ventilated seat/fan in seat retained. **(additional install time)**
➲ ***Please specify if equipped with power seats. (add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less that OEM | **BACK:** 2 ¼" more than OEM
Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.
Seatbelt pre-tensioner relocated.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
★**ONLY AVAILABLE FOR STOW 'N GO**

2020-2023 Voyager | 2nd ROW LEFT OR RIGHT (driver or passenger side)

LK-CHR17CL or LK-CHR17CR

Seat height: OEM
OEM shrouds must be trimmed.
Door sill moulding needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if equipped with heated seats. (add. parts & time)***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" more than OEM
★**Jump seat in 8 passenger model must be removed.**
★**ONLY AVAILABLE FOR STOW 'N GO**

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

CHRYSLER

2009-2018 Ram 1500 Crew Cab -4 door| FRONT PASSENGER

LK-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut| OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.

2009-2018 Ram 1500 Quad Cab -4 door| FRONT PASSENGER

LK-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut| OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.

2019-2023 Ram 1500 Quad Cab -4 door| DRIVER

LK-RAMQ19L

Seat height: 2" higher than OEM lowest (2.5" adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if NEW BODY STYLE or CLASSIC - 2018 MODEL***

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
★***NOT AVAILABLE for CLASSIC body style – 2018 model.***

2019-2023 Ram 1500 Quad Cab -4 door| FRONT PASSENGER

LK-RAMQ19R

Seat height: 2" higher than OEM lowest (2.5" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with power seats.***

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if NEW BODY STYLE or CLASSIC - 2018 MODEL (RAMQ09R)***

2019-2023 Ram 1500 Crew Cab -4 door| DRIVER

LK-RAMQ19L

Seat height: 2" higher than OEM lowest (2.5" adjustable seat)
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if NEW BODY STYLE or CLASSIC - 2018 MODEL***

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
★***NOT AVAILABLE for CLASSIC body style – 2018 model.***

2019-2023 Ram 1500 Crew Cab -4 door| FRONT PASSENGER

LK-RAMQ19R

Seat height: 2" higher than OEM lowest (2.5" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with power seats.***

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if NEW BODY STYLE or CLASSIC - 2018 MODEL (RAMQ09R)***

2010-2018 Ram 2500/3500 -4 door| FRONT PASSENGER

LK-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut| OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

♦*Transfer height: 23" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
♦ Transfer height may vary with tires, wheels and suspension.

2019-2023 Ram 2500/3500 -4 door| FRONT PASSENGER

LK-RAMQ09R

Seat height: OEM
OEM shrouds must be trimmed.
Seat support spring (OEM) must be cut| OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.

♦*Transfer height: 23" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
♦ Transfer height may vary with tires, wheels and suspension.

2018-2023 Jeep Wrangler – 4 door| DRIVER

LK-WRG18L

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Compatible with HYBRID model.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.
★*Not available for JK Model*

2018-2023 Jeep Wrangler – 4 door| FRONT PASSENGER

LK-WRG18R

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Compatible with HYBRID model.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.
★*Not available for JK Model*

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

CHRYSLER

2020-2023 Jeep Gladiator | DRIVER

LK-WRG18L

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.

2020-2023 Jeep Gladiator | FRONT PASSENGER

LK-WRG18R

Seat height: ¾" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | **BACK:** 3 1/8" less than OEM.
OEM wire harness must be cut and extended under seat.
Friction on center console. Wear and scratches to be expected.
MAX PRESET available. Offers 2 additional inches of vertical travel.

2011-2022 Jeep Grand Cherokee | FRONT PASSENGER

LK-GCH11R

Seat height: 1 ½ inches higher than lowest point of adjustable seat (2 ½")
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★**NOT AVAILABLE FOR WL MODEL**

***Transfer height: 19" | Average install: 6-8hrs.**

Seat adjustments | FRONT: 1 ¾ more than OEM | **BACK:** 1 ¾ more than OEM
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE FOR MODEL WITH MANUAL SEATS.**
★**NOT AVAILABLE FOR 2021 L MODEL (Long wheelbase).**

2008-2020 Journey | FRONT PASSENGER

LK-JOU08R

Seat height: ¼ inch higher than OEM
OEM shrouds must be trimmed.
Plastic seat pan must be trimmed | OEM reconfiguration not affected

***Transfer height: 19" | Average install: 9-11hrs.**

Seat adjustments | FRONT: ¼ more than OEM | **BACK:** ¼ more than OEM
OEM wire harness must be cut and extended under seat.
★**ONLY AVAILABLE FOR MODEL WITH SEAT STORAGE**

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2009-2014 F-150 SuperCab – Suicide door| DRIVER

LK-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ ***Please specify if equipped with power seats.***
OEM wire harness must be cut and extended under seat.

2009-2014 F-150 SuperCab – Suicide door| FRONT PASSENGER

LK-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)**

2009-2014 F-150 SuperCrew Cab – 4 door| DRIVER

LK-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ ***Please specify if equipped with power seats.***
OEM wire harness must be cut and extended under seat.

2009-2014 F-150 SuperCrew Cab – 4 door| FRONT PASSENGER

LK-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)**

2011-2016 F-150 Raptor SuperCab – Suicide door| DRIVER

LK-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ ***Please specify if equipped with power seats.***
OEM wire harness must be cut and extended under seat.

2011-2016 F-150 Raptor SuperCab – Suicide door| FRONT PASSENGER

LK-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)**

2011-2016 F-150 Raptor SuperCrew Cab – 4 door| DRIVER

LK-F150C09L

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
➲ ***Please specify if equipped with power seats.***
OEM wire harness must be cut and extended under seat.

2011-2016 F-150 Raptor SuperCrew Cab – 4 door| FRONT PASSENGER

LK-F150C09R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: INFO N/A **| BACK:** INFO N/A
Vented seats retained.
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)**

2017-2023 F-150 Raptor SuperCab – Suicide door | DRIVER

LK-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
OEM wire harness must be cut and extended under seat.

2017-2023 F-150 Raptor SuperCab – Suicide door | FRONT PASSENGER

LK-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM **| BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
OEM wire harness must be cut and extended under seat.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2017-2023 F-150 Raptor SuperCrew Cab – 4 door | DRIVER

LK-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2017-2023 F-150 Raptor SuperCrew Cab – 4 door | FRONT PASSENGER

LK-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2015-2023 F-150 SuperCab – Suicide door | DRIVER

LK-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2015-2023 F-150 SuperCab – Suicide door | FRONT PASSENGER

LK-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2015-2023 F-150 SuperCrew Cab – 4 door | DRIVER

LK-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2015-2023 F-150 SuperCrew Cab – 4 door | FRONT PASSENGER

LK-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2011-2016 F-250, F-350, F-450 Super or SuperCrew Cab – Suicide door or 4 door | DRIVER

LK-F250C11L

Seat height: ¼ inch higher than OEM (manual or power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 24"** (F-250) **| Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 inches less than OEM | **BACK:** OEM
➲ ***Please specify if equipped with power seats. (add. parts & time)***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***

2011-2016 F-250, F-350, F-450 Super or SuperCrew Cab – Suicide or 4 door | FRONT PASSENGER

LK-F250C11R

Seat height: ¼ inch higher than OEM (manual or power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 24"** (F-250) **| Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 inches less than OEM | **BACK:** OEM
➲ ***Please specify if equipped with power seats. (add. parts & time)***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2017-2023 F-250, F-350, F-450 SuperCrew Cab – Suicide door or 4 door | DRIVER

LK-F150C15L

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 24" (4X4) | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2017-2023 F-250, F-350, F-450 SuperCrew Cab – Suicide or 4 door | FRONT PASSENGER

LK-F150C15R

Seat height: ½ inch lower than OEM (non–adjustable manual seat)
OEM shrouds must be trimmed.
Installation time varies depending on OEM features integrated in the seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 24" (4X4) | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | **BACK:** OEM
Vented seatback retained.
➲ ***Please specify if equipped with power seats.***
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
OEM wire harness must be cut and extended under seat.

2019-2022 Ranger SuperCrew Cab | FRONT PASSENGER

LK-RNG19R

Seat height: 1 1/16" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★***NOT CURRENTLY AVAILABLE*** **for model with power seats.**

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** 1" less than OEM.
OEM wire harness must be cut and extended under seat.
★***NOT CURRENTLY AVAILABLE*** **for SuperCab model.**

2011-2015 Explorer | FRONT PASSENGER

LK-EXL11R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Seat base must be cut | OEM reconfiguration not affected
Higher trim levels may cause loss of some seat features.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***

***Transfer height: 19" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

2016-2019 Explorer | FRONT PASSENGER

LK-EXL16R

Seat height: 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Seat base must be cut | OEM reconfiguration not affected
OEM wire harness must be cut and extended under seat.

***Transfer height: 19" | Average install: 9-11 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** 1 ¾" less than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Retain fan in seat | Models with ventilated seat.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***

2020-2023 Explorer | DRIVER

LK-EXI20L

Seat height: 5/16" higher than OEM lowest (power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19.5" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Control box relocated under the LINK.
★***NOT CURRENTLY AVAILABLE*** **for model with manual seats.**

2020-2023 Explorer | FRONT PASSENGER

LK-EXI20R

Seat height: 5/16" higher than OEM lowest (power seat)
OEM shrouds must be trimmed.
OEM wire harness must be cut and extended under seat.

***Transfer height: 19.5" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
★***NOT CURRENTLY AVAILABLE*** **for model with manual seats.**

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2007-2017 Expedition / Navigator | FRONT PASSENGER

LK-EXP07R

Seat height: 3/8 inch higher than OEM
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with power seats.***
Installation time varies depending on OEM features integrated in the seat.
Extensive wire harness work required on fully equipped models. (Add time)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 ¾ inch less than OEM | **BACK:** 1" more than OEM
Vented seats retained.
OEM wire harness must be cut and extended under seat.
Fully equipped model has large memory box module.
Additional time required for fastening memory box to the floor.

2018-2022 Expedition / Navigator | DRIVER

LK-EXP18L

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
★ **NOT AVAILABLE** for model with **MANUAL SEAT.**
★ **NOT AVAILABLE** for model with **PERFECT POSITION SEAT (Navigator).**

***Transfer height: 21" | Average install: 8 -12 hrs.**

Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Additional time required for relocating memory box.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2018-2022 Expedition / Navigator | FRONT PASSENGER

LK-EXP18R

Seat height: 1 3/8" higher than OEM lowest (adjustable seat)
OEM seat trim must be modified.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
★ **NOT AVAILABLE** for model with **MANUAL SEAT.**
★ **NOT AVAILABLE** for model with **PERFECT POSITION SEAT (Navigator).**

***Transfer height: 21" | Average install: 8 -12 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.
Plastic floor liner in 2nd row behind the LINK has to be cut or removed

2018-2022 Expedition / Navigator | 2nd ROW LEFT (DRIVER SIDE)

LK-EXP18CL

Seat height: OEM
Lower C pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ ***Please specify if equipped with heated seat. (add. parts & time)***
★ **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" less than OEM | **BACK:** 2.5" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
KING RANCH 7 passenger model | Inner arm rest must be removed.

2018-2022 Expedition / Navigator | 2nd ROW RIGHT (PASSENGER SIDE)

LK-EXP18CR

Seat height: OEM
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Left & right seat trim replaced | PROVIDED
➲ ***Please specify if equipped with heated seat. (add. parts & time)***
★ **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 4 1/8" less than OEM | **BACK:** 1 1/4" more than OEM
OEM wire harness must be cut and extended under seat.
Seatback PowerFold feature cancelled | Seat cannot be folded
Seat tilt & slide feature no longer functional
Seatback recline no longer adjustable

Model with 2nd row center console may require LINK preset modification & decrease legroom during LINK operation
KING RANCH 7 passenger model | Inner arm rest must be removed.

2013-2019 Escape | FRONT PASSENGER

LK-ESC13R

Seat height: OEM
OEM shrouds must be trimmed.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ½ inch less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

2015-2023 Edge | FRONT PASSENGER

LK-EDG15R

Seat height: ¼" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¼" more than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.

2016-2023 Lincoln MKX / Nautilus | FRONT PASSENGER

LK-EDG15R

Seat height: ¼" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat. (add. parts & time)***
➲ ***Please specify if 22 position seat. (add. parts, manual & time)***

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: ¼" more than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
Extensive wire harness work required on fully equipped models.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2007-2013 Avalanche | DRIVER

LK-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

2007-2013 Avalanche | FRONT PASSENGER

LK-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

2015-2022 Canyon / Colorado Extended Cab – Suicide door | DRIVER

LK-COLC15L

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 3/8" less that OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
***Rear door must be open for LINK operation.**

2015-2022 Canyon / Colorado Extended Cab – Suicide door | FRONT PASSENGER

LK-COLC15R

Seat height: ¾" higher than OEM
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 3/8" less that OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
***Rear door must be open for LINK operation.**

2015-2022 Canyon / Colorado Crew Cab – 4 door | DRIVER

LK-COLC15L

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 3/8" less that OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
★**STEERING COLUMN MUST BE TELESCOPIC.**

2015-2022 Canyon / Colorado Crew Cab – 4 door | FRONT PASSENGER

LK-COLC15R

Seat height: ¾" higher than OEM
OEM shrouds must be trimmed.
Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 3/8" less that OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2007-2013 Sierra / Silverado Extended Cab-1500- Suicide door | DRIVER

LK-SILX07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2007-2013 Sierra / Silverado Extended Cab-1500- Suicide door | FRONT PASSENGER

LK-SILX07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | DRIVER

LK-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 20" | Average install: 7-9 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | FRONT PASSENGER

LK-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

***Transfer height: 20" | Average install: 7-9 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2007-2013 Sierra / Silverado Crew Cab-1500- 4 door| DRIVER

LK-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

2007-2013 Sierra / Silverado Crew Cab-1500- 4 door| FRONT PASSENGER

LK-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

2014-2018 Sierra / Silverado Crew Cab-1500- 4 door| DRIVER

LK-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 20" | Average install: 7-9 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2014-2018 Sierra / Silverado Crew Cab-1500- 4 door| FRONT PASSENGER

LK-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

***Transfer height: 20" | Average install: 7-9 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2019-2023 Sierra / Silverado Crew Cab & Double Cab-1500- 4 door| DRIVER

LK-SILC19L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 21" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 ¼" less than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if equipped with seat memory.*** ***(add. parts & time)***
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

2019-2023 Sierra / Silverado Crew Cab & Double Cab-1500- 4 door| FRONT PASSENGER

LK-SILC19R

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

***Transfer height: 21" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: 2 ¼" less than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2007-2014 Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door| DRIVER

LK-SILX07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

***Transfer height: 23" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2007-2014 Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door| FRONT PASSENGER

LK-SILX07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Vented seat base fan removed from seat.
NOTE | If seatbelt is bolted to rocker panel, see required notes below:
Seat belt reel must be relocated | BRACKET PROVIDED

***Transfer height: 23" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

2007-2014 Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door | DRIVER

LK-SILC07L

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

***Transfer height: 23" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

2007-2014 Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door | FRONT PASSENGER

LK-SILC07R

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

***Transfer height: 23" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER

LK-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
♦2500 model sits one inch higher that the 1500 & 3500 model.

♦*Transfer height: 20”-21” | Average install: 7-9 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER

LK-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

♦*Transfer height: 20”-21” | Average install: 7-9 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
♦2500 model sits one inch higher that the 1500 & 3500 model.

2020-2023 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER

LK-SILC19L

Seat height: 2 ¼” higher than OEM lowest (3” adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat.*** ***(Add. parts & time)***
♦ Transfer height may vary with tires, wheels and suspension.
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

♦*Transfer height: 21” | Average install: 6-8 hrs.
Seat adjustments | FRONT: 2 ¼” less than OEM | **BACK:** ¾” less than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if equipped with seat memory.*** ***(Add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2020-2023 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER

LK-SILC19R

Seat height: 2 ¼” higher than OEM lowest (3” adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat.*** ***(Add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

♦*Transfer height: 21” | Average install: 6-8 hrs.
Seat adjustments | FRONT: 2 ¼” less than OEM | **BACK:** ¾” less than OEM
OEM wire harness must be cut and extended under seat.
♦ Transfer height may vary with tires, wheels & suspension.
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

2007-2014 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK-SILC07L

Seat height: ¾” higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

♦*Transfer height: 19” or 23” | Average install: 6-8 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat
♦HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

2007-2014 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK-SILC07R

Seat height: ¾” higher than OEM (at lowest point on adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

♦*Transfer height: 19” or 23” | Average install: 6-8 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat
♦HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK-SILC14L

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

*Transfer height: 20” | Average install: 7-9 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Higher trim levels may cause loss of some seat features.

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK-SILC14R

Seat height: OEM
OEM shrouds must be trimmed.
Vented seatback retained.
Higher trim levels may cause loss of some seat features.

*Transfer height: 20” | Average install: 7-9 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** OEM (7 inches of travel)
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2021- 2023 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER

LK-SILC19L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Extensive wire harness work required on fully equipped models. (Add time)
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if equipped with seat memory.*** ***(add. parts & time)***
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

2021- 2023 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER

LK-SILC19R

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.
Extensive wire harness work required on fully equipped models. (Add time)
PLEASE NOTE: *Sunroof diminishes headroom (Approx. 2 inches)*

***Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | **BACK:** ¾" less than OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2008-2016 Acadia | FRONT PASSENGER

LK-TRV08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Vehicle battery access available | Installation does not block access.
GMC Acadia Limited 2017 (Built on 2016 body style)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected

2017-2023 Acadia / 2020-2022 Cadillac XT6 | DRIVER

LK-ACA17L

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut | STENCIL PROVIDED
➲ ***Please specify if POWER SEAT.***
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Door must be shimmed | SHIM PROVIDED
★ **NOT AVAILABLE for 2017 ACADIA LIMITED MODEL**

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1" less than OEM
Vented seat base fan removed from seat.
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Seat offset 1" to the left of the steering.
If equipped with manual seats, recline handle is replaced | PROVIDED

2017-2023 Acadia / 2020-2022 Cadillac XT6 | FRONT PASSENGER

LK-ACA17R

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
2017 GMC Acadia Limited model use 2016 Acadia KIT
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
➲ ***Please specify if POWER SEAT.***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2019-2023 Blazer | DRIVER

LK-BLZ19L

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut | STENCIL PROVIDED
➲ ***Please specify if POWER SEAT.***
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Door must be shimmed | SHIM PROVIDED

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1" less than OEM
➲ ***Please specify if equipped with vented seat.*** ***(Add. parts & time)***
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
Seat offset 1" to the left of the steering.
If equipped with manual seats, recline handle is replaced | PROVIDED

2019-2023 Blazer | FRONT PASSENGER

LK-BLZ19R

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if POWER SEAT.***
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1" less than OEM
➲ ***Please specify if equipped with vented seat.*** ***(Add. parts & time)***
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

***ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2008-2017 Traverse / Enclave | FRONT PASSENGER

LK-TRV08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Vehicle battery access available | Installation does not block access.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
Seat support spring (OEM) must be cut | OEM reconfiguration not affected

2018-2023 Traverse / Enclave | DRIVER

LK-TRV18L

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 1¼" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TAILgraming **NOT AVAILABLE.**
★ **ONLY AVAILABLE** for model with **POWER SEATS.**

2018-2023 Traverse / Enclave FRONT PASSENGER

LK-TRV18R

Seat height: 3" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***

***Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 1¼" less than OEM | **BACK:** ½" more than OEM
OEM wire harness must be cut and extended under seat.
Adapt Solutions' signature TAILgraming **NOT AVAILABLE.**

2018-2023 Traverse / Enclave | 2nd ROW LEFT (driver side)

LK-TRV18CL

Seat height: OEM
★**NOT AVAILABLE for 8 passenger model.**
➲ ***Please specify if equipped with heated seat.*** ***(add. parts & time)***

***Transfer height: 19" | Average install: 4-6 hrs.**

Seat adjustments | FRONT: 2 ½" more than OEM | **BACK:** 1" more than OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.

2018-2023 Traverse / Enclave | 2nd ROW RIGHT (passenger side)

LK-TRV18CR

Seat height: OEM
Seatback recline no longer adjustable | Remains completely upright.
Seatback flat folding feature cancelled | Cannot be folded.
➲ ***Please specify if equipped with heated seat.*** ***(add. parts & time)***

***Transfer height: 19" | Average install: 4-6 hrs.**

Seat adjustments | FRONT: 2 ½" more than OEM | **BACK:** 1" more than OEM
'Smart Slide®' quick access to 3rd row feature no longer functional.
★**NOT AVAILABLE for 8 passenger model.**

2010-2017 Terrain / Equinox | FRONT PASSENGER

LK-TER10R

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED.
★Adapt Solutions' signature TAILgraming **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 5-7 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.
Seat recline handle removed and replaced | PROVIDED.

2018-2023 Terrain / Equinox | DRIVER

LK-TER18L

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud must be cut.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | **BACK:** ½" less than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

2018-2023 Terrain / Equinox | FRONT PASSENGER

LK-TER18R

Seat height: 2" higher than OEM lowest (3" adjustable seat)
OEM shrouds must be trimmed.
★Adapt Solutions' signature TAILgraming **NOT AVAILABLE.**
➲ ***Please specify if POWER SEAT.***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ½" more than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
➲ ***Please specify if equipped with vented seat.*** ***(add. parts & time)***

***ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

HONDA

2018-2023 Odyssey | 2nd ROW LEFT (driver side)

LK-HDA18CL

Seat height: 1 inch higher than OEM
Jump seat in 8 passenger model is retained.
CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE

***Transfer height: 19" | Average install: 4-6 hrs.**
Seat adjustments | FRONT: 2 ¼ more than OEM | **BACK:** ¾ more than OEM
➲ ***Please specify if 7 or 8 passengers.***

2018-2023 Odyssey | 2nd ROW RIGHT (passenger side)

LK-HDA18CR

Seat height: 1 inch higher than OEM
Jump seat in 8 passenger model is retained.
CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE

***Transfer height: 19"**
Seat adjustments | FRONT: 2 ¼ more than OEM | **BACK:** ¾ more than OEM
➲ ***Please specify if 7 or 8 passengers.***

HYUNDAI

2020-2023 Palisade | DRIVER

LK-PAI20L

Seat height: 1 ¾'' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Door must be shimmed | SHIM PROVIDED
If your seat is equipped with extendable thigh support, feature is cancelled

***Transfer height: 19" | Average install: 10-12 hrs.**
Seat adjustments | FRONT: 1 3/4'' less than OEM | BACK: 1 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
If your seat is equipped with ventilation, feature is cancelled
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
★**NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

2020-2023 Palisade | FRONT PASSENGER

LK-PAI20R

Seat height: 2 1/8'' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Door must be shimmed | SHIM PROVIDED
If your seat is equipped with ventilation, feature is cancelled

***Transfer height: 19" | Average install: 10-12 hrs.**
Seat adjustments | FRONT: 1 3/4'' less than OEM | BACK: 1 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
★**NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

KIA

2006-2014 Sedona | 2nd ROW LEFT (driver side) ♦♦*not available for SHORT WHEELBASE*

LK-KIA06CL

Seat height: ½ inch higher than OEM
OEM shrouds must be trimmed.

***Transfer height: 19" | Average install: 4-6 hrs.**
Seat adjustments | FRONT: 1 ½ more than OEM | **BACK:** 1" more than OEM
★**MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.**

2006-2014 Sedona | 2nd ROW RIGHT (passenger side) ♦♦*not available for SHORT WHEELBASE*

LK-KIA06CR

Seat height: ½ inch higher than OEM
OEM shrouds must be trimmed.

***Transfer height: 19" | Average install: 4-6 hrs.**
Seat adjustments | FRONT: 1 ½ more than OEM | **BACK:** 1" more than OEM
★**MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.**

2015-2021 Sedona | FRONT PASSENGER

LK-KIA16R

Seat height: OEM (adjustable seat = 3" of travel – sits 1" higher than lowest)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***

***Transfer height: 19" | Average install: 6-8 hrs.**
Seat adjustments | FRONT: ¾" less than OEM | **BACK:** 1¼" more than OEM
OEM wire harness must be cut and extended under seat.
Higher trim levels may cause loss of some seat features.
Vented seat base fan removed from seat.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2015-2021 Sedona | 2nd ROW LEFT (driver side)

LK-KIA16CL

Seat height: OEM
OEM shrouds must be trimmed.
★**NOT AVAILABLE FOR MODELS WITH OEM FOOTREST|** *Discontinued in Canada 2019-2020 model.*

***Transfer height: 19" | Average install: 7-9 hrs.**

Seat adjustments | FRONT: 1½" more than OEM | **BACK:** OEM
➲ ***Please specify if equipped with heated seats.*** ***(Add. parts & time)***

2015-2021 Sedona | 2nd ROW RIGHT (passenger side)

LK-KIA16CR

Seat height: OEM
OEM shrouds must be trimmed.
➲ ***Please specify if equipped with OEM footrest*** | **LK-KIA16CFR (Footrest removed)**

***Transfer height: 19" | Average install: 7-9 hrs.**

Seat adjustments | FRONT: 1½" more than OEM | **BACK:** OEM
➲ ***Please specify if equipped with heated seats.*** ***(Add. parts & time)***

2022- Carnival | DRIVER

LK-KIA22L

Seat height: 1 ¾" lower than OEM highest | 1 ¼" higher than OEM lowest
B pillar shroud needs to be cut | STENCIL PROVIDED
OEM seat trim must be modified | STENCIL PROVIDED
★**NOT AVAILABLE FOR MODELS WITH MANUAL or VENTED seat**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE**

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: ¼'' less than OEM | **BACK:** 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
Floor mat behind the LINK has to be removed or modified
Fabric flap behind the seat has to be cut & modified

2022- Carnival | FRONT PASSENGER

LK-KIA22R

Seat height: 1 1/8'' higher than OEM highest | 1 1/8'' higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
Control box needs to be relocated.
Custom tool provided for access to spare wheel under LINK.
➲ ***Please specify if POWER SEATS different install manual supplied.***
★**NOT AVAILABLE FOR MODELS WITH VENTED seat**

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 7/8'' less than OEM | **BACK:** 1 3/8'' more than OEM
OEM wire harness must be cut and extended under seat.
Occupant sensor plug must be extended directly from the floor
Floor mat behind the LINK has to be removed or modified
Fabric flap behind the seat has to be cut & modified

2022- Carnival | 2nd ROW LEFT (driver side)

LK-KIA22CL

Seat height: 9/16'' higher than OEM highest | 9/16'' higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
★**NOT AVAILABLE FOR 7 PASSENGER MODEL**

***Transfer height: 18 1/4" | Average install: 6-8 hrs.**

Seat adjustments FRONT: 1 7/8" less than OEM | **BACK:** 1" less than OEM
★**NOT AVAILABLE IF EQUIPPED WITH POWER SEAT**
Rear foam of the seat cushion must be modified

2022- Carnival | 2nd ROW RIGHT (passenger side)

LK-KIA22CR

Seat height: 9/16'' higher than OEM highest | 9/16'' higher than OEM lowest
OEM seat trim must be modified | STENCIL PROVIDED
★**NOT AVAILABLE FOR 7 PASSENGER MODEL**

***Transfer height: 18 1/4" | Average install: 6-8 hrs.**

Seat adjustments FRONT: 1 7/8" less than OEM | **BACK:** 1" less than OEM
★**NOT AVAILABLE IF EQUIPPED WITH POWER SEAT**
Rear foam of the seat cushion must be modified

2020-2023 Telluride | DRIVER

LK-PAI20L

Seat height: 1 ¾'' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Door must be shimmed | SHIM PROVIDED
If your seat is equipped with extendable thigh support, feature is cancelled

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 3/4'' less than OEM | **BACK:** 1 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
If your seat is equipped with ventilation, feature is cancelled
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
★**NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

2020-2023 Telluride | FRONT PASSENGER

LK-PAI20R

Seat height: 2 1/8 '' lower than OEM highest | 3/8 '' higher than OEM lowest
OEM shrouds must be trimmed | STENCIL PROVIDED
Door must be shimmed | SHIM PROVIDED
If your seat is equipped with ventilation, feature is cancelled

***Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 3/4'' less than OEM | **BACK:** 1 3/4'' more than OEM
OEM wire harness must be cut and extended under seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees
★**NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2011-2020 Sienna | DRIVER

LK-TOY11L

Seat height: OEM (Manual seat) | 1" lower than OEM top (adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
➲ ***Please specify if ALL WHEEL DRIVE | additional parts supplied.***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Armrest must be modified | Retained. Action required for use.
➲ ***Please specify if ADJUSTABLE ARMREST WITH BUTTON.***
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)

2011-2020 Sienna | FRONT PASSENGER

LK-TOY11R

Seat height: OEM (Manual seat) | 1" lower than OEM top (adjustable seat)
OEM shrouds must be trimmed.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
➲ ***Please specify if JBL SOUND SYSTEM | additional parts supplied.***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
➲ ***Please specify if ALL WHEEL DRIVE | additional parts supplied.***
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)

2011-2020 Sienna | 2nd ROW LEFT (driver side)

LK-TOY11CL

Seat height: OEM
OEM shrouds must be replaced | PROVIDED.
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)
➲ ***Please specify if equipped with OEM footrest* | LK-TOY11CFL** Footrest removed

***Transfer height: 19" | Average install: 7-9 hrs.**

Seat adjustments | FRONT: 5 ¼" less than OEM | **BACK:** OEM (9" travel)
Gas tank must be partially lowered to access floor adaptor bolts.
★**NOT AVAILABLE FOR 8 PASSENGER SIENNA (60/40 SPLIT)**

2011-2020 Sienna | 2nd ROW RIGHT (passenger side)

LK-TOY11CR

Seat height: OEM
OEM shrouds must be replaced | PROVIDED.
➲ ***Please specify if equipped with OEM footrest* | LK-TOY11CFR** Footrest removed

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 5 ¼" less than OEM | **BACK:** OEM (9" travel)
PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)

2021-2023 Sienna | DRIVER

LK-TOY21L

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
(Black trims will be supplied for all interiors)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 3" less than OEM | **BACK:** 2 1/2" more than OEM
OEM wire harness must be cut and extended under seat.
★**Fan removed from seat and seatback.**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
➲ ***Please specify if SEAT is equipped with LUMBAR SUPPORT.***

LIMITED SPACE | TIGHT APPLICATION. Watch video for details. ▶Click here

2021-2023 Sienna | FRONT PASSENGER

LK-TOY21R

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
(Black trims will be supplied for all interiors)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 3.5" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
★**Fan removed from seat and seatback.**
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

2021-2023 Sienna | 2nd ROW LEFT (driver side)

LK-TOY21C7L

Seat height: 5/16" higher than OEM
OEM wire harness must be cut and extended under seat.
(Black trims will be supplied for all interiors)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 7/8" more than OEM | **BACK:** 3 1/4" less than OEM.
★***NOT CURRENTLY AVAILABLE FOR MODEL WITH OEM FOOTREST.***
★**NOT AVAILABLE FOR 8 PASSENGERS**

2021-2023 Sienna | 2nd ROW RIGHT (passenger side)

LK-TOY21C7R

Seat height: 5/16" higher than OEM
OEM wire harness must be cut and extended under seat.
★***NOT CURRENTLY AVAILABLE FOR MODEL WITH OEM FOOTREST.***
(Black trims will be supplied for all interiors)

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 7/8" more than OEM | **BACK:** 3 1/4" less than OEM.
➲ ***Please specify if 8 passengers* | LK-TOY21C8R.**

2005-2022 Tacoma Access Cab – Suicide door | FRONT PASSENGER

LK-TACD05R

Seat height: 1" higher than OEM
OEM shrouds must be trimmed.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 4-6 hrs.**

Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

2005-2023 Tacoma Double Cab – 4 door | FRONT PASSENGER

LK-TACD05R

Seat height: 1" higher than OEM
OEM shrouds must be trimmed.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

***Transfer height: 19" | Average install: 4-6 hrs.**

Seat adjustments | FRONT: 1/2" less than OEM | **BACK:** 1" less than OEM
OEM wire harness must be cut and extended under seat.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

2014-2021 Tundra Double Cab - 4 door (2 smaller) | DRIVER

LK-TUN14L

Seat height: OEM (Manual seat) | 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if 12 way seat (power thigh) | additional parts supplied.***

Transfer height: 21" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan retained.
Higher trim levels may cause loss of some seat features.

2014-2021 Tundra Double Cab - 4 door (2 smaller) | FRONT PASSENGER

LK-TUN14R

Seat height: OEM (Manual seat) | 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat. (In *LIMITED & 1794*)

2014-2021 Tundra Crew Max – 4 door | DRIVER

LK-TUN14L

Seat height: OEM (Manual seat) | 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if 12 way seat (power thigh) | additional parts supplied.***

Transfer height: 21" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan retained.
Higher trim levels may cause loss of some seat features.

2014-2021 Tundra Crew Max – 4 door | FRONT PASSENGER

LK-TUN14R

Seat height: OEM (Manual seat) | 1" higher than OEM lowest (adjustable seat)
OEM shrouds must be trimmed.
Higher trim levels may cause loss of some seat features.

Transfer height: 21" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 1" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat. (In *LIMITED & 1794*)

2013-2018 Rav 4 | FRONT PASSENGER

LK-RAV13R

Seat height: ½" higher than OEM
OEM shrouds must be trimmed.
➲ ***Please specify if POWER SEATS | additional parts supplied.***

Transfer height: 19" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 3 ¼" less than OEM | **BACK:** 2 ¼" more than OEM
OEM wire harness must be cut and extended under seat.

2019-2023 Rav 4 | FRONT PASSENGER

LK-RAV19R

Seat height: ½" higher than OEM
OEM shrouds must be trimmed.
Door must be shimmed | SHIM PROVIDED
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**
Compatible with HYBRID model.

Transfer height: 19" | Average install: 6-8 hrs.
Seat adjustments | FRONT: ½" less than OEM | **BACK:** OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.
★**ONLY AVAILABLE FOR MANUAL SEATS.**

2008-2016 Venza | FRONT PASSENGER**

LK-VNZ08R

Seat height: INFO N/A
OEM shrouds must be trimmed.
Door opening increased with shim | PROVIDED.
★Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Transfer height: 19" | Average install: 5-7 hrs.
Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.
★**NOT AVAILABLE IF EQUIPPED WITH POWER SEAT ON PASSENGER SIDE.**

2014-2019 Highlander | FRONT PASSENGER

LK-HLD14R

Seat height: OEM
OEM shrouds must be trimmed.
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied.***
Compatible with HYBRID model.

Transfer height: 19" | Average install: 6-8 hrs.
Seat adjustments | FRONT: 2 ¼" less than OEM. | **BACK:** 1¼" more than OEM
OEM wire harness must be cut and extended under seat.
Vented seat base fan removed from seat.
Vented seat back retained.

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

Volkswagen

2009-2012 Routan | DRIVER

LK-CHRG08L

Seat height: OEM
OEM shrouds must be trimmed.
Outer seat shroud removed and replaced | PROVIDED
Power seat buttons integrated into provided shroud.
➲ ***Please specify if equipped with power seats.***

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.
Armrest must be removed | COVER CAP PROVIDED.
OEM wire harness must be cut and extended under seat.
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

2009-2012 Routan | FRONT PASSENGER

LK-CHRG08R

Seat height: OEM
OEM shrouds must be trimmed.
Mid-row seat (Stow 'N Go) immediately behind LINK *cannot be stowed.*

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | **BACK:** INFO N/A
OEM wire harness must be cut and extended under seat.

2009-2012 Routan | 2nd ROW LEFT (driver side)

LK-CHRG08CL

Seat height: OEM
OEM shrouds must be trimmed.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat | FRONT: 5 inches more than OEM | **BACK:** OEM
★Must be **Stow 'N Go** seating (not bench)

2009-2012 Routan | 2nd ROW RIGHT (passenger side)

LK-CHRG08CR

Seat height: OEM
OEM shrouds must be trimmed.

***Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 5 inches more than OEM | **BACK:** OEM
★Must be **Stow 'N Go** seating (not bench)

*__ESTIMATED__ height and installation time in base model. Install times as reference only and apply to seasoned installers.
THE FIRST INSTALLATIONS will likely take a few additional hours. ***Please schedule accordingly.***
HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.
If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

XL-BASE

FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all of the key features of the product.

PRODUCT VIDEO
Overview of the XL-BASE in motion.

HIGHLIGHTS:
- ALWAYS OEM seat. 350 lbs capacity.
- Optional armrest and footrest available.
- Seatback adjustment remains intact.
- Seating behind XL-BASE not affected
- Simple mechanical mechanism.

THINGS TO NOTE
Only available on passenger side of some minivans. See application list. Forward and back adjustment lost. Seat sits at OEM furthest back position.

XL-BASE QUICK REFERENCE

The* XL-BASE *is only available for passenger side.

CHRYSLER		PASSENGER
Caravan / Town & Country / Voyager - Short & Long wheelbase	1991 - 2004	Front
Caravan / Town & Country - Without Stow 'N Go	2005 - 2007	Front
Caravan / Town & Country - Stow 'N Go	2005 - 2007	Front
Caravan / Town & Country	2008 - 2020	Front
Caravan / Town & Country - Short wheelbase	2001 - 2007	Center
Caravan / Town & Country - Long wheelbase	2001 - 2007	Center
Caravan / Town & Country - Stow 'N Go	2005 - 2020	Center
Town & Country - Swivel'N Go - **NOTAVAILABLE**	2008 - 2011	Center
FORD		**PASSENGER**
Windstar – Without powerseat	1995 - 2003	Front
Freestar/ Monterey - Without powerseat	2004 - 2007	Front
Freestar/ Monterey - Powerseat	2004 - 2007	Front
Windstar	1995 - 2003	Center
Freestar/ Monterey	2004 - 2007	Center
GENERAL MOTORS		**PASSENGER**
♦Astro / Safari	1995 - 2005	Front
♦Montana / Silhouette / Transport / Venture	1997 - 2004	Front
♦Montana / SV6 / Terraza / Uplander/ Venture / Relay	2005 - 2009	Front
Astro / Safari - **NOTAVAILABLE**	1997 - 2005	Center
♦Montana / Silhouette / Transport / Venture	1997 - 2004	Center
Montana / SV6 / Terraza / Uplander/ Venture / Relay	2005 - 2009	Center
HONDA		**PASSENGER**
Odyssey - **NOTAVAILABLE**	2005 - 2010	Front
Odyssey	2011 - 2017	Front
Odyssey - **NOTAVAILABLE**	2018 - 2023	Front
Odyssey	2005 - 2010	Center
Odyssey	2011 - 2017	Center
Odyssey - **NOTAVAILABLE**	2018 - 2023	Center
HYUNDAI		**PASSENGER**
Entourage - **NOTAVAILABLE**	2006 - 2009	Front
Entourage	2006 - 2009	Center
KIA		**PASSENGER**
Sedona	1999 - 2005	Front
Sedona - **NOTAVAILABLE**	2006 - 2012	Front
Sedona - **NOTAVAILABLE**	2014 - 2021	Front
Sedona	1999 - 2005	Center
Sedona	2006 - 2012	Center
Sedona - **NOTAVAILABLE**	2014 - 2021	Center
NISSAN		**PASSENGER**
Quest - **NOTAVAILABLE**	2011 - 2016	Front
Quest - **NOTAVAILABLE**	2011 - 2016	Center
TOYOTA		**PASSENGER**
♦Sienna – Without powerseat	2004 - 2010	Front
Sienna – Powerseat	2005 - 2010	Front
Sienna - 7 or 8 passenger - **NOTAVAILABLE**	2011 - 2020	Front
Sienna	2004 - 2010	Center
Sienna - 7 or 8 passenger	2011 - 2020	Center
Sienna – With footrest	2011 - 2020	Center
VOLKSWAGEN		**PASSENGER**
Routan	2009 - 2012	Front
Routan	2009 - 2012	Center

♦Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

CHRYSLER

1991-2004 Caravan / Town & Country / Voyager - Short & Long wheelbase - FRONT

EBCHR91-F

***Average install: 6 hrs.**

If vehicle is equipped with a center console, it must be removed.
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
You can use the left armrest.
A kit to increase the door opening is provided.
OEM seat sliders are no longer functional.

Seat reclining handles will have to be replaced with those provided.
The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
The pre-tensioner must be relocated to the XL-BASE.
May need to buy a door panel that does not have a map pocket.

2005-2007 Caravan / Town & Country – Without Stow 'N Go - FRONT

EBCHR91-F

***Average install: 7 hrs.**

If vehicle is equipped with a center console, it must be removed
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
You can use the left armrest.
OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.

The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
The pre-tensioner must be relocated to the XL-BASE.
A provided adapter kit must be installed for the seat position sensor.
A kit to increase the door opening is provided.
May need to buy a door panel that does not have a map pocket.

2005-2007 Caravan / Town & Country – Stow 'N Go - FRONT

EBCHR05-FG

***Average install: 7 hrs.**

If vehicle is equipped with a center console, it must be removed.
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
You can use the left armrest.
You will not be able to fold down the mid row seat with XL-BASE installation.
A kit to increase the door opening is provided.

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
A provided adapter kit must be installed for the seat position sensor.

2008-2020 Caravan / Town & Country – FRONT

EBCHR08-FG

***Average install: 7 hrs.**

If vehicle is equipped with a center console, it must be removed.
B-pillar trim / door seal / door panel may get scratched / tight application.
You will not be able to fold down the mid row seat with XL-BASE installation.
You can use the left armrest.
A provided adapter kit must be installed for the seat position sensor.

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.
The pre-tensioner must be relocated to the XL-BASE.

If the vehicle is equipped with a SUPER CONSOLE parts must be purchases from Chrysler and the lower portion of the dash must be replaced.

2001-2007 Caravan / Town & Country - Short wheelbase - CENTER

EBCHR01-CS

***Average install: 7 hrs.**

B-pillar trim / door seal / door panel may get scratched / tight application.
The seatbelt anchor must be connected to our equipment.
You can use both armrests.

The application was designed for captain style seating.
OEM seat sliders are no longer functional.

2001-2007 Caravan / Town & Country - Long wheelbase - CENTER

EBCHR01-CL

***Average install: 7 hrs.**

B-pillar trim / door seal / door panel may get scratched / tight application.
You can use both armrests.
The seatbelt anchor must be connected to our equipment

The application was designed for captain style seating.
OEM seat sliders are no longer functional.

2005-2020 Caravan / Town & Country - Stow 'N Go - CENTER

EBCHR05-CG

***Average install: 7 hrs.**

B-pillar trim / door seal / door panel may get scratched / tight application.
You can use both armrests.
The application was designed for stow n' go mid row seating.
➲ ***Please specify if equipped with heated seat.*** ***(add. parts & time)***

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.

2008-2011 Town & Country - Swivel 'N Go - NOT AVAILABLE - CENTER

N/A

NOT AVAILABLE - Swivel N' Go seating

1995-2003 Windstar - Without powerseat - FRONT

EBFWS95-F

***Average install: 10 hrs.**

If vehicle is equipped with a center console, it must be removed.
OEM seat sliders are no longer functional.
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
Lower B-pillar trim must be replaced by provided trim.

You can use the left armrest.
Seat reclining handles will have to be replaced with those provided.
Extensive hinge modification required. (remove door/grind stops)
Interior door panel may need to be removed or reworked.
Floor stud removal required/stud puller required.

2004-2007 Freestar/ Monterey – Without powerseat - FRONT

EBFFS04-F

***Average install: 11 hrs.**

If vehicle is equipped with a center console, it must be removed.
OEM seat sliders are no longer functional
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
Lower B-pillar trim must be replaced by provided trim.
A provided adapter kit must be installed for the seat position sensor.

You can use the left armrest.
Seat reclining handles will have to be replaced with those provided.
The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
Extensive hinge modification required. (remove door/grind stops)
Floor stud removal required/stud puller required.

2004-2007 Freestar/ Monterey - Powerseat - FRONT

EBFFS04-FP

***Average install: 11 hrs.**

If vehicle is equipped with a center console, it must be removed.
OEM seat sliders are no longer functional.
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.
Lower B-pillar trim must be replaced by provided trim.

You can use the left armrest.
A provided adapter kit must be installed for the seat position sensor.
The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
Extensive hinge modification required. (remove door/grind stops)
Floor stud removal required/stud puller required.

1995-2007 Windstar/ Freestar/ Monterey - CENTER

EBFRD95-C

***Average install: 7 hrs.**

If vehicle is equipped with a center console, it must be removed.
B-pillar trim / door seal / door panel may get scratched / tight application.

You can use the left armrest.
OEM seat sliders are no longer functional.

1995-2005 Astro / Safari - FRONT

EBAST95-F

If vehicle is equipped with a center console, it must be removed.
B-pillar trim / door seal / door panel may get scratched / tight application.
Seat reclining handles will have to be replace with those provided
You can use the left armrest.
OEM seat sliders are no longer functional.

***Average install: 12 hrs.**

The headrest rubs on the door header when entering/exiting the vehicle.
The seatbelt anchor must be connected to our equipment.
The pre-tensioner must be relocated to the XL-BASE.
Extensive hinge modification required. (remove door/grind stops)
Interior door panel may need to be removed or reworked.

1997-2004 Montana / Silhouette / Transport / Venture - FRONT

EBGM97-F

B-pillar trim / door seal / door panel may get scratched / tight application.
You can use the left armrest.
The seatbelt anchor must be connected to our equipment.

***Average install: 6 hrs.**

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.

2005-2009 Montana SV6 / Terraza / Uplander/ Venture / Relay - FRONT

EBGM97-F

B-pillar trim / door seal / door panel may get scratched / tight application.
OEM seat sliders are no longer functional.
You can use the left armrest.

***Average install: 7 hrs.**

Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.
A provided adapter kit must be installed for the seat position sensor.

1997-2005 Astro / Safari - NOT AVAILABLE - CENTER

N/A

NOT AVAILABLE

1997-2004 Montana / Silhouette / Transport / Venture - CENTER

EBGM97-C

If vehicle is equipped with a center console, it must be removed.
B-pillar trim / door seal / door panel may get scratched / tight application.

***Average install: 7 hrs.**

You can use the left armrest.
OEM seat sliders are no longer functional.
The seatbelt anchor must be connected to our equipment.

2005-2009 Montana SV6 / Terraza / Uplander/ Venture / Relay - CENTER

EBGM97-C

If vehicle is equipped with a center console, it must be removed.
B-pillar trim / door seal / door panel may get scratched / tight application.

***Average install: 7 hrs.**

You can use the left armrest.
OEM seat sliders are no longer functional.
The seatbelt anchor must be connected to our equipment.

HONDA

2005-2010 Odyssey - NOTAVAILABLE - FRONT

N/A

NOTAVAILABLE - Seat sensor system

2011-2017 Odyssey - FRONT

EBHDA11-F

***Average install: 11 hrs.**

Lower B-pillar trim must be replaced by provided trim.
A provided adapter kit must be installed for the occupant detection sensor.
You can use the left armrest.
The OEM seat heater remains functional.
Seat sliders must be removed.
The seatbelt anchor must be connected to our equipment.
Seat reclining handles will have to be replaced with those provided.
A provided adapter kit must be installed for the seat position sensor.
A kit to increase the door opening is provided.
Interior door panel may need to be removed or reworked.

2018-2023 Odyssey - NOTAVAILABLE - FRONT

N/A

NOTAVAILABLE

2005-2010 Odyssey - CENTER

EBHDA05-C

***Average install: 8 hrs.**

If vehicle is equipped with a center console, it must be removed.
The seatbelt anchor must be connected to our equipment.
You can use the left armrest.

2011-2017 Odyssey - CENTER

EBHDA11-C

***Average install: 7 hrs.**

The seatbelt anchor must be connected to our equipment.
You can use the left armrest.
OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
If vehicle has jump seat in second row, it must be removed.

2018-2023 Odyssey - NOTAVAILABLE - CENTER

N/A

NOTAVAILABLE

HYUNDAI

2006-2009 Entourage - NOTAVAILABLE - FRONT

N/A

NOTAVAILABLE - seat sensor system

2006-2009 Entourage – CENTER ♦♦*not available for SHORT WHEELBASE*

EBKIA06-C

***Average install: 9 hrs.**

The mid right door is smaller than most which limits leg room during rotation.
B-pillar trim / door seal / door panel may get scratched / tight application.
You can use the left armrest.
A kit to increase the door opening is provided.
OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.
MUST BE A LONG WHEELBASE – NOTAVAILABLE FOR SHORT WHEELBASE.

1999-2005	Sedona - FRONT	
EBKIA99-F		***Average install: 7 hrs.**
If vehicle is equipped with a center console, it must be removed. B-pillar trim / door seal / door panel may get scratched / tight application. The seatbelt anchor must be connected to our equipment.		OEM seat sliders are no longer functional. Seat reclining handles will have to be replaced with those provided.

2006-2012	Sedona - NOT AVAILABLE - FRONT
N/A	**NOT AVAILABLE**

2015-2021	Sedona - NOT AVAILABLE - FRONT
N/A	**NOT AVAILABLE**

1999-2005	Sedona - CENTER	
EBKIA99-C		***Average install: 7 hrs.**
B-pillar trim / door seal / door panel may get scratched / tight application. OEM seat sliders are no longer functional.		The seatbelt anchor must be connected to our equipment.

2006-2012	Sedona – CENTER ♦♦*not available for SHORT WHEELBASE*	
EBKIA06-C		***Average install: 8 hrs.**
The mid right door is smaller than most which limits leg room during rotation. B-pillar trim / door seal / door panel may get scratched / tight application. You can use the left armrest. A kit to increase the door opening is provided.		OEM seat sliders are no longer functional. Seat reclining handles will have to be replaced with those provided. The seatbelt anchor must be connected to our equipment. **MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.**

2015-2021	Sedona - NOT AVAILABLE - CENTER
N/A	**NOT AVAILABLE**

TOYOTA

2004-2010 Sienna – Without powerseat - FRONT

EBTOY04-F

If vehicle is equipped with a center console, it must be removed.
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.

***Average install: 9 hrs.**

You can use the left armrest.
OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The glove box must be removed and replaced with provided trim.

2005-2010 Sienna - Powerseat - FRONT

EBTOY05-FES

If vehicle is equipped with a center console, it must be removed. (0.5 hr)
The installer must make a bracket to keep the center console.
B-pillar trim / door seal / door panel may get scratched / tight application.

***Average install: 10 hrs.**

You can use the left armrest.
OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The glove box must be removed and replaced with provided trim.

2011-2020 Sienna - 7 or 8 passenger - NOT AVAILABLE - FRONT

N/A

NOT AVAILABLE - seat sensor system

2004-2010 Sienna - CENTER

EBTOY04-C

If vehicle is equipped with a center console, it must be removed. (0.5 hr)
Removal or modification of the door sil moulding is required for installation.

***Average install: 7 hrs.**

Seat reclining handles will have to be replaced with those provided.

2011-2020 Sienna - 7 or 8 passenger - CENTER

EBTOY11-C

You can use both armrests.
*8 passenger model does not lose jump seat. (keep 8 seats)

***Average install: 7 hrs.**

Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.

2011-2020 Sienna - With footrest - CENTER

EBTOY11-CF

You can use both armrests.

***Average install: 8 hrs.**

Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.
The footrest and components must be removed.

Volkswagen

2009-2012 Routan - FRONT

EBCHR08-FG

If vehicle is equipped with a center console, it must be removed. (0.5 hr)
B-pillar trim / door seal / door panel may get scratched / tight application.
A provided adapter kit must be installed for the seat position sensor.
You can use the left armrest.
You will not be able to fold down the mid row seat with XL-BASE installation.

***Average install: 7 hrs.**

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.
The pre-tensioner must be relocated to the XL-BASE.

2009-2012 Routan - CENTER

EBCHR05-CG

B-pillar trim / door seal / door panel may get scratched / tight application.
You can use both armrests.
The application was designed for stow n' go mid row seating.

***Average install: 7 hrs.**

OEM seat sliders are no longer functional.
Seat reclining handles will have to be replaced with those provided.
The seatbelt anchor must be connected to our equipment.

ASENTO|XL-SEAT

HI-LIFT

FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all of the key features of the product.

PRODUCT VIDEO
Overview of the ASENTO & SPEEDY-LIFT in motion.

HIGHLIGHTS:

- OEM seat and adjustments remains intact
- Easy to use, foldable and removable transfer board.
- Can be paired with the SPEEDY-LIFT
- Driver or front passenger applications available
- 3 year warranty
- 275 lbs capacity.

THINGS TO NOTE
OEM plastic shroud and trim might be modified or replace on a per vehicle basis for the transfer board operation. If additional information is required, we, or our authorized dealers, will provide information needed on request.

XL SEAT|ASENTO QUICK REFERENCE

★= HI-LIFT available with XL-SEAT
HI-LIFT NOT AVAILABLE with ASENTO

CHRYSLER			DRIVER	FRONT PASSENGER
Caravan / Grand Caravan / Town & Country	★	1991 - 2007	✓	✓
Caravan / Grand Caravan / Town & Country	★	2005 - 2007♦	✓	**NOT AVAILABLE**
Caravan / Grand Caravan / Town & Country	★	2008 - 2020	✓	✓
Grand Caravan		2021 - 2023	✓	✓
Dakota Club Cab		1997 - 2004	✓	✓
Dakota Club Cab		2005 - 2011	✓	✓
Dakota Quad Cab - 4 door		1997 - 2004	✓	✓
Dakota Quad Cab - 4 door		2005 - 2011	✓	✓
Durango		2004 - 2009	✓	✓
Jeep Compass / Patriot		2007 - 2016	✓	✓
Jeep Wrangler - 4 door *		2007 - 2018♦	✓	✓
Pacifica		2017 - 2023	✓	✓
Ram 1500 Ext. Cab - Suicide door (also called Quad Cab)		1998 - 2002♦	✓	✓
Ram 1500|2500|3500 Reg Cab - 2 door		2002 - 2008	✓	✓
Ram 1500|2500|3500 Quad Cab - 4 door		2002 - 2008♦	✓	✓
Ram 1500|2500|3500 Crew/Mega Cab - 4 door		2006 - 2008♦	✓	✓
Ram 1500 CLASSIC Quad Cab - 4 door		2009 - 2023	✓	✓
Ram 1500 CLASSIC Crew Cab - 4 door		2009 - 2023	✓	✓
Ram 2500/3500 Crew/Mega Cab - 4 door		2010 - 2018	✓	✓
Ram 1500 Quad Cab – 4 door *		2019 - 2023	✓	✓
Ram 1500 Crew Cab – 4 door *		2019 - 2023	✓	✓
Voyager - Short & Long wheelbase	★	1991 - 2003♦	✓	✓
Voyager		2020 - 2023	✓	✓
FORD			**DRIVER**	**FRONT PASSENGER**
Edge		2011 - 2014	✓	✓
Edge		2015 - 2023	✓	✓
Explorer		2011 - 2019	✓	✓
Explorer		2020 - 2023	✓	✓
Expedition* / Navigator*		2018 - 2022	✓	✓
F-150 Reg Cab - 2 door		2004 - 2008♦	✓	✓
F-150 Reg Cab - 2 door, small suicide door		2009 - 2010	✓	✓
F-150 Super Cab - Suicide door		2004 - 2008♦	✓	✓
F-150 Super Cab - Suicide door *		2009 - 2014	✓	✓
F-150 Super Cab - Suicide door		2015 - 2023	✓	✓
F-150 Super Crew Cab - 4 door		2004 - 2008♦	✓	✓
F-150 Super Crew Cab - 4 door		2009 - 2014	✓	✓
F-150 Super Crew Cab - 4 door		2015 - 2017	✓	✓
F-150 Super Crew Cab - 4 door		2018 - 2023	✓	✓
F-250, F-350, F-450 Super Cab - Suicide door		2008 - 2016	✓	✓
F-250, F-350, F-450 Super Cab - Suicide door		2017 - 2023	✓	✓
F-250, F-350, F-450 Super Crew - 4 door		2008 - 2016♦	✓	✓
F-250, F-350, F-450 Super Crew - 4 door		2017 - 2023	✓	✓
Freestar / Monterey	★	2004 - 2007	✓	✓
Lincoln MKX		2016 - 2018	✓	✓
Mark LT - 4 door		2006 - 2008	✓	✓
Nautilus		2019 - 2023	✓	✓

*__ESTIMATED__ height

XL SEAT/ASENTO QUICK REFERENCE

FORD			DRIVER	FRONT PASSENGER
Ranger Super Crew Cab – 4 Door		2019 - 2022	✓	✓
Raptor Super Cab - Suicide door		2011 - 2016	✓	✓
Raptor Super Cab - Suicide door		2017 - 2023	✓	✓
Raptor Super Crew Cab - 4 door		2011 - 2016	✓	✓
Raptor Super Crew Cab - 4 door		2017 - 2023	✓	✓
Windstar	★	1999 - 2003	✓	✓
GENERAL MOTORS			**DRIVER**	**FRONT PASSENGER**
Acadia		2017 - 2023	✓	✓
Avalanche		2007 - 2010	✓	✓
Avalanche		2011 - 2013	✓	✓
Blazer		2019 - 2023	✓	✓
Canyon / Colorado Extended Cab - Suicide door		2004 - 2012♦	✓	✓
Canyon / Colorado Extended Cab - Suicide door		2015 - 2022	✓	✓
Canyon / Colorado Crew Cab – 4 door		2015 - 2022	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models		2007 - 2010	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models		2011 - 2014	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models		2015 - 2020	✓	✓
Escalade / Suburban / Tahoe / Yukon - All models		2021 - 2023	✓	✓
Montana/Silhouette/Transp./Terr./Uplander/Relay/Venture	★	1997 - 2004♦	✓	✓
Montana/Silhouette/Transp./Terr./Uplander/Relay/Venture	★	2005 - 2009♦	✓	✓
Sierra / Silverado Regular Cab - 2 door		1999 - 2006♦	✓	✓
Sierra / Silverado Regular Cab - 2 door		2007 - 2013	✓	✓
Sierra / Silverado Extended Cab - Without suicide door		1999 - 2002♦	✓	✓
Sierra / Silverado Extended Cab - Suicide door		2001 - 2006♦	✓	✓
Sierra / Silverado Extended Cab - Suicide door		2007 - 2013	✓	✓
Sierra / Silverado Crew Cab - 4 door		2007 - 2010	✓	✓
Sierra / Silverado Crew Cab - 4 door		2011 - 2013	✓	✓
Sierra / Silverado **HD** (2500/3500) – All models		2007 - 2010	✓	✓
Sierra / Silverado **HD** (2500/3500) – All models		2011 - 2014	✓	✓
Sierra / Silverado Double Cab – 4 door (2 smaller)		2014 - 2018	✓	✓
Sierra / Silverado Crew Cab - 4 door		2014 - 2018	✓	✓
Sierra / Silverado Double Cab - 4 door		2019 - 2023	✓	✓
Sierra / Silverado Crew Cab - 4 door		2019 - 2023	✓	✓
Sierra / Silverado **HD** (2500/3500) – All models		2015 - 2019	✓	✓
Sierra / Silverado **HD** (2500/3500) – All models		2020 - 2023	✓	✓
Terrain / Equinox		2018 - 2023	✓	✓
Traverse / Enclave		2018 - 2023	✓	✓
HONDA			**DRIVER**	**FRONT PASSENGER**
Odyssey	★	1999 - 2004♦	✓	✓
Odyssey	★	2005 - 2010♦	✓	✓
Odyssey		2011 - 2017	✓	✓
Odyssey		2018 - 2023	✓	✓
HYUNDAI			**DRIVER**	**FRONT PASSENGER**
Entourage		2006 - 2009	✓	✓
Palisade*		2020 - 2023	✓*	✓*

*__ESTIMATED__ height

XL SEAT/ASENTO QUICK REFERENCE

KIA		DRIVER	FRONT PASSENGER
Sedona	1999 - 2005♦	✓	✓
Sedona	★ 2006 - 2012	✓	✓
Sedona	2015 - 2021	✓	✓
Carnival*	2022 -	✓*	✓
Telluride*	2020 - 2023	✓*	✓*
MERCEDES		**DRIVER**	**FRONT PASSENGER**
Metris	2016 - 2022	✓	✓
NISSAN		**DRIVER**	**FRONT PASSENGER**
Quest	★ 2011 - 2016	✓	✓
SUBARU		**DRIVER**	**FRONT PASSENGER**
Forester	2014 - 2018	✓	✓
TOYOTA		**DRIVER**	**FRONT PASSENGER**
4 Runner	2003 - 2009♦	✓	✓
4 Runner	2010 - 2022	✓	✓
Highlander	2014 - 2019	✓	✓
Rav 4	2006 - 2012♦	✓	✓
Rav 4 *	2013 - 2018	✓	✓
Rav 4	2019 - 2023	✓	✓
Sienna	★ 2004 - 2010♦	✓	✓
Sienna	★ 2011 - 2020	✓	✓
Sienna	2021 - 2023	✓	✓
Tacoma Access Cab - Suicide door	2005 - 2015	✓	✓
Tacoma Double Cab - 4 reg. door	2005 - 2015	✓	✓
Tacoma Double Cab - 4 reg. door	2016 - 2023	✓	✓
Tacoma Access Cab - Suicide door	2016 - 2022	✓	✓
Tundra Double Cab - 4 door (2 smaller)	2014 - 2021	✓	✓
Tundra Crew Max - 4 door	2014 - 2021	✓	✓
VOLKSWAGEN		**DRIVER**	**FRONT PASSENGER**
Routan	★ 2009 - 2012	✓	✓

Notes to specific applications marked * on the XL-SEAT/ASENTO QUICK REFERENCE			
ASENTO	**Ram 2500 / 3500**	**2019-2023**	***NOT AVAILABLE. Space and transfer height not compatible.**
XL-SEAT	**Jeep Wrangler– 4 Door**	**2007-2018**	***NOT AVAILABLE for JL model**
XL-SEAT	**F-150 Super Cab**	**2009-2014**	***NOT AVAILABLE for model with ONLY 2 DOORS.**
ASENTO	**Ranger Super Cab**	**2019-2022**	***NOT AVAILABLE.**
ASENTO	**Expedition**	**2018-2022**	***NOT AVAILABLE for model with MANUAL SEAT.**
ASENTO	**Explorer**	**2020-2023**	***NOT AVAILABLE for model with MANUAL SEAT.**
ASENTO	**Palisade**	**2020- 2023**	***NOT AVAILABLE for model with MANUAL SEAT.**
ASENTO	**Telluride**	**2020- 2023**	***NOT AVAILABLE for model with MANUAL SEAT.**
ASENTO	**Navigator**	**2018-2022**	***NOT AVAILABLE for model with PERFECT POSITION SEAT.**
ASENTO	**Carnival**	**2022-**	***NOT AVAILABLE for model with MANUAL SEAT (Driver).**
XL-SEAT	**Rav 4**	**2013-2018**	***NOT AVAILABLE for model with POWER SEATS.**

♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for estimated lead time.
★= HI-LIFT available with XL-SEAT.

*ESTIMATED height

The ASENTO *is available in driver & front passenger positions*

HI-LIFT NOT AVAILABLE with ASENTO

CHRYSLER

2021-2023 Grand Caravan	
EV-CHR17	***Height: 21" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.	Seatbelt pre-tensioner must be relocated.
2017-2023 Pacifica	
EV-CHR17	***Height: 21" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.	Seatbelt pre-tensioner must be relocated.
Compatible with HYBRID model.	
2020-2023 Voyager	
EV-CHR17	***Height: 21" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.	Seatbelt pre-tensioner must be relocated.
2019-2023 Ram 1500 Crew Cab – 4 door	
EV-RAMQ19	***Height: 24" / Average install: 3-5 hrs**
Door sill shrouds must be cut | STENCIL PROVIDED.	Lower B pillar shroud replaced | PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***	
PASSENGER SIDE ONLY: Jack kit assembly must be relocated.	➲ ***Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL***
2019-2023 Ram 1500 Quad Cab – 4 door	
EV-RAMQ19	***Height: 24" / Average install: 3-5 hrs**
Door sill shrouds must be cut | STENCIL PROVIDED.	Lower B pillar shroud replaced | PROVIDED.
➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***	
PASSENGER SIDE ONLY: Jack kit assembly must be relocated.	➲ ***Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL***

Ford

2015-2023 Edge	
EV-EDG15	***Height: 22½" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.	
2018-2022 Expedition / Navigator	
EV-EXP18	***Height: 25.75" / Average install: 3-5 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED	OEM Seat trim must be modified
NOT AVAILABLE for model with **MANUAL SEAT.**	Power seat buttons relocated to the front of the seat
NOT AVAILABLE for model with **PERFECT POSITION SEAT (Navigator).**	
2020-2023 Explorer	
EV-EXI20	***Height: 22" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED	**NOT AVAILABLE** for model with **MANUAL SEAT.**
2017-2023 Raptor SuperCrew Cab - 4 door	
EV-F150C18	***Height: 28" / Average install: 2-4 hrs**
Upper B-pillar shroud modified.	Lower B-pillar shroud must be modified. | STENCIL PROVIDED
2018-2023 F-150 SuperCrew Cab – 4 door	
EV-F150C18	***Height: 26" / Average install: 2-4 hrs**
Upper B-pillar shroud modified.	Lower B-pillar shroud must be modified. | STENCIL PROVIDED
2017-2023 F-250, F-350, F-450 SuperCrew Cab – 4 door	
EV-F150C18	***Height: 28" / Average install: 2-4 hrs**
Upper B-pillar shroud modified.	Lower B-pillar shroud must be modified. | STENCIL PROVIDED
2016-2022 Lincoln MKX / Nautilus	
EV-EDG15	***Height: 22½" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.	
2016-2022 Ranger SuperCrew Cab	
EV-RNG19	***Height: 25" / Average install: 3-5 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED	OEM seat trim must be modified. | STENCIL PROVIDED

***ESTIMATED** height

The ASENTO *is available in driver & front passenger positions*

HI-LIFT NOT AVAILABLE with ASENTO

2017-2023 Acadia

EV-ACA17 — ***Height: 21" / Average install: 2-4 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

If equipped with manual seats, recline handle is replaced | PROVIDED

➲ ***Please specify if POWER SEATS | additional parts supplied.***

2019-2023 Blazer

EV-BLZ19 — ***Height: 21"-23" / Average install: 2-4 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

If equipped with manual seats, recline handle is replaced | PROVIDED

➲ ***Please specify if POWER SEATS | additional parts supplied.***

2015-2022 Canyon / Colorado Extended Cab - Suicide door

EV-COLX15 — ***Height: 25" / Average install: 3-5 hrs**

Seat shroud must be modified | PARTS SUPPLIED.

2015-2022 Canyon / Colorado Crew Cab - 4 door

EV-COLC15 — ***Height: 24.5" / Average install: 3-5 hrs**

Seat shroud must be modified | PARTS SUPPLIED.

Lower B-pillar shroud must be modified.

2014-2018 Sierra / Silverado Double Cab - 4 door (2 smaller)

EV-SILC14 — ***Height: 24" (4x4) / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

Seat shroud must be modified | PARTS SUPPLIED.

2014-2018 Sierra / Silverado Crew Cab - 4 door

EV-SILC14 — ***Height: 24" (4x4) / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

Seat shroud must be modified | PARTS SUPPLIED.

2019-2023 Sierra / Silverado Double Cab - 4 door

EV-SILC19 — ***Height: 24.5" (4x4) / Average install: 3-5 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***

2019-2023 Sierra / Silverado Crew Cab - 4 door

EV-SILC19 — ***Height: 24.5" (4x4) / Average install: 3-5 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***

2015-2019 Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab)

EV-SILC14 — **♦*Height: 25 & 24" (4X4) / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

♦ 2500 model is one inch higher off the ground than the 3500 model.

2020-2023 Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab)

EV-SILC19 — ***Height: 24.5 ♦ / Average install: 2-4 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

♦Transfer height may vary with tires, wheels and suspension.

➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***

2015-2020 Escalade / Suburban / Tahoe / Yukon - All models

EV-SILC14 — ***Height: 24" (4x4) / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

2021-2023 Escalade / Suburban / Tahoe / Yukon - All models

EV-SILC19 — ***Height: 24.5" (4x4) / Average install: 3-5 hrs**

Lower B pillar shroud must be cut | STENCIL PROVIDED.

➲ ***Please specify if POWER SEATS | additional parts supplied. Buttons relocated to front of seat.***

➲ ***Please specify if 12 WAY SEATS | additional parts supplied.***

2018-2023 Terrain / Equinox

EV-TER18 — ***Height: 21" / Average install: 3-5 hrs**

Lower B-pillar shroud must be modified.

➲ ***Please specify if POWER SEAT.***

Lower seat shroud must be replaced | PROVIDED.

Seat recline handle must be replaced in manual seat model | PROVIDED.

2018-2023 Traverse / Enclave

EV-TRV18 — ***Height: 21" / Average install: 3-5 hrs**

Seat shroud must be modified | STENCIL PROVIDED.

Lower B-pillar shroud must be modified.

***ESTIMATED** height

HONDA

2018-2023	Odyssey

EV-HDA18 — ***Height: 21" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.

HYUNDAI

2020-2023	Palisade

EV-PAL20 — ***Height: 20 7/8" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED.
***NOT AVAILABLE for model with MANUAL SEAT**

KIA

2022-	Carnival

EV-KIA22 — ***Height: 21" / Average install: 4-6 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED.
Power seat controls must be relocated to the front of the seat
OEM seat controls wire must be cut and extended
***NOT AVAILABLE for model with MANUAL SEAT (Driver).**

2020-2023	Telluride

EV-PAL20 — ***Height: 20 7/8" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified. | STENCIL PROVIDED.
***NOT AVAILABLE for model with MANUAL SEAT**

Mercedes-Benz

2016-2022	Metris

EV-MET16 — ***Height: 22" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.

SUBARU

2014-2018	Forester

EV-FOR14 — ***Height: 20.5" / Average install: 2-4 hrs**
Lower B-pillar shroud must be modified.

The ASENTO *is available in driver & front passenger positions*

HI-LIFT NOT AVAILABLE with ASENTO

2021-2023 Sienna

EV-TOY21 — ***Height: 20 ¾" / Average install: 2-4 hrs**

MANUAL SEAT model: seat handle must be replaced | provided
(Black trims will be supplied for all interiors)

Lower B-pillar shroud must be modified.
Limited legroom and headroom due to door dimensions.

➲ *Please specify if SEAT is equipped with LUMBAR SUPPORT.*

➲ ***Please specify if POWERED SEATS. OEM seat trim must be modified*** - STENCIL NOT PROVIDED FOR RIGHT- ***Parts supplied. Buttons relocated to front of seat.***

2016-2022 Tacoma Access Cab - Suicide door

EV-TACA16 — ***Height: 24.5" / Average install: 2-4 hrs**

Modification of the doorsill moulding required.

2014-2021 Tundra Double Cab - 4 door (2 smaller)

EV-TUN14 — ***Height: 25.5" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

2014-2021 Tundra Crew Max - 4 door

EV-TUN14 — ***Height: 25.5" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

2019-2023 Rav 4

EV-RAV19 — ***Height: 23" / Average install: 3-5 hrs**

Seat handles must be replaced | PROVIDED.

Compatible with HYBRID model.

➲ ***Please specify if POWER SEATS | additional parts supplied. Shroud must be modified. Buttons relocated to front of seat.***

2014-2019 Highlander

EV-HLD14 — ***Height: 22" / Average install: 2-4 hrs**

Lower B-pillar shroud must be modified.

Compatible with HYBRID model.

CHRYSLER

★ = Available with HI-LIFT

1991-2007 Caravan / Town & Country

XIS-CHR91 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
Lower B-pillar trim to be replaced by one provided.

***Height: 18" / Average install: 2-4 hrs**
The seatbelt anchor must be connected to our equipment.
The seatbelt retractor must be relocated to our equipment.

2005-2007 Caravan / Town & Country - Stow 'N Go **DRIVER SIDE ONLY*

XIS-CHRG05 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
Lower B-pillar trim to be replaced by one provided

***Height: 18" / Average install: 2-4 hrs**
The seatbelt anchor must be connected to our equipment.
The seatbelt retractor must be relocated to our equipment.

2008-2020 Caravan / Town & Country (♦discontinued 2016)

XIS-CHRG08 ★ Available with HI-LIFT
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

***Height: 18" / Average install: 2-4 hrs**
Seat reclining handles will have to be replaced with those provided.
➲ ***Please specify if equipped with power seats.***

1991-2003 Voyager - Short & Long wheelbase

XIS-CHR91 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
Lower B-pillar trim to be replaced by one provided.
If power seat, controls may need to be relocated.

♦*Height: 18" / Average install: 2-4 hrs
The seatbelt retractor must be relocated to our equipment.
The seatbelt anchor must be connected to our equipment.

1997-2004 Dakota Club Cab - No suicide door

XIS-DAKC97
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

***Height: 22" (4X4) / Average install: 2-4 hrs**
Seat reclining handles will have to be replaced with those provided.

2005-2011 Dakota Club Cab - Suicide door

XIS-DAKC05
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

***Height: 22" (4X4) / Average install: 2-4 hrs**
Seat reclining handles will have to be replaced with those provided.
The seatbelt retractor must be relocated to our equipment.

1997-2004 Dakota Quad Cab - 4 door

XIS-DAKQ97
Seat reclining handles will have to be replaced with those provided.

***Height: 22" (4X4) / Average install: 2-4 hrs**

2005-2011 Dakota Quad Cab - 4 door

XIS-DAKQ05
The lumbar support will no longer be adjustable.

***Height: 22" (4X4) / Average install: 2-4 hrs**

CHRYSLER

★ = Available with HI-LIFT

2004-2009 Durango

XIS-DRGO04 — ***Height: 25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

1998-2002 Ram Extended Cab - Suicide door (also called Quad Cab)

XIS-RAMX98 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Seat reclining handles will have to be replaced with those provided.

2002-2008 Ram Reg Cab - 2 door (1500, 2500, 3500)

XIS-RAMR02 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Seat reclining handles will have to be replaced with those provided.

The seatbelt anchor must be connected to our equipment.

2002-2008 Ram Quad Cab - 4 door (1500, 2500, 3500)

XIS-RAMQ02 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Seat reclining handles will have to be replaced with those provided.

The seatbelt retractor must be relocated to our equipment.

2009-2023 Ram 1500 Quad Cab - 4 door

XIS-RAMQ09 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

Lower B-pillar trim to be replaced by one provided.

If power seat, controls may need to be relocated.

Removal or modification of door sill moulding required.

Seat reclining handles will have to be replaced with those provided.

2009-2023 Ram 1500 Crew Cab - 4 door

XIS-RAMQ09 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Seat reclining handles will have to be replaced with those provided.

If power seat, controls may need to be relocated.

Removal or modification of door sill moulding required.

Tight application. Trims may get scratched.

2006-2008 Ram Mega Cab - 4 big doors (1500, 2500, 3500)

XIS-RAMQ02 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

The seatbelt retractor must be relocated to our equipment.

Seat reclining handles will have to be replaced with those provided.

2010-2018 Ram 2500/3500 Crew/Mega Cab - 4 doors

XIS-RAMQ09 — ***Height: 27" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Seat reclining handles will have to be replaced with those provided.

If power seat, controls may need to be relocated.

Removal or modification of door sill moulding required.

Tight application. Trims may get scratched.

2007-2016 Jeep Compass / Patriot

XIS-COM07 — ***Height: 21.5" / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Seat reclining handles will have to be replaced with those provided.

The OEM B-pillar trim and shrouds need to be trimmed.

2007-2018 Jeep Wrangler - 4 door

XIS-WRG07 — ***Height: 27.5" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Seat reclining handles will have to be replaced with those provided.

***NOT AVAILABLE** for **JL** model

★ = Available with HI-LIFT

2004-2007 Freestar/ Monterey

XIS-FRD99 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.
The seatbelt retractor must be relocated to our equipment.

***Height: 21" / Average install: 2-4 hrs**
Tight application. Trims may get scratched.
Lower B-pillar trim to be replaced by one provided.

1999-2003 Windstar

XIS-FRD99 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.
The seatbelt retractor must be relocated to our equipment.

***Height: 21" / Average install: 2-4 hrs**
Tight application. Trims may get scratched.
Lower B-pillar trim to be replaced by one provided.

2006-2008 Mark LT- 4 door

XIS-F150C04
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

***Height: 26.5" (4X4) / Average install: 2-4 hrs**
Tight application. Trims may get scratched.

2004-2008 F-150 Reg Cab - 2 door

XIS-F150S04
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

♦*Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.

2009-2010 F-150 Reg Cab - 2 door, small suicide door

XIS-F150C09
The OEM B-pillar trim will need to be trimmed.
If power seat, controls may need to be relocated.

***Height: 24.5" (4X4) / Average install: 2-4 hrs**
Tight application. Trims may get scratched.
Removal or modification of door sill moulding required.

2004-2008 F-150 SuperCab - Suicide door

XIS-F150S04
Removal or modification of door sill moulding required.
If power seat, controls may need to be relocated.

♦*Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.

2009-2014 F-150 SuperCab - Suicide door

XIS-F150S09
The OEM B-pillar trim will need to be trimmed.
NOT AVAILABLE for model with ONLY 2 DOORS.

***Height: 26.5" (4X4) / Average install: 2-4 hrs**
Removal or modification of door sill moulding required.

2015-2023 F-150 SuperCab - Suicide door

XIS-F150S15
Interior door panel must be modified | STENCIL & REPLACEMENT CUTOUT PROVIDED

***Height: 26.5" (4X4) / Average install: 2-4 hrs**

2011-2016 Raptor SuperCab - Suicide door

XIS-F150S09
The OEM B-pillar trim will need to be trimmed.

***Height: 26.5" (4X4) / Average install: 2-4 hrs**
Removal or modification of door sill moulding required.

2017-2023 Raptor SuperCab - Suicide door

XIS-F150S15
Interior door panel must be modified | STENCIL & REPLACEMENT CUTOUT PROVIDED

***Height: 27.5" (4X4) / Average install: 2-4 hrs**

★ = Available with HI-LIFT

2004-2008 F-150 SuperCrew Cab - 4 door

XIS-F150C04
The OEM B-pillar trim will need to be trimmed.
If power seat, controls may need to be relocated.

♦*Height: 26.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

2009-2014 F-150 SuperCrew Cab - 4 door

XIS-F150C09
The OEM B-pillar trim will need to be trimmed.

*Height: 25.5" (4X4) / Average install: 2-4 hrs
The seat belt detonator must be relocated to the floor adaptor.

2015-2017 F-150 SuperCrew Cab - 4 door

XIS-F150C15
The OEM B-pillar shroud will need to be trimmed | STENCIL PROVIDED.
If power seat, controls may need to be relocated.

*Height: 24.5" (4X4) / Average install: 2-4 hrs
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

2011-2016 Raptor SuperCrew Cab - 4 door

XIS-F150C09
The OEM B-pillar trim will need to be trimmed.

*Height: 25.5" (4X4) / Average install: 2-4 hrs
The seat belt detonator must be relocated to the floor adaptor.

2008-2016 F-250, F-350, F-450 SuperCab - Suicide door

XIS-F250S08
Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.

*Height: 27" (4X4) / Average install: 2-4 hrs
Removal or modification of doorsill moulding required.
This installation requires bolting to the rocker panel.

2008-2016 F-250, F-350, F-450 Crew Cab - 4 door

XIS-F250C08
Tight application. Trims may get scratched.
If power seat, controls may need to be relocated.
This installation requires bolting to the rocker panel.

*Height: 27" (4X4)
Removal or modification of doorsill moulding required.
The seatbelt retractor must be relocated to our equipment.
The OEM B-pillar trim will need to be trimmed.

2017-2023 F-250, F-350, F-450 SuperCab - Suicide door

XIS-F150S15
Interior door panel must be modified, STENCIL & CUTOUT PROVIDED

♦*Height: 27" (4X4) / Average install: 2-4 hrs
♦2017 Ford F-250 & F-350 4X4 models sit 1" lower than the 2017 F-150.

2011-2014 Edge

XIS-EDG11
Seat reclining handles will have to be replaced with those provided.

*Height: 21"
The OEM B-pillar trim will need to be trimmed.

2011-2019 Explorer

XIS-EXL11
The OEM B-pillar trim will need to be trimmed.

*Height: 23.5"
Tight application. Trims may get scratched.

*ESTIMATED height

The XL-SEAT is available in driver & front passenger positions

★ = Available with HI-LIFT

1997-2004 Montana / Silhouette / Transport / Venture

XIS-GM97 ★ Available with HI-LIFT — ***Height: 18.5" / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

2005-2009 Montana SV6 / Terraza / Uplander / Relay

XIS-GM97 ★ Available with HI-LIFT — **♦*Height: 18.5" / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

2007-2010 Avalanche

XIS-SILC07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

2011-2013 Avalanche

XIS-SILC11 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Lower B-pillar trim to be replaced by one provided.

2004-2012 Canyon / Colorado Extended Cab - Suicide door

XIS-COIX04 — ***Height: 21" (2X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

Removal or modification of doorsill moulding required.

1999-2006 Sierra / Silverado Regular Cab - 2 door

XIS-SILR99 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

If power seat, controls may need to be relocated.

OEM Map pocket may need to be removed or modified on some models

2007-2013 Sierra / Silverado Regular Cab - 2 door

XIS-SILR07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

The OEM B-pillar trim will need to be trimmed.

The seatbelt retractor must be relocated to our equipment.

Tight application. Trims may get scratched.

Lower B-pillar trim to be replaced by one provided.

OEM Map pocket may need to be removed or modified on some models

1999-2002 Sierra / Silverado Extended Cab - Without suicide door

XIS-SILR99 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

This installation requires bolting to the rocker panel.

If power seat, controls may need to be relocated.

Removal or modification of doorsill moulding required.

The OEM B-pillar trim will need to be trimmed.

OEM Map pocket may need to be removed or modified on some models

2001-2006 Sierra / Silverado Extended Cab - Suicide door

XIS-SILX03 — **♦*Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

If power seat, controls may need to be relocated.

This installation requires bolting to the rocker panel.

Removal or modification of doorsill moulding required.

The OEM map pocket may need to be removed.

OEM Map pocket may need to be removed or modified on some models

2007-2013 Sierra / Silverado Extended Cab - Suicide door

XIS-SILX07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

The seatbelt retractor must be relocated to our equipment.

Removal or modification of doorsill moulding required.

OEM Map pocket may need to be removed or modified on some models

***ESTIMATED** height

★ = Available with HI-LIFT

2007-2010 Sierra / Silverado Crew Cab - 4 door

XIS-SILC07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

OEM Map pocket may need to be removed or modified on some models

2011-2013 Sierra / Silverado Crew Cab - 4 door

XIS-SILC11 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Lower B-pillar trim to be replaced by one provided.

OEM Map pocket may need to be removed or modified on some models

2007-2014 Sierra / Silverado HD (2500/3500) – Extended Cab – Suicide door

XIS-SILX07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

OEM Map pocket may need to be removed or modified on some models

2007-2010 Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door

XIS-SILC07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

OEM Map pocket may need to be removed or modified on some models

2011-2014 Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door

XIS-SILC11 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Lower B-pillar trim to be replaced by one provided.

OEM Map pocket may need to be removed or modified on some models

2007-2010 Escalade / Suburban / Tahoe / Yukon - All models

XIS-SILC07 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

Tight application. Trims may get scratched.

OEM Map pocket may need to be removed or modified on some models

2011-2014 Escalade / Suburban / Tahoe / Yukon - All models

XIS-SILC11 — ***Height: 24"-25" (4X4) / Average install: 2-4 hrs**

If power seat, controls may need to be relocated.

Lower B-pillar trim to be replaced by one provided.

OEM Map pocket may need to be removed or modified on some models

HONDA

1999-2004 Odyssey

XIS-HDA99 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
The seatbelt anchor must be connected to our equipment.

***Height: 18" / Average install: 2-4 hrs**
If power seat, controls may need to be relocated.

2005-2010 Odyssey

XIS-HDA05 ★ Available with HI-LIFT
Tight application. Trims may get scratched.
The seatbelt anchor must be connected to our equipment.

♦*Height: 18" / Average install: 2-4 hrs
If power seat, controls may need to be relocated.

2011-2017 Odyssey

XIS-HDA11
Tight application. Trims may get scratched.
The OEM B-pillar trim will need to be trimmed.

***Height: 21" / Average install: 2-4 hrs**
If power seat, controls may need to be relocated.

HYUNDAI

★ = Available with HI-LIFT

2006-2009 Entourage

XIS-KIA06 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.

***Height: 19.5" / Average install: 2-4 hrs**
Seat reclining handles will have to be replaced with those provided.

KIA

1999-2005 Sedona

XIS-KIA99
If power seat, controls may need to be relocated.

***Height: 19.5" / Average install: 2-4 hrs**

2006-2012 Sedona

XIS-KIA06 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.

***Height: 19.5" / Average install: 2-4 hrs**
Seat reclining handles will have to be replaced with those provided.

2015-2021 Sedona

XIS-KIA16
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

***Height: 20.5" / Average install: 2-4 hrs**
Seat shroud must be cut | STENCIL & MODIFIED TRIM PROVIDED

NISSAN

2011-2016 Quest

XIS-NIS11 ★ Available with HI-LIFT
The OEM B-pillar trim will need to be trimmed.
The seatbelt anchor must be connected to our equipment.

***Height: 21" / Average install: 2-4 hrs**
Tight application. Trims may get scratched.
Removal or modification of doorsill moulding required.

The XL-SEAT is available in driver & front passenger positions

TOYOTA

★ = Available with HI-LIFT

2004-2010 Sienna

XIS-TOY04 ★ Available with HI-LIFT
If power seat, controls may need to be relocated.

***Height: 18" / Average install: 2-4 hrs**

2011-2020 Sienna

XIS-TOY11 ★ Available with HI-LIFT
Tight application. Trims may get scratched.

***Height: 22" / Average install: 2-4 hrs**
If power seat, controls may need to be relocated.

2005-2015 Tacoma Access Cab - Suicide door

XIS-TACA05
The OEM seat and door trim will need to be trimmed.

***Height: 24.5" (4X4) / Average install: 2-4 hrs**

2005-2015 Tacoma Double Cab – 4 reg. door

XIS-TACD05
The OEM B-pillar trim will need to be trimmed.

***Height: 24.5" (4X4) / Average install: 2-4 hrs**
Removal or modification of door sill moulding required.

2016-2023 Tacoma Double Cab – 4 reg. door

XIS-TACD16
The OEM B-pillar trim removed and replaced | PROVIDED

***Height: 25.5" (4X4) / Average install: 2-4 hrs**

2003-2009 4 Runner

XIS-T4R03
Tight application. Trims may get scratched.
Seat reclining handles will have to be replaced with those provided.

***Height: 24.5" (4X4) / Average install: 2-4 hrs**
If power seat, controls may need to be relocated.

2010-2022 4 Runner

XIS-T4R10
Tight application. Trims may get scratched.

***Height: 25.5" (4X4) / Average install: 2-4 hrs**
The OEM B-pillar trim will need to be trimmed.

2006-2012 RAV 4

XIS-RAV06
Seat reclining handles will have to be replaced with those provided.

***Height: 21.5" / Average install: 2-4 hrs**
If power seat, controls may need to be relocated.

2013-2018 RAV 4

XIS-RAV13
Tight application. Trims may get scratched.
Seat reclining handles will have to be replaced with those provided.

***Height: 21" / Average install: 2-4 hrs**
NOT AVAILABLE if equipped with power seats

Volkswagen

2009-2012 Routan

XIS-CHRG08 ★ Available with HI-LIFT
Seat reclining handles will have to be replaced with those provided.
If power seat, controls may need to be relocated.

***Height: 18" / Average install: 2-4 hrs**
Removal or modification of door sill moulding required.

***ESTIMATED** height

SPEEDY-LIFT



FIND A DEALER
Looking for a dealer near you or a client, use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEO
Overview of the ASENTO & SPEEDY-LIFT in motion with music.

HIGHLIGHTS:
- Fast moving complete with automatic locking mechanism.
- Takes up very little space; in most applications only one seat is removed.
- 95 lbs capacity.
- 3 year warranty.
- Adapter available for folding chairs – less than 2 lbs and easily removed.
  Part # SL-WCBR-00

THINGS TO NOTE
Designed for mid-row in minivans, manual rigid or folding frame wheelchair.

SPEEDY-LIFT QUICK REFERENCE

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

CHRYSLER	
♦Caravan / Town & Country / Voyager	1996 - 2000
♦Caravan / Town & Country / Voyager - Short & Long wheelbase - Without Stow 'N Go	2001 - 2007
Caravan / Town & Country - Stow 'N Go	2005 - 2007
Town & Country - Swivel 'N Go	2008 - 2011
Caravan / Town & Country	2008 - 2020
Grand Caravan *	2021 - 2023
Pacifica *	2017 - 2023
Voyager * (USA)	2020 – 2023
FORD	
♦Windstar	1999 - 2003
♦Freestar / Monterey	2004 - 2007
GENERAL MOTORS	
♦Montana / Silhouette / Transport / Venture	1997 - 2004
♦Montana SV6 / Terraza / Uplander / Venture / Relay	2005 - 2009
HONDA	
♦Odyssey	1999 - 2004
♦Odyssey	2005 - 2010
Odyssey	2011 - 2017
Odyssey	2018 - 2023
HYUNDAI	
Entourage	2006 - 2009
KIA	
♦Sedona	1999 - 2005
♦Sedona	2006 - 2012
Sedona	2012 - 2014
Sedona	2015 - 2021*
Carnival *	2022 -
MAZDA	
Mazda 5 ***Discontinued in USA in 2015, 2017 in Canada.**	2006 - 2017
MERCEDES	
Metris	2016 - 2022
NISSAN	
Quest	2011 - 2016
TOYOTA	
♦Sienna	2004 - 2010
Sienna - 7 passenger	2011 - 2020
Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed)	2011 - 2020
Sienna - 7 passenger	2021 - 2023
Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed)	2021 - 2023
VOLKSWAGEN	
Routan	2009 - 2012

Notes to specific applications marked * on the SPEEDY-LIFT QUICK REFERENCE		
Grand Caravan	**2021-2023**	***NOT AVAILABLE passenger side for model with bench seat & 8 passengers LXi model.**
Toyota Sienna	**2011-2020**	***NOT AVAILABLE for models with OEM footrest.**
Pacifica	**2017-2023**	***NOT AVAILABLE for PINNACLE (2021 & Up) model**
Voyager	**2020-2023**	***NOT AVAILABLE passenger side for model with bench seat & 8 passengers LXi model.**
Carnival	**2022-**	***NOT AVAILABLE for 7 passenger model.**

♦ Due to the age of the application, shipping LEAD TIME of installation kit might vary. Contact us directly for estimated lead time

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

CHRYSLER

1996-2000	**Caravan / Town & Country / Voyager**	
SP-CHR96	*Average install: 1.5-2.5 hours	
2001–2007	**Caravan / Town & Country / Voyager- Short & Long wheelbase – Without Stow 'N Go**	
SP-CHR01	*Average install: 1.5-2.5 hours	
2005-2007	**Caravan / Town & Country – Stow 'N Go**	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
2008-2011	**Town & Country – Swivel 'N Go**	
SP-CHRG05	*Average install: 1.5-2.5 hours	
2008-2020	**Grand Caravan / Town & Country**	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
2021-2023	**Grand Caravan**	
SP-CHR20	*Average install: 1.5-2.5 hours	➲Please specify driver or passenger side application - Left or Right.
NOT AVAILABLE PASSENGER side model with bench seat.		➲Please specify 2nd Row Seating: Bench or Stow 'N Go
NOT AVAILABLE for BUCKET SEATS model without STOW 'N GO.		If **Stow 'n Go**, OEM seat will remain trapped in the floor.
2017-2023	**Chrysler Pacifica**	
SP-CHR17	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.
NOT AVAILABLE for PINNACLE (2021 & Up) model		➲Please specify driver or passenger side application - Left or Right. ➲Please specify Hybrid Model
2020-2023	**Voyager (USA)**	
SP-CHR20	*Average install: 1.5-2.5 hours	➲Please specify driver or passenger side application - Left or Right.
NOT AVAILABLE PASSENGER side model with bench seat.		➲Please specify 2nd Row Seating: Bench or Stow 'N Go
NOT AVAILABLE for BUCKET SEATS model without STOW 'N GO.		If **Stow 'n Go**, OEM seat will remain trapped in the floor.

Ford

1999-2003	**Windstar**	
SP-FRD99	*Average install: 1.5-2.5 hours	
2004-2007	**Freestar / Monterey**	
SP-FRD04	*Average install: 1.5-2.5 hours	

GM

1997-2004	**Montana / Silhouette / Transport / Venture**	
SP-GM97	*Average install: 1.5-2.5 hours	
2005-2009	**Montana SV6 / Terraza / Uplander / Venture / Relay**	
SP-GM97	*Average install: 1.5-2.5 hours	

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

HONDA

1999-2004	Odyssey	
SP-HDA99	*Average install: 1.5-2.5 hours	
2005-2010	Odyssey	
SP-HDA05	*Average install: 1.5-2.5 hours	➲Please specify driver or passenger side application - Left or Right.
2011-2017	Odyssey	
SP-HDA11	*Average install: 1.5-2.5 hours	In the 8 passenger model, the jump seat must be removed.
2018-2023	Odyssey	
SP-HDA18	*Average install: 1.5-2.5 hours	In the 8 passenger model, the jump seat must be removed.

HYUNDAI

2006-2009	Entourage	
SP-KIA06	*Average install: 1.5-2.5 hours	

KIA

1999-2005	Sedona	
SP-KIA99	*Average install: 1.5-2.5 hours	
2006-2012	Sedona	
SP-KIA06	*Average install: 1.5-2.5 hours	
2012-2014	Sedona	
SP-KIA06	*Average install: 1.5-2.5 hours	
2015-2021	Sedona	
SP-KIA16	*Average install: 1.5-2.5 hours	NOT AVAILABLE for models with OEM footrest. *Discontinued in Canada 2019-2020 model.*
2022-	Carnival	
SP-KIA22	*Average install: 1.5-2.5 hours	NOT AVAILABLE for 7 passenger model.

mazda

2006-2017	Mazda 5	
SP-MZD506	*Average install: 1.5-2.5 hours	**Mazda 5 discontinued in USA in 2015; 2017 in Canada.*

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

Mercedes-Benz

2016-2022	**Metris**	
SP-MET16	*Average install: 1.5-2.5 hours	ALL MID ROW SEATS MUST BE REMOVED

NISSAN

2011-2016	**Quest**	
SP-NIS11	*Average install: 1.5-2.5 hours	

TOYOTA

2004-2010	**Sienna**	
SP-TOY04		
2011-2020	**Sienna | 7 or 8 passenger minivan**	
SP-TOY11	*Average install: 1.5-2.5 hours	In the right or passenger side of the 8 passenger minivan, ALL MID ROW SEATS MUST BE REMOVED
2021-2023	**Sienna | 7 or 8 passenger minivan**	
SP-TOY21	*Average install: 1.5-2.5 hours	In the right or passenger side of the 8 passenger minivan, ALL MID ROW SEATS MUST BE REMOVED

Volkswagen

2009-2012	**Routan**	
SP-CHRG05	*Average install: 1.5-2.5 hours	The OEM seat will remain trapped in the floor if a SPEEDY-LIFT is installed.

HI-LIFT



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEO
Overview of the XL-SEAT & HI-LIFT in motion.

HIGHLIGHTS:

- Very compact and easy to use.
- Manual track allows for additional space inside the vehicle. Seat can be used in vehicle if chair is not being transported.
- Makes a great pair with the XL-SEAT.
- 75 lbs capacity.
- 3 year warranty.

THINGS TO NOTE
Only available in limited minivan applications. See list on next page. Ideally for rigid frame chairs. Folding chairs are not likely to fit 'height wise' in the door opening and therefore would be stowed not folded.

HI-LIFT QUICK REFERENCE

CHRYSLER			DRIVER	FRONT PASSENGER
Caravan / Grand Caravan / Town & Country	★	1991 - 2007	✓	✓
Caravan / Grand Caravan / Town & Country	★	2005 - 2007	✓	**NOT AVAILABLE**
Caravan / Grand Caravan / Town & Country	★	2008 - 2020	✓	✓
Voyager - Short & Long wheelbase	★	1991 - 2003	✓	✓
FORD			**DRIVER**	**FRONT PASSENGER**
Freestar / Monterey	★	2004 - 2007	✓	✓
Windstar	★	1999 - 2003	✓	✓
GENERAL MOTORS			**DRIVER**	**FRONT PASSENGER**
Montana / Silhouette / Transport	★	1997 - 2004	✓	✓
Terreza / Uplander / Relay / Venture	★	1997 - 2004	✓	✓
Montana / Silhouette / Transport	★	2005 - 2009	✓	✓
Terreza / Uplander / Relay / Venture	★	2005 - 2009	✓	✓
HONDA			**DRIVER**	**FRONT PASSENGER**
Odyssey	★	1999 - 2004	✓	✓
Odyssey	★	2005 - 2010	✓	✓
KIA			**DRIVER**	**FRONT PASSENGER**
Sedona	★	2006 - 2012	✓	✓
NISSAN			**DRIVER**	**FRONT PASSENGER**
Quest	★	2011 - 2016	✓	✓
TOYOTA			**DRIVER**	**FRONT PASSENGER**
Sienna	★	2004 - 2010	✓	✓
Sienna	★	2011 - 2020	✓	✓
VOLKSWAGEN			**DRIVER**	**FRONT PASSENGER**
Routan	★	2009 - 2012	✓	✓

♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

XL-BOARD



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

PRODUCT VIDEO
Overview of the XL-BOARD & SPEEDY-LIFT in motion.

HIGHLIGHTS:

- 275 lbs capacity. Static board, no motor. Easy to use; folds up and out of the way.
- Ideal vehicle for those that want a sedan with space for their wheelchair. Works great when paired with the SPEEDY-LIFT.
- Keep up to 5 seats – depending on the size of the wheelchair.

THINGS TO NOTE
This product is only available for the MAZDA 5. No other vehicles. Mazda 5 discontinued in 2015 in USA and 2017 in Canada.

XL-BOARD QUICK REFERENCE

MAZDA		
Mazda 5 *	2006 - 2017	XLB-MZD506

**Mazda 5 discontinued in USA in 2015; 2017 in Canada.*

POWER-PULL



FIND A DEALER
Looking for a dealer near you or a client? Use our interactive map to find one.

HOW IT WORKS VIDEO
In just a few minutes, see all the key features of the product.

PRODUCT VIDEOS
Overview of the POWER-PULL in a side entry and rear entry lowered floor minivan, in motion.

HIGHLIGHTS:

- Available in two models, one designed specifically for side entry and one designed specifically for rear entry.
- Does not take up space on the floor. Allows easy maneuvering.
- Multiple safety features and wireless pendant.
- Release feature allows easier positioning.
- 350 lbs capacity. 15 feet of strong, stainless steel cable.
- 3 year warranty.

THINGS TO NOTE
Requires user to hook onto their wheelchair. Button must be depressed to make unit move.

POWER-PULL QUICK REFERENCE

LOWERED FLOOR MINIVAN	
SIDE ENTRY	PP000-01
REAR ENTRY	PR000-01