

2025

# PRODUCT APPLICATIONS



ADAPT SOLUTIONS

08/12/2025

# 2026 PRODUCT APPLICATIONS

[CLICK HERE FOR ADAPT SOLUTIONS PRODUCT OVERVIEW VIDEO](#)

**SEARCH BY PRODUCT:** Click on the **PICTURE** for the overview page. Click on the **VEHICLE LIST** for the 'Quick Reference' page. Once you find the vehicle application you are looking for, click on it to reach the detailed application information.



**VEHICLE LIST**

**VEHICLE LIST**

**VEHICLE LIST**



**SEARCH BY MAKE / MODEL:** Click on a **BRAND** to reach a list of vehicle models. Click on the **PRODUCT NAME** to reach the detailed application information. *Click on BACK at the bottom of any page to return here.*

Need Assistance? [CHAT WITH US](#)



**SUBARU**



**Volkswagen**



**TOYOTA**





# CHRYSLER APPLICATIONS

| MODEL                                                | YEAR        | LINK                                          | XL-SEAT ASENTO       | SPEEDY LIFT |
|------------------------------------------------------|-------------|-----------------------------------------------|----------------------|-------------|
| Caravan / Town & Country- <b>Stow 'N Go</b>          | 2005 - 2007 |                                               | ✓*<br>(driver only)  | ✓           |
| Caravan / Town & Country - <b>Without Stow 'N Go</b> | 2005 - 2007 |                                               | ✓<br>WITH HI-LIFT    | ✓           |
| Caravan / Town & Country - <b>Short wheelbase</b>    | 2001 - 2007 |                                               | ✓<br>WITH HI-LIFT    |             |
| Caravan / Town & Country - <b>Long wheelbase</b>     | 2001 - 2007 |                                               | ✓<br>WITH HI-LIFT    |             |
| Caravan / Town & Country - <b>Swivel 'N Go</b>       | 2008 - 2011 |                                               | ✓<br>WITH HI-LIFT    |             |
| Caravan / Town & Country - <b>Stow 'N Go</b>         | 2005 - 2020 |                                               | ✓<br>WITH HI-LIFT    | ✓           |
| Caravan / Town & Country                             | 2008 - 2020 | ✓ DRIVER* /PASSENGER<br>✓ 2 <sup>nd</sup> ROW | ✓<br>WITH HI-LIFT    | ✓           |
| Grand Caravan                                        | 2021 - 2026 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW   | ✓<br>ASENTO          | ✓*          |
| Pacifica                                             | 2017 - 2026 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW   | ✓<br>ASENTO          | ✓*          |
| Voyager                                              | 2020 - 2026 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW   | ✓<br>ASENTO          | ✓*          |
| Journey                                              | 2008 - 2020 | ✓*<br>PASSENGER                               |                      |             |
| Ram Extended Cab/Quad Cab - <b>Suicide door</b>      | 1998 - 2002 |                                               | ✓                    |             |
| Ram Reg Cab - <b>2 door</b>                          | 2002 - 2008 |                                               | ✓                    |             |
| Ram Quad Cab - <b>4 door</b>                         | 2002 - 2008 |                                               | ✓                    |             |
| Ram Mega Cab - <b>4 large doors</b>                  | 2006 - 2008 |                                               | ✓                    |             |
| Ram Quad Cab / Crew Cab CLASSIC- <b>4 door</b>       | 2009 - 2018 | ✓<br>PASSENGER                                | ✓                    |             |
| Ram 2500/3500 Crew Cab/Mega Cab- <b>4 door</b>       | 2010 - 2018 | ✓<br>PASSENGER                                | ✓                    |             |
| Ram 2500/3500 Crew Cab - <b>4 door</b>               | 2019 - 2026 | ✓<br>PASSENGER                                | <b>NOT AVAILABLE</b> |             |
| Ram 1500 Quad Cab - <b>4 door</b>                    | 2019 - 2026 | ✓<br>DRIVER*/PASSENGER                        | ✓<br>ASENTO          |             |
| Ram 1500 Crew Cab - <b>4 door</b>                    | 2019 - 2026 | ✓<br>DRIVER*/PASSENGER                        | ✓<br>ASENTO          |             |
| Jeep Gladiator                                       | 2020 - 2026 | ✓<br>DRIVER / PASSENGER                       |                      |             |
| Jeep Grand Cherokee                                  | 2011 - 2022 | ✓*<br>PASSENGER                               |                      |             |
| Jeep Wrangler - <b>4 door</b>                        | 2007 - 2018 |                                               | ✓*                   |             |
| Jeep Wrangler - <b>4 door</b>                        | 2018 - 2026 | ✓*<br>DRIVER / PASSENGER                      |                      |             |

\*Caravan 2008-2020 - LINK: Steering column **must be telescopic**.

\*Chrysler Pacifica **PINNACLE** 2021-2026 **SPEEDY-LIFT & LINK: NOT AVAILABLE** for mid-row

\*Voyager 2020-2026 - **SPEEDY-LIFT: NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model.

\*Grand Caravan 2021-2026 - **SPEEDY-LIFT: NOT AVAILABLE** PASSENGER side model with bench seat & **NOT AVAILABLE** 8 passengers LXi model.

\*Jeep Grand Cherokee 2011-2022 **NOT AVAILABLE** for model with **MANUAL SEATS & NOT AVAILABLE** for **WL Platform**.

\*Jeep Wrangler - **4 door** 2018-2026 - **LINK: NOT AVAILABLE** for **JK model (2018)**.

\*Jeep Wrangler - **4 door** 2007-2018 - **XL-SEAT: NOT AVAILABLE** for **JL model (2018)**.

\*Journey 2008-2020 - **LINK: ONLY AVAILABLE** for model with **SEAT STORAGE**

\*Ram 1500 Crew/Quad 2019-2026: **NOT AVAILABLE** for RAM CLASSIC - **2018 model**.

\*Ram 1500 Crew/Quad 2019-2026: **NOT AVAILABLE** for RAM TUNGSTEN Trim Level - **2025 model**.



# FORD APPLICATIONS

| MODEL                                               | YEAR        | LINK                     | XL-SEAT ASENTTO | SPEEDY LIFT |
|-----------------------------------------------------|-------------|--------------------------|-----------------|-------------|
| Mark LT - <b>4 door</b>                             | 2006 - 2008 |                          | ✓               |             |
| F-150 Reg Cab - <b>2 door</b>                       | 2004 - 2008 |                          | ✓               |             |
| F-150 Reg Cab - <b>2 door (small suicide door)</b>  | 2009 - 2010 |                          | ✓               |             |
| F-150 Super Cab - <b>Suicide door</b>               | 2004 - 2008 |                          | ✓               |             |
| F-150 Super Crew Cab - <b>4 door</b>                | 2004 - 2008 |                          | ✓               |             |
| F-150 Super Cab - <b>Suicide door</b>               | 2009 - 2014 | ✓<br>DRIVER / PASSENGER  | ✓*              |             |
| F-150 Super Crew Cab - <b>4 door</b>                | 2009 - 2014 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-150 Super Cab - <b>Suicide door</b>               | 2015 - 2020 | ✓<br>DRIVER / PASSENGER  | ✓*              |             |
| F-150 Super Crew Cab - <b>4 door</b>                | 2015 - 2020 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-150 Super Cab - <b>Suicide door</b>               | 2021 - 2026 | ✓<br>DRIVER / PASSENGER  |                 |             |
| F-150 Super Crew Cab - <b>4 door</b>                | 2021 - 2026 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-150 Raptor Super Cab - <b>Suicide door</b>        | 2011 - 2016 | ✓*<br>DRIVER / PASSENGER | ✓*              |             |
| F-150 Raptor Super Crew Cab - <b>4 door</b>         | 2011 - 2016 | ✓*<br>DRIVER / PASSENGER | ✓               |             |
| F-150 Raptor Super Cab - <b>Suicide door</b>        | 2017 - 2026 | ✓<br>DRIVER / PASSENGER  | ✓*              |             |
| F-150 Raptor Super Crew Cab - <b>4 door</b>         | 2017 - 2026 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-250, F-350, F-450 Super Cab - <b>Suicide door</b> | 2008 - 2010 |                          | ✓               |             |
| F-250, F-350, F-450 Super Crew Cab - <b>4 door</b>  | 2008 - 2010 |                          | ✓               |             |
| F-250, F-350, F-450 Super Cab - <b>Suicide door</b> | 2011 - 2016 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-250, F-350, F-450 Super Crew Cab - <b>4 door</b>  | 2011 - 2016 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-250, F-350, F-450 Super Cab - <b>Suicide door</b> | 2017 - 2026 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| F-250, F-350, F-450 Super Crew Cab - <b>4 door</b>  | 2017 - 2026 | ✓<br>DRIVER / PASSENGER  | ✓               |             |
| Ranger Super Crew Cab - <b>4 door</b>               | 2019 - 2023 | ✓*<br>PASSENGER          | ✓<br>ASENTO     |             |
| Ranger Super Crew Cab - <b>4 door</b>               | 2024 - 2026 | ✓<br>PASSENGER           | ✓<br>ASENTO     |             |

\* Ford F-150 Super Cab - Suicide door Asento **NOT AVAILABLE** for model with **ONLY 2 DOORS**.

\* Ford F-150 Raptor Super Cab - Suicide door Asento **NOT AVAILABLE** for model with **ONLY 2 DOORS**.

\* Raptor Super Cab - Suicide door / 4 door 2011 only - **NOT AVAILABLE** for model with **4 load cells**.

\* Ranger Super Crew Cab - **NOT AVAILABLE** for models with **POWER SEAT**



# FORD APPLICATIONS

| MODEL                  | YEAR        | LINK                                          | XL-SEAT ASENT0 | SPEEDY LIFT |
|------------------------|-------------|-----------------------------------------------|----------------|-------------|
| Explorer               | 2011 - 2015 | ✓<br>PASSENGER                                | ✓              |             |
| Explorer               | 2016 - 2019 | ✓<br>PASSENGER                                | ✓              |             |
| Explorer               | 2020 - 2026 | *✓<br>DRIVER / PASSENGER                      | *✓             |             |
| Escape                 | 2013 - 2019 | ✓<br>PASSENGER                                |                |             |
| Escape                 | 2020 - 2026 | ✓<br>PASSENGER                                |                |             |
| Expedition / Navigator | 2007 - 2017 | ✓<br>PASSENGER                                |                |             |
| Expedition / Navigator | 2018 - 2024 | *✓ DRIVER/PASSENGER<br>*✓ 2 <sup>nd</sup> ROW | ✓*<br>ASENTO   |             |
| Edge                   | 2011 - 2014 |                                               | ✓              |             |
| Edge                   | 2015 - 2024 | ✓<br>PASSENGER                                | ✓<br>ASENTO    |             |
| Lincoln MKX            | 2016 - 2018 | ✓<br>PASSENGER                                | ✓<br>ASENTO    |             |
| Lincoln Nautilus       | 2019 - 2023 | ✓<br>PASSENGER                                | ✓<br>ASENTO    |             |

\*2018-2024 **Ford Expedition** FRONT- LINK: **NOT AVAILABLE** for model with **MANUAL SEAT**.

\*2018-2024 **Lincoln Navigator** FRONT- LINK: **NOT AVAILABLE** for model with **PERFECT POSITION SEAT**.

\*2018-2024 **Ford Expedition & Lincoln Navigator** 2<sup>ND</sup> ROW - LINK: **AVAILABLE ONLY** for **LONG WHEELBASE** model (Navigator L & Expedition MAX)

\*2018-2024 **Ford Expedition** - ASENT0: **NOT AVAILABLE** for model with **PERFECT POSITION SEAT** or model with **MANUAL SEAT**

\*2020-2026 **Ford Explorer** - ASENT0 & LINK: **NOT AVAILABLE** for model with **MANUAL SEAT**



# GENERAL MOTORS APPLICATIONS

| MODEL                                                         | YEAR        | LINK                      | XL-SEAT ASENTO | SPEEDY LIFT |
|---------------------------------------------------------------|-------------|---------------------------|----------------|-------------|
| Avalanche                                                     | 2007 - 2013 | ✓<br>DRIVER / PASSENGER   | ✓              |             |
| Canyon / Colorado Extended Cab - <b>Suicide door</b>          | 2004 - 2012 |                           | ✓              |             |
| Canyon / Colorado Extended Cab- <b>Suicide door</b>           | 2015 - 2022 | ✓<br>DRIVER* / PASSENGER* | ✓<br>ASENTO    |             |
| Canyon / Colorado Crew Cab- <b>4 door</b>                     | 2015 - 2022 | ✓<br>DRIVER* / PASSENGER  | ✓<br>ASENTO    |             |
| Sierra / Silverado Regular Cab-1500- <b>2 door</b>            | 1999 - 2013 |                           | ✓              |             |
| Sierra / Silverado Extended Cab-1500- <b>No suicide door</b>  | 1999 - 2002 |                           | ✓              |             |
| Sierra / Silverado Extended Cab-1500- <b>Suicide door</b>     | 2001 - 2006 |                           | ✓              |             |
| Sierra / Silverado Extended Cab-1500- <b>Suicide door</b>     | 2007 - 2013 | ✓<br>DRIVER / PASSENGER   | ✓              |             |
| Sierra / Silverado Double Cab-1500- <b>4 door (2 smaller)</b> | 2014 - 2018 | ✓<br>DRIVER / PASSENGER   | ✓<br>ASENTO    |             |
| Sierra / Silverado Crew Cab-1500- <b>4 door</b>               | 2007 - 2013 | ✓<br>DRIVER / PASSENGER   | ✓              |             |
| Sierra / Silverado Crew Cab-1500- <b>4 door</b>               | 2014 - 2018 | ✓<br>DRIVER / PASSENGER   | ✓<br>ASENTO    |             |
| Sierra / Silverado Crew Cab-1500- <b>4 door</b>               | 2019 - 2026 | ✓<br>DRIVER / PASSENGER   | ✓*<br>ASENTO   |             |
| Sierra / Silverado Double Cab-1500- <b>4 door (2 smaller)</b> | 2019 - 2026 | ✓<br>DRIVER / PASSENGER   | ✓*<br>ASENTO   |             |
| Sierra / Silverado <b>HD-2500 / 3500- All models</b>          | 2007 - 2014 | ✓<br>DRIVER / PASSENGER   | ✓              |             |
| Sierra / Silverado <b>HD-2500 / 3500- All models</b>          | 2015 - 2026 | ✓<br>DRIVER / PASSENGER   | ✓*<br>ASENTO   |             |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b>       | 2007 - 2014 | ✓<br>DRIVER / PASSENGER   | ✓              |             |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b>       | 2015 - 2020 | ✓<br>DRIVER / PASSENGER   | ✓<br>ASENTO    |             |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b>       | 2021 - 2026 | ✓<br>DRIVER / PASSENGER   | ✓<br>ASENTO    |             |
| Blazer                                                        | 2019 - 2026 | ✓<br>DRIVER / PASSENGER*  | ✓*<br>ASENTO   |             |

\*2015-2022 **Canyon / Colorado Ext Cab** - LINK: Rear door must be opened for operation.

\*2015-2022 **Canyon / Colorado Crew Cab** - LINK: Steering column must be telescopic.

\*2019-2026 **Blazer** - ASENTO & LINK: **NOT AVAILABLE** for **ELECTRIC MODEL (BLAZER EV)**

\*2019-2026 **Sierra / Silverado** - ASENTO: **NOT AVAILABLE** for **ELECTRIC MODEL**

\*2015-2026 **Sierra / Silverado HD-2500 / 3500- All models** - ASENTO: **NOT AVAILABLE** for **ELECTRIC MODEL**



# GENERAL MOTORS APPLICATIONS

| MODEL                               | YEAR        | LINK                                           | XL-SEAT ASENTO | SPEEDY LIFT |
|-------------------------------------|-------------|------------------------------------------------|----------------|-------------|
| Acadia <i>(See note on Limited)</i> | 2008 - 2016 | ✓*<br>PASSENGER                                |                |             |
| Acadia                              | 2017 - 2023 | ✓<br>DRIVER / PASSENGER                        | ✓<br>ASENTO    |             |
| Cadillac XT6                        | 2020 - 2025 | ✓<br>DRIVER / PASSENGER                        |                |             |
| Enclave                             | 2008 - 2017 | ✓<br>PASSENGER                                 |                |             |
| Enclave                             | 2018 - 2024 | ✓*<br>DRIVER / PASSENGER & 2 <sup>nd</sup> ROW | ✓<br>ASENTO    |             |
| Enclave                             | 2025 - 2026 | ✓*<br>PASSENGER                                |                |             |
| Terrain / Equinox                   | 2010 - 2017 | ✓<br>PASSENGER                                 |                |             |
| Terrain / Equinox                   | 2018 - 2024 | ✓<br>DRIVER / PASSENGER                        | ✓<br>ASENTO    |             |
| Traverse                            | 2008 - 2017 | ✓<br>PASSENGER                                 |                |             |
| Traverse                            | 2018 - 2023 | ✓*<br>DRIVER / PASSENGER & 2 <sup>nd</sup> ROW | ✓<br>ASENTO    |             |
| Traverse                            | 2024 - 2026 | ✓*<br>PASSENGER                                |                |             |

\*GMC Acadia Limited 2017 is the 2008-2016 body style.

\*Enclave 2018-2024 - LINK: **NOT AVAILABLE** in driver position for model with manual seat. | 2<sup>nd</sup> Row, **NOT AVAILABLE** for 8 passenger model.

\*Traverse 2018-2023 - LINK: **NOT AVAILABLE** in driver position for model with manual seat. | 2<sup>nd</sup> Row, **NOT AVAILABLE** for 8 passenger model.

\*Traverse 2024-2026 - LINK: **NOT AVAILABLE** in driver side.



# HONDA APPLICATIONS

| MODEL   | YEAR        | LINK                  | XL-SEAT ASENTO    | SPEEDY LIFT |
|---------|-------------|-----------------------|-------------------|-------------|
| Odyssey | 2005 - 2010 |                       | ✓<br>WITH HI-LIFT | ✓           |
| Odyssey | 2011 - 2017 |                       | ✓                 | ✓           |
| Odyssey | 2018 - 2026 | ✓ 2 <sup>nd</sup> ROW | ✓<br>ASENTO       | ✓           |



# HYUNDAI APPLICATIONS

| MODEL    | YEAR        | LINK                      | XL-SEAT ASENTO | SPEEDY LIFT |
|----------|-------------|---------------------------|----------------|-------------|
| Palisade | 2020 - 2025 | ✓<br>DRIVER* / PASSENGER* | ✓*             |             |

\*Palisade 2020-2025 - LINK & ASENTO: **NOT AVAILABLE** for models with **MANUAL SEATS**



# KIA APPLICATIONS

| MODEL     | YEAR        | LINK                                               | XL-SEAT ASENTTO | SPEEDY LIFT |
|-----------|-------------|----------------------------------------------------|-----------------|-------------|
| Carnival  | 2022 - 2026 | ✓<br>DRIVER* / PASSENGER &<br>2 <sup>nd</sup> ROW* | ✓*              | ✓           |
| Sedona    | 2006 - 2012 | ✓ 2 <sup>nd</sup> ROW                              |                 |             |
| Sedona    | 2012 - 2014 | ✓ 2 <sup>nd</sup> ROW                              |                 |             |
| Sedona    | 2015 - 2021 | ✓<br>PASSENGER &<br>2 <sup>nd</sup> ROW*           | ✓               | ✓*          |
| Telluride | 2020 - 2025 | ✓<br>DRIVER* / PASSENGER*                          | ✓*              |             |
| Ev9       | 2023 - 2026 | ✓<br>DRIVER* / PASSENGER*                          | ✓               |             |

\*Sedona 2015-2021 - **NOT AVAILABLE** for models with **OEM footrest** | *Discontinued in Canada 2019-2020 model.*

\*Carnival 2022-2026 - **LINK: NOT AVAILABLE** in driver position for model with manual seat  
- **LINK CENTER: NOT AVAILABLE** if equipped with power seat.

\*Carnival 2022-2026 - **ASENTO: NOT AVAILABLE** for model with manual seat.

\*Telluride 2020-2025 - **ASENTO: NOT AVAILABLE** for model with manual seat.

\*Telluride 2020-2025 - **LINK NOT AVAILABLE** for model with manual seat.

\*Ev9 2023-2026 - **LINK: NOT AVAILABLE** for model with power legs.



# MAZDA APPLICATIONS

| MODEL     | YEAR        | LINK | XL-SEAT ASENTTO | SPEEDY LIFT |
|-----------|-------------|------|-----------------|-------------|
| Mazda 5 * | 2006 - 2015 |      |                 | ✓           |

*\*Discontinued in USA in 2015, discontinued in Canada in 2017*



Mercedes-Benz

# MERCEDES APPLICATIONS

| MODEL  | YEAR        | LINK | XL-SEAT ASENTTO | SPEEDY LIFT |
|--------|-------------|------|-----------------|-------------|
| Metris | 2016 - 2023 |      | ✓<br>ASENTO     | ✓           |



# NISSAN APPLICATIONS

| MODEL | YEAR        | LINK                   | XL-SEAT ASENTTO | SPEEDY LIFT |
|-------|-------------|------------------------|-----------------|-------------|
| Ariya | 2022 - 2026 | ✓<br>DRIVER/PASSENGER* | ✓<br>ASENTO     |             |

\*Ariya 2022-2026 - **LINK FRONT PASSENGER: NOT AVAILABLE** for models with **POWER SEAT**.



SUBARU

# SUBARU APPLICATIONS

| MODEL    | YEAR        | LINK | XL-SEAT ASENTTO | SPEEDY LIFT |
|----------|-------------|------|-----------------|-------------|
| Forester | 2014 - 2018 |      | ✓<br>ASENTO     |             |



# TESLA APPLICATIONS

| MODEL | YEAR        | LINK | XL-SEAT ASENTO | SPEEDY LIFT  |
|-------|-------------|------|----------------|--------------|
| X     | 2015 - 2020 |      | ✓<br>ASENTO    | *✓<br>SPEEDY |
| X     | 2021 - 2026 |      | ✓<br>ASENTO    | *✓<br>SPEEDY |

\*Tesla X 2015-2026 – **SPEEDY-LIFT: NOT AVAILABLE** PASSENGER side model with Bench seat.

\*Tesla X 2021-2026 – **SPEEDY-LIFT: NOT AVAILABLE** for model with Bucket Seat.



# TOYOTA APPLICATIONS

| MODEL                                                  | YEAR        | LINK                                         | XL-SEAT ASENTO    | SPEEDY LIFT    |
|--------------------------------------------------------|-------------|----------------------------------------------|-------------------|----------------|
| Sienna                                                 | 2004 - 2010 |                                              | ✓<br>WITH HI-LIFT | ✓              |
| Sienna - <b>Power seat</b>                             | 2005 - 2010 |                                              | ✓<br>WITH HI-LIFT | ✓              |
| Sienna- <b>7 &amp; 8 passengers</b>                    | 2011 - 2020 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW* | ✓<br>WITH HI-LIFT | ✓<br>*SEE NOTE |
| Sienna- <b>7 &amp; 8 passengers</b>                    | 2021 - 2026 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW* | ✓<br>ASENTO       | ✓<br>*SEE NOTE |
| Tacoma Access Cab - <b>Suicide door</b>                | 2005 - 2015 | ✓<br>PASSENGER                               | ✓                 |                |
| Tacoma Access Cab - <b>Suicide door</b>                | 2016 - 2023 | ✓<br>PASSENGER                               | ✓<br>ASENTO       |                |
| Tacoma Double Cab - <b>4 reg. door</b>                 | 2005 - 2023 | ✓<br>PASSENGER                               | ✓                 |                |
| Tundra Double Cab - <b>4 door (rear doors smaller)</b> | 2014 - 2021 | ✓<br>DRIVER / PASSENGER                      | ✓<br>ASENTO       |                |
| Tundra Crew Max - <b>4 door</b>                        | 2014 - 2021 | ✓<br>DRIVER / PASSENGER                      | ✓<br>ASENTO       |                |
| Tundra Crew Max – <b>4 door</b>                        | 2022 - 2026 | ✓<br>DRIVER / PASSENGER                      |                   |                |
| 4 Runner                                               | 2003 - 2024 |                                              | ✓                 |                |
| Rav 4                                                  | 2006 - 2012 |                                              | ✓                 |                |
| Rav 4                                                  | 2013 - 2018 | ✓<br>PASSENGER                               | ✓*                |                |
| Rav 4                                                  | 2019 - 2025 | ✓*<br>PASSENGER                              | ✓<br>ASENTO       |                |
| Venza                                                  | 2008 - 2016 | ✓*<br>PASSENGER                              |                   |                |
| Highlander                                             | 2014 - 2019 | ✓<br>PASSENGER                               | ✓<br>ASENTO       |                |
| Highlander                                             | 2020 - 2026 | ✓<br>PASSENGER                               |                   |                |
| Grand Highlander                                       | 2020 - 2026 | ✓<br>PASSENGER                               |                   |                |

\*Sienna 2011-2020 (8 passenger) - LINK: 2<sup>nd</sup> row - driver side **NOT AVAILABLE** & passenger side only available without footrest.

\*Sienna 2021-2026 (8 passenger) - LINK: 2<sup>nd</sup> row - driver side **NOT AVAILABLE** & passenger side only available without footrest.

\*Sienna 2011-2020 (8 passenger) - SPEEDY: Passenger side all mid-row seats will be removed.

\*Sienna 2021-2026 (8 passenger) - SPEEDY: Passenger side all mid-row seats will be removed.

\*Rav 4 2013-2018 - XL-SEAT: **AVAILABLE FOR MANUAL SEATS ONLY**

\*Rav 4 2019-2025 - LINK: **AVAILABLE FOR MANUAL SEATS ONLY**

\*Venza 2008-2016 - LINK: passenger side **AVAILABLE FOR MANUAL SEATS ONLY**



Volkswagen

# VOLKSWAGEN APPLICATIONS

| MODEL  | YEAR        | LINK                                        | XL-SEAT ASENTA    | SPEEDY LIFT |
|--------|-------------|---------------------------------------------|-------------------|-------------|
| Routan | 2009 - 2012 | ✓ DRIVER/PASSENGER<br>✓ 2 <sup>nd</sup> ROW | ✓<br>WITH HI-LIFT | ✓           |
| Atlas  | 2018 - 2026 | ✓* DRIVER/PASSENGER                         | ✓                 |             |

\*Atlas 2018-2022 - LINK: \* **NOT AVAILABLE** Front passenger for model manual seat.

# LINK



## WEBSITE RESOURCES

Connect to the locked portion of the site.



## HOW IT WORKS VIDEO

In just a few minutes, see all of the key features of the product.



## PRODUCT VIDEO

Overview of the LINK in motion.



## HIGHLIGHTS

- Only uses OEM seat
- All safety features retained
- Great comfort, legroom and space
- Seating behind LINK is not affected
- Customizable movements
- Compatible with 100s of vehicles
- 3 year warranty, 350 lbs capacity



## THINGS TO REMEMBER


- The LINK uses the original seat; however, due to the many trim levels available for a given application, it is possible that some of the vehicle's original features will need to be cancelled or removed at the time of installation.
- Note that during the install, OEM wire harness is cut and extended under the seat to maintain the OEM security and comfort features. Installation also involves trim and/or shroud modification based on vehicle year, make and model.

# LINK | REFERENCES



## USER DELIVERY VIDEO

Learn how the pendant and seat adjustments work.



## REDUCED POWER MODE.

If the vehicle battery dies or gets disconnected, the LINK protects itself with a reduced power mode.



## REMOTE DIAGNOSTICS

The LINK is equipped with a remote diagnostic system that can be run over the phone with a technician.



Throughout this tool you will find references to assist you in evaluating the feasibility of a LINK in specific vehicles to meet your client's specific needs. In some applications, the seated position and/or the forward and aft travel of the seat changes with the LINK installed. Below is a visual aid to explain how these details are to be understood.

(OEM = Original Equipment Manufacturer. | Chrysler; GM, Toyota, etc. | from the factory)



## MANUAL BACK UP VIDEO

In the unlikely event of an issue, the LINK is equipped with a manual back up.

| SEAT HEIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SEAT ADJUSTMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | VERTICAL TRAVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <p>This information will give an idea of the seat height with the LINK installed. Due to the various seat styles offered by vehicle manufacturers, the information is supplied as a reference to assist you in establishing if the seated height on the LINK will be suitable for your client. <b>Example:</b> In the 2015 Ford F-150 Super Cab – the note reads as follows: “<b>Seat height:</b> ½ inch lower than OEM (non-adjustable manual seat)” This means that in that model of Ford, with a manual seat (a seat that doesn’t offer ‘height’ adjustment) the LINK will sit half an inch lower than it did before the installation.</p> <p>(See visual aid – <b>not to scale</b>)</p> | <p>This information is so you can establish the forward and back movements of the seat with the LINK. In all applications, the LINK adds power forward and backward movements, regardless of the seat’s original functions. In some applications, the travel is limited. The seat adjustment information will allow you to confirm if the installation of the LINK will be suitable for your client’s needs.</p> <p><b>FRONT</b> is to indicate towards the steering wheel or front of the vehicle.</p> <p><b>BACK</b> is to indicate towards the rear of the vehicle.</p> | <p>This information is so you can establish the estimated transfer height of the LINK in most vehicles.</p> <p><b>As suspensions, tires and wheels can affect the exact height</b> at which a vehicle sits, this method can allow you to evaluate more accurately the transfer height in your specific vehicle.</p> <p>The LINK has two travel lengths, <b>SHORT</b>: for most minivans, SUV’s and smaller vehicles; and <b>LONG</b>: for trucks and large SUV’s. Please confirm the model in question, SHORT or LONG with our sales or service department.</p> <p>(See visual aid – <b>not to scale</b>)</p> |



# LINK QUICK REFERENCE

See next pages for more applications & additional notes

page 1 of 3

| CHRYSLER                                                       |              | DRIVER | PASSENGER | 2nd ROW |
|----------------------------------------------------------------|--------------|--------|-----------|---------|
| Caravan / Town & Country (*T&C discontinued 2016)              | 2008 - 2020  | ✓*     | ✓         | ✓       |
| Grand Caravan                                                  | 2021 - 2026  | ✓      | ✓         | ✓       |
| Pacifica                                                       | 2017 - 2026  | ✓      | ✓         | ✓*      |
| Voyager                                                        | 2020 - 2026  | ✓      | ✓         | ✓       |
| Ram 1500 CLASSIC Crew Cab - <b>4 door</b>                      | 2009 - 2023  |        | ✓         |         |
| Ram 1500 Crew Cab - <b>4 door</b>                              | 2019 - 2026  | ✓*     | ✓*        |         |
| Ram 1500 CLASSIC Quad Cab - <b>4 door</b>                      | 2009 - 2023  |        | ✓         |         |
| Ram 1500 Quad Cab - <b>4 door</b>                              | 2019 - 2026  | ✓*     | ✓*        |         |
| Ram 2500/3500 - <b>4 door</b>                                  | 2010 - 2018  |        | ✓         |         |
| Ram 2500/3500 - <b>4 door</b>                                  | 2019 - 2026  |        | ✓         |         |
| Jeep Gladiator                                                 | 2020 - 2026  | ✓      | ✓         |         |
| Jeep Grand Cherokee                                            | 2011 - 2022  |        | ✓*        |         |
| Jeep Wrangler - <b>4 door</b>                                  | 2018 - 2026  | ✓*     | ✓*        |         |
| Journey                                                        | ♦2008 - 2020 |        | ✓*        |         |
| FORD                                                           |              | DRIVER | PASSENGER | 2nd ROW |
| F-150 Super Cab - <b>Suicide door</b>                          | ♦2009 - 2014 | ✓      | ✓*        |         |
| F-150 Super Crew Cab - <b>4 door</b>                           | ♦2009 - 2014 | ✓      | ✓*        |         |
| F-150 Super Cab - <b>Suicide door</b>                          | 2015 - 2020  | ✓      | ✓         |         |
| F-150 Super Crew Cab - <b>4 door</b>                           | 2015 - 2020  | ✓      | ✓         |         |
| F-150 Super Cab - <b>Suicide door</b>                          | 2021 - 2026  | ✓      | ✓         |         |
| F-150 Super Crew Cab - <b>4 door</b>                           | 2021 - 2026  | ✓      | ✓         |         |
| Raptor Super Cab - <b>Suicide door</b>                         | ♦2011 - 2016 | ✓      | ✓*        |         |
| Raptor Super Crew Cab - <b>4 door</b>                          | ♦2011 - 2016 | ✓      | ✓*        |         |
| Raptor Super Cab - <b>Suicide door</b>                         | 2017 - 2026  | ✓      | ✓         |         |
| Raptor Super Crew Cab - <b>4 door</b>                          | 2017 - 2026  | ✓      | ✓         |         |
| F-250, F-350, F-450 Super Cab - <b>Suicide door</b>            | ♦2011 - 2016 | ✓      | ✓         |         |
| F-250, F-350, F-450 Super Crew Cab - <b>4 door</b>             | ♦2011 - 2016 | ✓      | ✓         |         |
| F-250, F-350, F-450 Super Cab - <b>Suicide door</b>            | 2017 - 2026  | ✓      | ✓         |         |
| F-250, F-350, F-450 Super Crew Cab - <b>4 door</b>             | 2017 - 2026  | ✓      | ✓         |         |
| Ranger Super Crew Cab - <b>4 Door</b>                          | 2019 - 2023  |        | ✓*        |         |
| Ranger Super Crew Cab - <b>4 Door</b>                          | 2024 - 2026  |        | ✓         |         |
| Explorer                                                       | ♦2011 - 2015 |        | ✓         |         |
| Explorer                                                       | 2016 - 2019  |        | ✓         |         |
| Explorer                                                       | 2020 - 2026  | ✓*     | ✓*        |         |
| Expedition / Navigator                                         | ♦2007 - 2017 |        | ✓         |         |
| Expedition / Navigator                                         | 2018 - 2024  | ✓*     | ✓*        | ✓*      |
| Escape                                                         | ♦2013 - 2019 |        | ✓         |         |
| Escape                                                         | 2020 - 2026  |        | ✓         |         |
| Edge                                                           | 2015 - 2024  |        | ✓         |         |
| Lincoln MKX                                                    | ♦2016 - 2021 |        | ✓         |         |
| Nautilus                                                       | 2019 - 2023  |        | ✓         |         |
| GENERAL MOTORS (Continued on page 2)                           |              | DRIVER | PASSENGER | 2nd ROW |
| Avalanche★(See note)                                           | ♦2007 - 2013 | ✓      | ✓         |         |
| Colorado / Canyon Extended Cab - <b>Suicide door</b>           | 2015 - 2022  | ✓*     | ✓*        |         |
| Colorado / Canyon Crew Cab - <b>4 door</b>                     | 2015 - 2022  | ✓*     | ✓         |         |
| Sierra / Silverado Extended Cab -1500- <b>Suicide door</b> ★   | ♦2007 - 2013 | ✓      | ✓         |         |
| Sierra / Silverado Double Cab -1500- <b>4 door</b> (2 smaller) | 2014 - 2018  | ✓      | ✓         |         |

♦Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

# LINK QUICK REFERENCE

◆Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.  
page 2 of 3

| GENERAL MOTORS                                                        |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
|-----------------------------------------------------------------------|--------------|--------|-----------|---------------------|
| Sierra / Silverado Double Cab -1500- <b>4 door</b> (2 smaller)        | 2019 - 2026  | ✓      | ✓         |                     |
| Sierra / Silverado Crew Cab -1500- <b>4 door</b> ★(See note)          | ◆2007 - 2013 | ✓      | ✓         |                     |
| Sierra / Silverado Crew Cab -1500- <b>4 door</b>                      | 2014 - 2018  | ✓      | ✓         |                     |
| Sierra / Silverado Crew Cab -1500- <b>4 door</b>                      | 2019 - 2026  | ✓      | ✓         |                     |
| Sierra / Silverado <b>HD</b> -2500 / 3500- <b>Ext. &amp; 4 door</b> ★ | ◆2007 - 2014 | ✓      | ✓         |                     |
| Sierra / Silverado <b>HD</b> -2500 / 3500- <b>4 door</b>              | 2015 - 2019  | ✓      | ✓         |                     |
| Sierra / Silverado <b>HD</b> -2500 / 3500- <b>4 door</b>              | 2020 - 2026  | ✓      | ✓         |                     |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b> ★             | ◆2007 - 2014 | ✓      | ✓         |                     |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b>               | 2015 - 2020  | ✓      | ✓         |                     |
| Escalade / Suburban / Tahoe / Yukon - <b>All models</b>               | 2021 - 2026  | ✓      | ✓         |                     |
| Acadia                                                                | ◆2008 - 2016 |        | ✓         |                     |
| Acadia (*See note on Limited)                                         | 2017 - 2023  | ✓      | ✓         |                     |
| Blazer                                                                | 2019 - 2026  | ✓★     | ✓★        |                     |
| Cadillac XT6                                                          | 2020 - 2025  | ✓      | ✓         |                     |
| Enclave                                                               | ◆2008 - 2017 |        | ✓         |                     |
| Enclave                                                               | 2018 - 2024  | ✓★     | ✓         | ✓★                  |
| Enclave                                                               | 2025 - 2026  |        | ✓         |                     |
| Traverse                                                              | ◆2008 - 2017 |        | ✓         |                     |
| Traverse                                                              | 2018 - 2023  | ✓★     | ✓         | ✓★                  |
| Traverse                                                              | 2024 - 2026  |        | ✓         |                     |
| Terrain / Equinox                                                     | ◆2010 - 2017 |        | ✓         |                     |
| Terrain / Equinox                                                     | 2018 - 2024  | ✓★     | ✓★        |                     |
| HONDA                                                                 |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
| Odyssey                                                               | 2018 - 2026  |        |           | ✓                   |
| HYUNDAI                                                               |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
| Palisade                                                              | 2020 - 2025  | ✓★     | ✓★        |                     |
| KIA                                                                   |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
| Carnival                                                              | 2022 - 2026  | ✓★     | ✓         | ✓★                  |
| EV9                                                                   | 2023 - 2026  | ✓★     | ✓★        |                     |
| Sedona (See note)                                                     | ◆2006 - 2014 |        |           | ✓★                  |
| Sedona (See note)                                                     | 2015 - 2021  |        | ✓         | ✓★                  |
| Telluride                                                             | 2020 - 2025  | ✓★     | ✓★        |                     |
| NISSAN                                                                |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
| Ariya                                                                 | 2022 - 2026  | ✓      | ✓         |                     |
| TOYOTA                                                                |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
| Sienna                                                                | ◆2011 - 2020 | ✓      | ✓         | ✓★                  |
| Sienna                                                                | 2021 - 2026  | ✓      | ✓         | ✓★                  |
| Tacoma Access Cab – <b>Suicide door</b>                               | 2005 - 2023  |        | ✓         |                     |
| Tacoma Double Cab – <b>4 door</b>                                     | 2005 - 2023  |        | ✓         |                     |
| Tundra Double Cab – <b>4 door</b> (2 smaller)                         | 2014 - 2021  | ✓      | ✓         |                     |
| Tundra Crew Max – <b>4 door</b>                                       | 2014 - 2021  | ✓      | ✓         |                     |
| Tundra Crew Max – <b>4 door</b>                                       | 2022 - 2026  | ✓★     | ✓★        |                     |
| Rav 4                                                                 | ◆2013 - 2018 |        | ✓         |                     |
| Rav 4                                                                 | 2019 - 2025  |        | ✓★        |                     |
| Venza (See note)                                                      | ◆2008 - 2016 |        | ✓★        |                     |
| Highlander                                                            | ◆2014 - 2019 |        | ✓         |                     |
| Highlander                                                            | 2020 - 2026  |        | ✓         |                     |
| Grand Highlander                                                      | 2020 - 2026  |        | ✓         |                     |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

| VOLKSWAGEN |              | DRIVER | PASSENGER | 2 <sup>nd</sup> ROW |
|------------|--------------|--------|-----------|---------------------|
| Routan     | ♦2009 - 2012 | ✓      | ✓         | ✓                   |
| Atlas      | 2018 - 2026  | ✓      | ✓*        |                     |

| Notes to specific applications - marked * on the QUICK REFERENCE                                                                                                                                                                                                                        |              |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Caravan / Town & Country                                                                                                                                                                                                                                                                | 2008 - 2020  | * <b>STEERING COLUMN MUST BE TELESCOPIC.</b>                                                                                                              |
| Pacifica                                                                                                                                                                                                                                                                                | 2017 - 2026  | * <b>NOT AVAILABLE</b> for mid-row in <b>PINNACLE MODEL (2021+)</b> .                                                                                     |
| Ram 1500 Quad/ Crew Cab – 4 door                                                                                                                                                                                                                                                        | 2019 - 2026  | * <b>NOT AVAILABLE</b> for <b>CLASSIC</b> body style – 2018 model.                                                                                        |
| Ram 1500 TUNGSTEN                                                                                                                                                                                                                                                                       | - 2026       | * <b>NOT AVAILABLE</b> for <b>TUNGSTEN TRIM LEVEL</b> .                                                                                                   |
| Jeep Wrangler – 4 door                                                                                                                                                                                                                                                                  | 2018 - 2026  | * <b>NOT AVAILABLE</b> for <b>JK</b> model (2018)<br><b>ONLY AVAILABLE</b> for manual seat                                                                |
| Jeep Gladiator                                                                                                                                                                                                                                                                          | 2020 - 2026  | <b>ONLY AVAILABLE</b> for manual seat                                                                                                                     |
| Jeep Grand Cherokee                                                                                                                                                                                                                                                                     | 2011 - 2022  | * <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT</b> .<br>* <b>NOT AVAILABLE</b> for WL Platform                                                      |
| Journey                                                                                                                                                                                                                                                                                 | 2008 - 2020  | <b>ONLY AVAILABLE</b> for model with <b>SEAT STORAGE</b> .                                                                                                |
| F-150 Super Cab - <b>Suicide door / 4 door</b>                                                                                                                                                                                                                                          | 2011 - only  | * <b>NOT AVAILABLE</b> for model with 4 load cells (see details)                                                                                          |
| Explorer                                                                                                                                                                                                                                                                                | 2020 - 2026  | * <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT</b> .                                                                                                |
| Raptor Super Cab - <b>Suicide door / 4 door</b>                                                                                                                                                                                                                                         | 2011 - only  | * <b>NOT AVAILABLE</b> for model with 4 load cells (see details)                                                                                          |
| Ford Ranger Super Crew                                                                                                                                                                                                                                                                  | 2019 - 2023  | * <b>NOT AVAILABLE</b> for model with Power Seat                                                                                                          |
| Acadia                                                                                                                                                                                                                                                                                  | 2017 - 2023  | * <b>NOT AVAILABLE</b> for 2017 LIMITED model for the Driver                                                                                              |
| Ford Expedition (Front)                                                                                                                                                                                                                                                                 | 2018 - 2024  | * <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT</b> .                                                                                                |
| Ford Expedition/Navigator (2 <sup>nd</sup> Row)                                                                                                                                                                                                                                         | 2018 - 2024  | <b>ONLY AVAILABLE</b> for <b>Long wheelbase</b> (Exp. MAX & Nav. L)                                                                                       |
| Navigator (Front)                                                                                                                                                                                                                                                                       | 2018 - 2024  | * <b>NOT AVAILABLE</b> for model with <b>PERFECT POSITION SEAT</b> .                                                                                      |
| Canyon/ Colorado Ext Cab – <b>Suicide door</b>                                                                                                                                                                                                                                          | 2015 - 2022  | * <b>Rear door MUST BE OPEN</b> for <b>LINK operation</b> .                                                                                               |
| Canyon/ Colorado Crew Cab – 4 door                                                                                                                                                                                                                                                      | 2015 - 2022  | * <b>STEERING COLUMN MUST BE TELESCOPIC.</b>                                                                                                              |
| Blazer                                                                                                                                                                                                                                                                                  | 2019 - 2026  | * <b>NOT AVAILABLE</b> for <b>ELECTRIC MODEL</b> (BLAZER EV)                                                                                              |
| Enclave (Driver/Front)                                                                                                                                                                                                                                                                  | 2018 - 2024  | * <b>NOT AVAILABLE</b> in driver position for model manual seat                                                                                           |
| Enclave (2 <sup>nd</sup> ROW)                                                                                                                                                                                                                                                           | 2018 - 2024  | * <b>NOT AVAILABLE</b> for 8 passenger model.                                                                                                             |
| Enclave                                                                                                                                                                                                                                                                                 | 2025 - 2026  | * <b>NOT AVAILABLE</b> for driver side                                                                                                                    |
| Traverse (Driver/Front)                                                                                                                                                                                                                                                                 | 2018 - 2023  | * <b>NOT AVAILABLE</b> in driver position for model manual seat                                                                                           |
| Traverse                                                                                                                                                                                                                                                                                | 2018 - 2023  | * <b>NOT AVAILABLE</b> for 8 passenger model.                                                                                                             |
| Traverse                                                                                                                                                                                                                                                                                | 2024 - 2026  | * <b>NOT AVAILABLE</b> for driver side                                                                                                                    |
| Equinox                                                                                                                                                                                                                                                                                 | 2018 - 2024  | * <b>NOT AVAILABLE</b> for <b>ELECTRIC MODEL</b>                                                                                                          |
| Kia Carnival                                                                                                                                                                                                                                                                            | 2022 - 2026  | * <b>NOT AVAILABLE</b> for model with <b>manual seat</b> (Driver position)<br>* <b>NOT AVAILABLE</b> for 2 <sup>nd</sup> row if equipped with power seat. |
| Kia EV9                                                                                                                                                                                                                                                                                 | 2023 - 2026  | * <b>NOT AVAILABLE</b> for model with power legs.                                                                                                         |
| Kia Sedona                                                                                                                                                                                                                                                                              | ♦2006 - 2014 | * <b>NOT AVAILABLE</b> for short wheelbase model.                                                                                                         |
| Kia Sedona                                                                                                                                                                                                                                                                              | 2015 - 2021  | * <b>NOT AVAILABLE</b> for mid-row driver side with OEM footrest<br><i>Discontinued in Canada 2019-2020 model.</i>                                        |
| Kia Telluride                                                                                                                                                                                                                                                                           | 2020 - 2025  | * <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT</b> .                                                                                                |
| Hyundai Palisade                                                                                                                                                                                                                                                                        | 2020 - 2025  | * <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT</b> .                                                                                                |
| Nissan Ariya                                                                                                                                                                                                                                                                            | 2022 - 2026  | * <b>NOT AVAILABLE</b> Front passenger for models with <b>POWER SEAT</b>                                                                                  |
| Toyota Sienna                                                                                                                                                                                                                                                                           | 2011 - 2020  | * <b>NOT AVAILABLE</b> for 8-passenger 2 <sup>nd</sup> row on the driver side<br>or for configurations equipped with the OEM footrest.                    |
| Toyota Sienna                                                                                                                                                                                                                                                                           | 2021 - 2026  | * <b>NOT AVAILABLE</b> for 8-passenger 2 <sup>nd</sup> row on the driver side<br>or for configurations equipped with the OEM footrest.                    |
| Toyota Tundra                                                                                                                                                                                                                                                                           | 2022 - 2026  | <b>ONLY AVAILABLE</b> for model with <b>POWER SEATS</b> .                                                                                                 |
| Toyota Rav 4                                                                                                                                                                                                                                                                            | 2019 - 2025  | <b>ONLY AVAILABLE</b> for model with <b>MANUAL SEATS</b> .                                                                                                |
| Toyota Venza                                                                                                                                                                                                                                                                            | ♦2008 - 2016 | * <b>NOT AVAILABLE</b> for model with power seats.                                                                                                        |
| Volkswagen Atlas                                                                                                                                                                                                                                                                        | 2018 - 2022  | * <b>NOT AVAILABLE</b> Front passenger for model manual seat                                                                                              |
| ALL MODEL                                                                                                                                                                                                                                                                               |              | <b>If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL</b>                                                                                     |
| * <b>NOT AVAILABLE</b> for 2007 model with integrated seatbelt. 2007 MODEL, INCLUDES: Avalanche; Sierra / Silverado Extended Cab; Sierra / Silverado Crew Cab; Sierra / Silverado HD (2500/3500) Extended Cab / Silverado HD (2500/3500) Crew Cab; Escalade / Suburban / Tahoe / Yukon. |              |                                                                                                                                                           |

Tablet part #: **LK1000**

Bluetooth part #: **LK1100**

LINK footrest part #: **LK14000**

Need Assistance? [CHAT WITH US](#)

\***ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

**HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**ADAPT SOLUTIONS**

**BACK**

12-2025

**2008-2020 ♦ Caravan / Town & Country | DRIVER****LK-CHRG08L**

Seat height: OEM

OEM shrouds must be trimmed.

Outer seat shroud removed and replaced | PROVIDED

Power seat buttons integrated into provided shroud.

➔ **Please specify if equipped with power seats.**Mid-row seat (Stow 'N Go) immediately behind **LINK** cannot be stowed.**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat | FRONT: 2 inches less than OEM | BACK: 2 inches more than OEM

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

**Armrest must be modified | Retained. Action required for use.****OEM wire harness must be cut and extended under seat.****★ STEERING COLUMN MUST BE TELESCOPIC.****2008-2020 ♦ Caravan / Town & Country | FRONT PASSENGER****LK-CHRG08R**

Seat height: OEM

OEM shrouds must be trimmed.

Mid-row seat (Stow 'N Go) immediately behind **LINK** cannot be stowed.**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: OEM

**OEM wire harness must be cut and extended under seat.****2008-2020 ♦ Caravan / Town & Country | 2<sup>nd</sup> ROW LEFT (driver side)****LK-CHRG08CL**

Seat height: OEM

OEM shrouds must be trimmed.

➔ **Please specify if equipped with heated seats. (Add. parts & time)****\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat | FRONT: 5 inches more than OEM | BACK: OEM

**★ Must be Stow 'N Go seating (not bench)**

Option available: Additional Seat Security Anchor Kit

**2008-2020 ♦ Caravan / Town & Country | 2<sup>nd</sup> ROW RIGHT (passenger side)****LK-CHRG08CR**

Seat height: OEM

OEM shrouds must be trimmed.

➔ **Please specify if equipped with heated seats. (Add. parts & time)****\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 5 inches more than OEM | BACK: OEM

**★ Must be Stow 'N Go seating (not bench)**

Option available: Additional Seat Security Anchor Kit

**2021-2026 Grand Caravan | DRIVER****LK-CHR17L**

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)

OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. **(additional install time)**➔ **Please specify if equipped with power seats. (Add. parts & time)****Armrest must be modified | Adapter is included****\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

**Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.****Seatbelt pre-tensioner relocated.****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.****OEM wire harness must be cut and extended under seat.****Extensive wire harness work required on fully equipped models.****If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL****★ Adapt Solutions' signature TALL programing NOT AVAILABLE.**USER INTERACTION REQUIRED: Watch video for details. [Click here for video](#)**2021-2026 Grand Caravan | FRONT PASSENGER****LK-CHR17R**

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)

OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. **(additional install time)**➔ **Please specify if equipped with power seats. (Add. parts & time)****\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

**Mid-row/Stow 'N Go behind LINK PERMANENTLY in or out of floor.****Seatbelt pre-tensioner relocated.****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.****OEM wire harness must be cut and extended under seat.****Extensive wire harness work required on fully equipped models.****If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL****2021-2026 Grand Caravan | 2<sup>nd</sup> ROW LEFT OR RIGHT (driver or passenger side)****LK-CHR17CL or LK-CHR17CR**

Seat height: OEM

OEM shrouds must be trimmed.

Doorsill moulding needs to be cut | STENCIL PROVIDED.

➔ **Please specify if equipped with heated seats. (Add. parts & time)****\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: 1 ¾" more than OEM

**★ Jump seat in 8 passenger model must be removed.**

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.****HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.****If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

ADAPT SOLUTIONS

BACK

12-2025



## 2017-2026 Pacifica | DRIVER

### LK-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)  
OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. (Additional install time)

➔ Please specify if equipped with power seats. (Add. parts & time)

Armrest must be modified | Adapter is included

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

**\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

Mid-row/Stow 'N Go behind **LINK PERMANENTLY** in or out of floor.

Seatbelt pre-tensioner relocated.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

OEM wire harness must be cut and extended under seat.

Extensive wire harness work required on fully equipped models.

Compatible with HYBRID model.

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

USER INTERACTION REQUIRED: Watch video for details. [Click here for video](#)

## 2017-2026 Pacifica | FRONT PASSENGER

### LK-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)  
OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. (Additional install time)

➔ Please specify if equipped with power seats. (Add. parts & time)

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

**\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

Mid-row/Stow 'N Go behind **LINK PERMANENTLY** in or out of floor.

Seatbelt pre-tensioner relocated.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

OEM wire harness must be cut and extended under seat.

Extensive wire harness work required on fully equipped models.

Compatible with HYBRID model.

## 2017-2026 Pacifica | 2<sup>nd</sup> ROW LEFT OR RIGHT (driver or passenger side)

### LK-CHR17CL or LK-CHR17CR

Seat height: OEM

OEM shrouds must be trimmed.

Doorsill moulding needs to be cut | STENCIL PROVIDED.

➔ Please specify if equipped with heated seats. (Add. parts & time)

➔ Please specify if it is hybrid.

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: 1 ¾" more than OEM

★ Jump seat in 8 passenger model must be removed.

★ NOT AVAILABLE FOR PINNACLE MODEL (2021 & up).

## 2020-2026 Voyager | DRIVER

### LK-CHR17L

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)  
OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. (Additional install time)

➔ Please specify if equipped with power seats. (Add. parts & time)

Armrest must be modified | Adapter is included

**\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

Mid-row/Stow 'N Go behind **LINK PERMANENTLY** in or out of floor.

Seatbelt pre-tensioner relocated.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

OEM wire harness must be cut and extended under seat.

Extensive wire harness work required on fully equipped models.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.

USER INTERACTION REQUIRED: Watch video for details. [Click here for video](#)

## 2020-2026 Voyager | FRONT PASSENGER

### LK-CHR17R

Seat height: OEM | Adjustable seat 2.5" travel = sits 1" above lowest point)  
OEM shrouds must be trimmed.

Outer seat trim modified. Inner trim replaced | PARTS PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED

Ventilated seat/fan in seat retained. (Additional install time)

➔ Please specify if equipped with power seats. (Add. parts & time)

**\*Transfer height: 19" | Average install: 10-14 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: 2 ¼" more than OEM

Mid-row/Stow 'N Go behind **LINK PERMANENTLY** in or out of floor.

Seatbelt pre-tensioner relocated.

Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.

OEM wire harness must be cut and extended under seat.

Extensive wire harness work required on fully equipped models.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

## 2020-2026 Voyager | 2<sup>nd</sup> ROW LEFT OR RIGHT (driver or passenger side)

### LK-CHR17CL or LK-CHR17CR

Seat height: OEM

OEM shrouds must be trimmed.

Doorsill moulding needs to be cut | STENCIL PROVIDED.

➔ Please specify if equipped with heated seats. (Add. parts & time)

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: 1 ¾" more than OEM

★ Jump seat in 8 passenger model must be removed.



|                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2009-2023 Ram 1500 Crew Cab CLASSIC -4 door   FRONT PASSENGER                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ09R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b><br><b>Higher trim levels may cause loss of some seat features.</b>                                                                  | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                          |
| 2009-2023 Ram 1500 Quad Cab CLASSIC -4 door   FRONT PASSENGER                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ09R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b><br><b>Higher trim levels may cause loss of some seat features.</b>                                                                  | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                          |
| 2019-2026 Ram 1500 Quad Cab -4 door   DRIVER                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ19L<br>Seat height: 2" higher than OEM lowest (2.5" adjustable seat)<br>OEM shrouds must be trimmed.<br>Door must be shimmed   SHIM PROVIDED<br>➔ Please specify if equipped with power seats.<br>➔ Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL                     | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 2" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b><br>★ <b>NOT AVAILABLE</b> for CLASSIC body style – 2018 model.<br>★ <b>NOT AVAILABLE</b> for TUNGSTEN TRIM LEVEL |
| 2019-2026 Ram 1500 Quad Cab -4 door   FRONT PASSENGER                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ19R<br>Seat height: 2" higher than OEM lowest (2.5" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ Please specify if equipped with power seats.<br>➔ Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL (RAMQ09R)                                                   | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 2" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ <b>NOT AVAILABLE</b> for TUNGSTEN TRIM LEVEL                                                                                                                                      |
| 2019-2026 Ram 1500 Crew Cab -4 door   DRIVER                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ19L<br>Seat height: 2" higher than OEM lowest (2.5" adjustable seat)<br>OEM shrouds must be trimmed.<br>Door must be shimmed   SHIM PROVIDED<br>➔ Please specify if equipped with power seats.<br>➔ Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL                     | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 2" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b><br>★ <b>NOT AVAILABLE</b> for CLASSIC body style – 2018 model.<br>★ <b>NOT AVAILABLE</b> for TUNGSTEN TRIM LEVEL |
| 2019-2026 Ram 1500 Crew Cab -4 door   FRONT PASSENGER                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ19R<br>Seat height: 2" higher than OEM lowest (2.5" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ Please specify if equipped with power seats.<br>➔ Please specify if NEW BODY STYLE or CLASSIC-2018 MODEL (RAMQ09R)                                                   | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 2" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ <b>NOT AVAILABLE</b> for TUNGSTEN TRIM LEVEL                                                                                                                                      |
| 2010-2018 Ram 2500/3500 -4 door   FRONT PASSENGER                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ09R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b><br><b>Higher trim levels may cause loss of some seat features.</b><br>♦ Transfer height may vary with tires, wheels and suspension. | <b>♦*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                         |
| 2019-2026 Ram 2500/3500 -4 door   FRONT PASSENGER                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         |
| LK-RAMQ09R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b><br><b>Higher trim levels may cause loss of some seat features.</b><br>♦ Transfer height may vary with tires, wheels and suspension. | <b>♦*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                         |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

**2018-2026 Jeep Wrangler – 4 door | DRIVER****LK-WRG18L**

Seat height:  $\frac{3}{4}$ " higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.  
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.  
**ONLY AVAILABLE FOR MANUAL SEAT**  
★ **Not available for JK Model (2018)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | BACK:  $3\frac{1}{8}$ " less than OEM.  
**OEM wire harness must be cut and extended under seat.**  
Friction on center console. Wear and scratches to be expected.  
**MAX PRESET available.** Offers 2 additional inches of vertical travel.  
**Compatible with HYBRID model.**

**2018-2026 Jeep Wrangler – 4 door | FRONT PASSENGER****LK-WRG18R**

Seat height:  $\frac{3}{4}$ " higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.  
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.  
**ONLY AVAILABLE FOR MANUAL SEAT**  
★ **Not available for JK Model (2018)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | BACK:  $3\frac{1}{8}$ " less than OEM.  
**OEM wire harness must be cut and extended under seat.**  
**Friction on center console. Wear and scratches to be expected.**  
**MAX PRESET available.** Offers 2 additional inches of vertical travel.  
**Compatible with HYBRID model.**

**2020-2026 Jeep Gladiator | DRIVER****LK-WRG18L**

Seat height:  $\frac{3}{4}$ " higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.  
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.  
**ONLY AVAILABLE FOR MANUAL SEAT**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | BACK:  $3\frac{1}{8}$ " less than OEM.  
**OEM wire harness must be cut and extended under seat.**  
Friction on center console. Wear and scratches to be expected.  
**MAX PRESET available.** Offers 2 additional inches of vertical travel.

**2020-2026 Jeep Gladiator | FRONT PASSENGER****LK-WRG18R**

Seat height:  $\frac{3}{4}$ " higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.  
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.  
**ONLY AVAILABLE FOR MANUAL SEAT**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" more than OEM | BACK:  $3\frac{1}{8}$ " less than OEM.  
**OEM wire harness must be cut and extended under seat.**  
**Friction on center console. Wear and scratches to be expected.**  
**MAX PRESET available.** Offers 2 additional inches of vertical travel.

**2011-2022 Jeep Grand Cherokee | FRONT PASSENGER****LK-GCH11R**

Seat height: 1  $\frac{1}{2}$  inches higher than lowest point of adjustable seat (2  $\frac{1}{2}$ " )  
OEM shrouds must be trimmed.  
Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
★ **NOT AVAILABLE FOR MODEL WITH MANUAL SEATS.**

**\*Transfer height: 19" | Average install: 6-8hrs.**

Seat adjustments | FRONT: 1  $\frac{3}{4}$  more than OEM | BACK: 1  $\frac{3}{4}$  more than OEM  
**OEM wire harness must be cut and extended under seat.**  
★ **NOT AVAILABLE for WL Platform**

**2008-2020 Journey | FRONT PASSENGER****LK-JOU08R**

Seat height:  $\frac{1}{4}$  inch higher than OEM  
OEM shrouds must be trimmed.  
**Plastic seat pan must be trimmed | OEM reconfiguration not affected**

**\*Transfer height: 19" | Average install: 9-11hrs.**

Seat adjustments | FRONT:  $\frac{1}{4}$  more than OEM | BACK:  $\frac{1}{4}$  more than OEM  
**OEM wire harness must be cut and extended under seat.**  
★ **ONLY AVAILABLE FOR MODEL WITH SEAT STORAGE**



|                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2009-2014♦ F-150 Super Cab – Suicide door   DRIVER                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09L<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br>☞ Please specify if equipped with power seats.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                    |
| 2009-2014♦ F-150 Super Cab – Suicide door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09R<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)                                                              |
| 2009-2014♦ F-150 Super Crew Cab – 4 door   DRIVER                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09L<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br>☞ Please specify if equipped with power seats.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                    |
| 2009-2014♦ F-150 Super Crew Cab – 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09R<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)                                                              |
| 2011-2016♦ F-150 Raptor Super Cab – Suicide door   DRIVER                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09L<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br>☞ Please specify if equipped with power seats.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                   |
| 2011-2016♦ F-150 Raptor Super Cab – Suicide door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09R<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)                                                             |
| 2011-2016♦ F-150 Raptor Super Crew Cab – 4 door   DRIVER                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09L<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br>☞ Please specify if equipped with power seats.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                   |
| 2011-2016♦ F-150 Raptor Super Crew Cab – 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C09R<br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Extensive wire harness work required on fully equipped models. (Add time)</b>                                                                                                                                                                                 | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Vented seats retained.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ NOT AVAILABLE for 2011 model with 4 load cells. (SEE INSTALL PAGE)                                                             |
| 2017-2026 F-150 Raptor Super Cab – Suicide door   DRIVER                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C15L<br>Seat height: ½ inch lower than OEM (non-adjustable manual seat)<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Fully equipped model has large memory box module.</b><br><b>Additional time required for fastening memory box to the floor.</b><br><b>Extensive wire harness work required on fully equipped models. (Add time)</b> | *Transfer height: 21"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: 3 inches less than OEM   BACK: OEM<br>Vented seatback retained.<br>☞ Please specify if equipped with power seats.<br>☞ Please specify if equipped with vented seat. (add. parts & time)<br><b>OEM wire harness must be cut and extended under seat.</b> |
| 2017-2026 F-150 Raptor Super Cab – Suicide door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                          |
| LK-F150C15R<br>Seat height: ½ inch lower than OEM (non-adjustable manual seat)<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Fully equipped model has large memory box module.</b><br><b>Additional time required for fastening memory box to the floor.</b><br><b>Extensive wire harness work required on fully equipped models. (Add time)</b> | *Transfer height: 21"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: 3 inches less than OEM   BACK: OEM<br>Vented seatback retained.<br>☞ Please specify if equipped with power seats.<br>☞ Please specify if equipped with vented seat. (add. parts & time)<br><b>OEM wire harness must be cut and extended under seat.</b> |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

**2017-2026 F-150 Raptor Super Crew Cab – 4 door | DRIVER****LK-F150C15L**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2017-2026 F-150 Raptor Super Crew Cab – 4 door | FRONT PASSENGER****LK-F150C15R**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 21" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2015-2026 F-150 Super Cab – Suicide door | DRIVER****LK-F150C15L**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2015-2026 F-150 Super Cab – Suicide door | FRONT PASSENGER****LK-F150C15R**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2015-2026 F-150 Super Crew Cab – 4 door | DRIVER****LK-F150C15L**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2015-2026 F-150 Super Crew Cab – 4 door | FRONT PASSENGER****LK-F150C15R**

Seat height: ½ inch lower than OEM (non-adjustable manual seat)  
OEM shrouds must be trimmed.  
Installation time varies depending on OEM features integrated in the seat.  
**Fully equipped model has large memory box module.**  
**Additional time required for fastening memory box to the floor.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 20" | Average install: 8-10 hrs.**

Seat adjustments | FRONT: 3 inches less than OEM | BACK: OEM  
Vented seatback retained.  
⤵ **Please specify if equipped with power seats.**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**  
**OEM wire harness must be cut and extended under seat.**

**2011-2016 ♦ F-250, F-350, F-450 Super or Super Crew Cab – Suicide door or 4 door | DRIVER****LK-F250C11L**

Seat height: ¼ inch higher than OEM (manual or power seat)  
OEM shrouds must be trimmed.  
**OEM wire harness must be cut and extended under seat.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 24" (F-250) | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 inches less than OEM | BACK: OEM  
⤵ **Please specify if equipped with power seats. (Add. parts & time)**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**

**2011-2016 ♦ F-250, F-350, F-450 Super or Super Crew Cab – Suicide or 4 door | FRONT PASSENGER****LK-F250C11R**

Seat height: ¼ inch higher than OEM (manual or power seat)  
OEM shrouds must be trimmed.  
**OEM wire harness must be cut and extended under seat.**  
**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 24" (F-250) | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 inches less than OEM | BACK: OEM  
⤵ **Please specify if equipped with power seats. (Add. parts & time)**  
⤵ **Please specify if equipped with vented seat. (Add. parts & time)**

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025



| 2017-2026 F-250, F-350, F-450 Super Crew Cab – Suicide door or 4 door   DRIVER                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LK-F150C15L</b><br>Seat height: ½ inch lower than OEM (non-adjustable manual seat)<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Fully equipped model has large memory box module.</b><br><b>Additional time required for fastening memory box to the floor.</b><br><b>Extensive wire harness work required on fully equipped models. (Add time)</b> | <b>*Transfer height: 24" (4X4)   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 3 inches less than OEM   BACK: OEM<br>Vented seatback retained.<br>↳ <b>Please specify if equipped with power seats.</b><br>↳ <b>Please specify if equipped with vented seat. (Add. parts &amp; time)</b><br><b>OEM wire harness must be cut and extended under seat.</b> |
| 2017-2026 F-250, F-350, F-450 Super Crew Cab – Suicide or 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-F150C15R</b><br>Seat height: ½ inch lower than OEM (non-adjustable manual seat)<br>OEM shrouds must be trimmed.<br>Installation time varies depending on OEM features integrated in the seat.<br><b>Fully equipped model has large memory box module.</b><br><b>Additional time required for fastening memory box to the floor.</b><br><b>Extensive wire harness work required on fully equipped models. (Add time)</b> | <b>*Transfer height: 24" (4X4)   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 3 inches less than OEM   BACK: OEM<br>Vented seatback retained.<br>↳ <b>Please specify if equipped with power seats.</b><br>↳ <b>Please specify if equipped with vented seat. (Add. parts &amp; time)</b><br><b>OEM wire harness must be cut and extended under seat.</b> |
| 2019-2023 Ranger Super Crew Cab   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-RNG19R</b><br>Seat height: 1 <sup>1/16</sup> " higher than OEM lowest (adjustable seat)<br>OEM seat trim must be modified.<br>Lower B pillar trim need to be cut   STENCIL PROVIDED                                                                                                                                                                                                                                     | <b>*Transfer height: 19"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 2" less than OEM   BACK: 1" less than OEM.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ <b>NOT CURRENTLY AVAILABLE</b> for SuperCab model.                                                                                                              |
| 2024-2026 Ranger Super Crew Cab   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-RNG24R</b><br>Seat height: 1 <sup>7/8</sup> " higher than OEM lowest (2-3/4" adjustable seat)<br>Outer seat trim must be modified   STENCIL PROVIDED<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.                                                                                                                                                                                                       | <b>*Transfer height: 19"   Average install: 8-12 hrs.</b><br>Seat adjustments   FRONT: 1/4" less than OEM   BACK: 2-1/2" more than OEM.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                |
| 2011-2015 ♦ Explorer   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-EXL11R</b><br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br><b>Seat base must be cut   OEM reconfiguration not affected</b><br><b>Higher trim levels may cause loss of some seat features.</b><br>↳ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b>                                                                                                                              | <b>*Transfer height: 19"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b>                                                    |
| 2016-2019 Explorer   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-EXL16R</b><br>Seat height: 1" higher than OEM lowest (adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Seat base must be cut   OEM reconfiguration not affected</b><br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                               | <b>*Transfer height: 19"   Average install: 9-11 hrs.</b><br>Seat adjustments   FRONT: OEM   BACK: 1 ¾" less than OEM<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>Retain fan in seat   Models with ventilated seat.<br>↳ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b>                                               |
| 2020-2026 Explorer   DRIVER                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-EXL20L</b><br>Seat height: 5/16" higher than OEM lowest (power seat)<br>OEM shrouds must be trimmed.<br><b>OEM wire harness must be cut and extended under seat.</b><br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b>                                                                                                                                                                              | <b>*Transfer height: 19.5"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: ¾" less than OEM   BACK: OEM<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>Control box relocated under the LINK.</b><br>★ <b>NOT CURRENTLY AVAILABLE</b> for model with manual seats.                                                                    |
| 2020-2026 Explorer   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LK-EXL20R</b><br>Seat height: 5/16" higher than OEM lowest (power seat)<br>OEM shrouds must be trimmed.<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                                                                                                    | <b>*Transfer height: 19.5"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: ¾" less than OEM   BACK: OEM<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>★ <b>NOT CURRENTLY AVAILABLE</b> for model with manual seats.                                                                                                                    |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

**2007-2017 ♦ Expedition / Navigator | FRONT PASSENGER****LK-EXP07R**

Seat height: 3/8 inch higher than OEM  
OEM shrouds must be trimmed.

➔ **Please specify if equipped with vented seats.**

Installation time varies depending on OEM features integrated in the seat.

**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 3/4 inch less than OEM | BACK: 1" more than OEM  
Vented seats retained.

**OEM wire harness must be cut and extended under seat.**

**Fully equipped model has large memory box module.**

**Additional time required for fastening memory box to the floor.**

**2018-2024 Expedition / Navigator | DRIVER****LK-EXP18L**

Seat height: 13/8" higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.

➔ **Please specify if equipped with vented seat. (add. parts & time)**

★ **NOT AVAILABLE** for model with **MANUAL SEAT**.

★ **NOT AVAILABLE** for model with **PERFECT POSITION SEAT (Navigator)**.

**\*Transfer height: 21" | Average install: 8 -12 hrs.**

Seat adjustments | FRONT: 4 1/8" less than OEM | BACK: 1 1/4" more than OEM  
Lower B pillar shroud needs to be cut | **STENCIL PROVIDED.**

**OEM wire harness must be cut and extended under seat.**

**Extensive wire harness work required on fully equipped models.**

**Additional time required for relocating memory box.**

**Plastic floor liner in 2<sup>nd</sup> row behind the LINK has to be cut or removed**

**2018-2024 Expedition / Navigator | FRONT PASSENGER****LK-EXP18R**

Seat height: 13/8" higher than OEM lowest (adjustable seat)  
OEM seat trim must be modified.

➔ **Please specify if equipped with vented seat. (add. parts & time)**

★ **NOT AVAILABLE** for model with **MANUAL SEAT**.

★ **NOT AVAILABLE** for model with **PERFECT POSITION SEAT (Navigator)**.

**\*Transfer height: 21" | Average install: 8 -12 hrs.**

Seat adjustments | FRONT: 4 1/8" less than OEM | BACK: 1 1/4" more than OEM  
Lower B pillar shroud needs to be cut | **STENCIL PROVIDED.**

**OEM wire harness must be cut and extended under seat.**

**Extensive wire harness work required on fully equipped models.**

**Plastic floor liner in 2<sup>nd</sup> row behind the LINK has to be cut or removed**

**2018-2024 Expedition / Navigator | 2<sup>nd</sup> ROW LEFT (DRIVER SIDE)****LK-EXP18CL**

Seat height: OEM

Lower C pillar shroud needs to be cut | **STENCIL PROVIDED.**

Left & right seat trim replaced | **PROVIDED**

➔ **Please specify if equipped with heated seat. (add. parts & time)**

★ **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)

**Model with 2<sup>nd</sup> row center console may require LINK preset modification & decrease legroom during LINK operation**

**Inner arm rest must be removed.**

**\*Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" less than OEM | BACK: 2.5" more than OEM

**OEM wire harness must be cut and extended under seat.**

**Seatback PowerFold feature cancelled | Seat cannot be folded**

**Seat tilt & slide feature no longer functional**

**Seatback recline no longer adjustable**

**2018-2024 Expedition / Navigator | 2<sup>nd</sup> ROW RIGHT (PASSENGER SIDE)****LK-EXP18CR**

Seat height: OEM

Lower B pillar shroud needs to be cut | **STENCIL PROVIDED.**

Left & right seat trim replaced | **PROVIDED**

➔ **Please specify if equipped with heated seat. (add. parts & time)**

★ **ONLY AVAILABLE** for **Long wheelbase** (Exp. MAX & Nav. L)

**Model with 2<sup>nd</sup> row center console may require LINK preset modification & decrease legroom during LINK operation**

**Inner arm rest must be removed.**

**\*Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2" less than OEM | BACK: 2.5" more than OEM

**OEM wire harness must be cut and extended under seat.**

**Seatback PowerFold feature cancelled | Seat cannot be folded**

**Seat tilt & slide feature no longer functional**

**Seatback recline no longer adjustable**

**2013-2019 ♦ Escape | FRONT PASSENGER****LK-ESC13R**

Seat height: OEM

OEM shrouds must be trimmed.

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 1/2 inch less than OEM | BACK: 1" less than OEM

**OEM wire harness must be cut and extended under seat.**

**2020-2026 Escape | FRONT PASSENGER****LK-ESC20R**

Seat height: 2 5/16" higher than OEM lowest (adjustable seat)

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: 1" less than OEM

OEM seat trim must be modified.

**2020-2024 Edge | FRONT PASSENGER****LK-EDG15R**

Seat height: 1/4" higher than OEM lowest (adjustable seat)  
OEM shrouds must be trimmed.

➔ **Please specify if equipped with vented seat. (add. parts & time)**

➔ **Please specify if 22 position seat. (add. parts, manual & time)**

**\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3/4" more than OEM | BACK: 3/4" less than OEM

**OEM wire harness must be cut and extended under seat.**

**Extensive wire harness work required on fully equipped models.**

**2016-2024 Lincoln MKX / Nautilus | FRONT PASSENGER****LK-EDG15R**

Seat height: 1/4" higher than OEM lowest (adjustable seat)  
OEM shrouds must be trimmed.

➔ **Please specify if equipped with vented seat. (add. parts & time)**

➔ **Please specify if 22 position seat. (add. parts, manual & time)**

**\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 3/4" more than OEM | BACK: 3/4" less than OEM

**OEM wire harness must be cut and extended under seat.**

**Extensive wire harness work required on fully equipped models.**

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

**2007-2013 ♦ Avalanche | DRIVER****LK-SILC07L**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
OEM shrouds must be trimmed.

**Higher trim levels may cause loss of some seat features.**

**Vented seat base fan removed from seat.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A

**OEM wire harness must be cut and extended under seat.**

**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

**2007-2013 ♦ Avalanche | FRONT PASSENGER****LK-SILC07R**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
OEM shrouds must be trimmed.

**Higher trim levels may cause loss of some seat features.**

**Vented seat base fan removed from seat.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A

**OEM wire harness must be cut and extended under seat.**

**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

**2015-2022 Canyon / Colorado Extended Cab – Suicide door | DRIVER****LK-COLC15L**

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)  
OEM shrouds must be trimmed.

**Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.**

**Vented seat base fan removed from seat.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 3/8" less than OEM | BACK: OEM

**OEM wire harness must be cut and extended under seat.**

**\*Rear door must be open for LINK operation.**

**★ STEERING COLUMN MUST BE TELESCOPIC.**

**2015-2022 Canyon / Colorado Extended Cab – Suicide door | FRONT PASSENGER****LK-COLC15R**

Seat height: ¾" higher than OEM  
OEM shrouds must be trimmed.

**Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.**

**Vented seat base fan removed from seat.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 3/8" less than OEM | BACK: OEM

**OEM wire harness must be cut and extended under seat.**

**\*Rear door must be open for LINK operation.**

**2015-2022 Canyon / Colorado Crew Cab – 4 door | DRIVER****LK-COLC15L**

Seat height: OEM (adjustable seat = 3" of travel – sits at 1 ½ inches)  
OEM shrouds must be trimmed.

**Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.**

**Vented seat base fan removed from seat.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 3/8" less than OEM | BACK: OEM

**OEM wire harness must be cut and extended under seat.**

**★ STEERING COLUMN MUST BE TELESCOPIC.**

**2015-2022 Canyon / Colorado Crew Cab – 4 door | FRONT PASSENGER****LK-COLC15R**

Seat height: ¾" higher than OEM  
OEM shrouds must be trimmed.

**Seat leans towards rear of vehicle once outside. ANGLE: 3 degrees.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 3/8" less than OEM | BACK: OEM

**OEM wire harness must be cut and extended under seat.**

**Vented seat base fan removed from seat.**

**2007-2013 ♦ Sierra / Silverado Extended Cab-1500- Suicide door | DRIVER****LK-SILX07L**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
OEM shrouds must be trimmed.

**Vented seat base fan removed from seat.**

**NOTE | If seatbelt is bolted to rocker panel, see required notes below:**

**Seat belt reel must be relocated | BRACKET PROVIDED**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A

**OEM wire harness must be cut and extended under seat.**

**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

**2007-2013 ♦ Sierra / Silverado Extended Cab-1500- Suicide door | FRONT PASSENGER****LK-SILX07R**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
OEM shrouds must be trimmed.

**Vented seat base fan removed from seat.**

**NOTE | If seatbelt is bolted to rocker panel, see required notes below:**

**Seat belt reel must be relocated | BRACKET PROVIDED**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A

**OEM wire harness must be cut and extended under seat.**

**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat

Replace rocker panel shroud | PROVIDED

**2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | DRIVER****LK-SILC14L**

Seat height: OEM  
OEM shrouds must be trimmed.  
Vented seatback retained.

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**\*Transfer height: 20" | Average install: 7-9 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)

**OEM wire harness must be cut and extended under seat.**

**Vented seat base fan removed from seat.**

**Higher trim levels may cause loss of some seat features.**

**2014-2018 Sierra / Silverado Double Cab-1500- 4 door (2 smaller) | FRONT PASSENGER****LK-SILC14R**

Seat height: OEM  
OEM shrouds must be trimmed.  
Vented seatback retained.

**Higher trim levels may cause loss of some seat features.**

**\*Transfer height: 20" | Average install: 7-9 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)

**OEM wire harness must be cut and extended under seat.**

**Vented seat base fan removed from seat.**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**\*ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

**HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**ADAPT SOLUTIONS**

**BACK**

12-2025



|                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2007-2013♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado Crew Cab-1500- 4 door   DRIVER                                                                                                                                                                                                                                                                                                |
| LK-SILC07L<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                                                               | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ NOT AVAILABLE</b> for 2007 model with seatbelt integrated into the seat                                                                                  |
| 2007-2013♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado Crew Cab-1500- 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                       |
| LK-SILC07R<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                                                               | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ NOT AVAILABLE</b> for 2007 model with seatbelt integrated into the seat                                                                                  |
| 2014-2018                                                                                                                                                                                                                                                                                                                                                             | Sierra / Silverado Crew Cab-1500- 4 door   DRIVER                                                                                                                                                                                                                                                                                                |
| LK-SILC14L<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Vented seatback retained.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL</b>                                                                                                                                     | <b>*Transfer height: 20"   Average install: 7-9 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: OEM (7 inches of travel)<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b><br><b>Higher trim levels may cause loss of some seat features.</b>                             |
| 2014-2018                                                                                                                                                                                                                                                                                                                                                             | Sierra / Silverado Crew Cab-1500- 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                       |
| LK-SILC14R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Vented seatback retained.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                                                                                                                                                        | <b>*Transfer height: 20"   Average install: 7-9 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: OEM (7 inches of travel)<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b><br><b>If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL</b>                       |
| 2019-2026                                                                                                                                                                                                                                                                                                                                                             | Sierra / Silverado Crew Cab & Double Cab-1500- 4 door   DRIVER                                                                                                                                                                                                                                                                                   |
| LK-SILC19L<br>Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ <b>Please specify if 12/16-way seat (power thigh)   additional parts supplied.</b><br>➔ <b>Please specify if equipped with seat memory. (add. parts &amp; time)</b><br>➔ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b> | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 2 ¼" less than OEM   BACK: ¾" less than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL</b><br><b>PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)</b> |
| 2019-2026                                                                                                                                                                                                                                                                                                                                                             | Sierra / Silverado Crew Cab & Double Cab-1500- 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                          |
| LK-SILC19R<br>Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ <b>Please specify if 12/16-way seat (power thigh)   additional parts supplied.</b><br>➔ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b>                                                                                  | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 2 ¼" less than OEM   BACK: ¾" less than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL</b><br><b>PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)</b> |
| 2007-2014♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door   DRIVER                                                                                                                                                                                                                                                                         |
| LK-SILX07L<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Vented seat base fan removed from seat.</b><br>NOTE   If seatbelt is bolted to rocker panel, see required notes below:<br><b>Seat belt reel must be relocated   BRACKET PROVIDED</b>                                                         | <b>*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ NOT AVAILABLE</b> for 2007 model with seatbelt integrated into the seat<br><br>Replace rocker panel shroud   PROVIDED                                    |
| 2007-2014♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado HD -2500 / 3500- Extended Cab – Suicide door   FRONT PASSENGER                                                                                                                                                                                                                                                                |
| LK-SILX07R<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Vented seat base fan removed from seat.</b><br>NOTE   If seatbelt is bolted to rocker panel, see required notes below:<br><b>Seat belt reel must be relocated   BRACKET PROVIDED</b>                                                         | <b>*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ NOT AVAILABLE</b> for 2007 model with seatbelt integrated into the seat<br><br>Replace rocker panel shroud   PROVIDED                                    |
| 2007-2014♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door   DRIVER                                                                                                                                                                                                                                                                                   |
| LK-SILC07L<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                                                                                                                                 | <b>*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                                                |
| 2007-2014♦                                                                                                                                                                                                                                                                                                                                                            | Sierra / Silverado HD -2500 / 3500- Crew Cab – 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                          |
| LK-SILC07R<br>Seat height: ¾" higher than OEM (at lowest point on adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                                                                                                                                 | <b>*Transfer height: 23"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b>                                                                                                                |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

**2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER****LK-SILC14L**

Seat height: OEM  
 OEM shrouds must be trimmed.  
 Vented seatback retained.  
 Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
 ♦2500 model sits one inch higher than the 1500 & 3500 model.

♦\*Transfer height: 20"-21" | Average install: 7-9 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)  
**OEM wire harness must be cut and extended under seat.**  
**Vented seat base fan removed from seat.**

**Higher trim levels may cause loss of some seat features.**  
**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**2015-2019 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER****LK-SILC14R**

Seat height: OEM  
 OEM shrouds must be trimmed.  
 Vented seatback retained.  
**Higher trim levels may cause loss of some seat features.**  
**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

♦\*Transfer height: 20"-21" | Average install: 7-9 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)  
**OEM wire harness must be cut and extended under seat.**  
**Vented seat base fan removed from seat.**

♦2500 model sits one inch higher than the 1500 &amp; 3500 model.

**2020-2026 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | DRIVER****LK-SILC19L**

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)  
 OEM shrouds must be trimmed.  
 ➔ Please specify if 12/16-way seat (power thigh) | additional parts supplied.  
 ➔ Please specify if equipped with seat memory. (Add. parts & time)  
 ➔ Please specify if equipped with vented seat. (Add. parts & time)

♦\*Transfer height: 25" | Average install: 6-8 hrs.

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: ¾" less than OEM  
**OEM wire harness must be cut and extended under seat.**

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)

♦ Transfer height may vary with tires, wheels and suspension.

**2020-2026 Sierra / Silverado HD -2500 / 3500- Double or Crew Cab | FRONT PASSENGER****LK-SILC19R**

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)  
 OEM shrouds must be trimmed.  
 ➔ Please specify if 12/16-way seat (power thigh) | additional parts supplied.  
 ➔ Please specify if equipped with vented seat. (Add. parts & time)  
**PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)**

♦\*Transfer height: 25" | Average install: 6-8 hrs.

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: ¾" less than OEM  
**OEM wire harness must be cut and extended under seat.**

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

♦ Transfer height may vary with tires, wheels &amp; suspension.

**2007-2014 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER****LK-SILC07L**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
 OEM shrouds must be trimmed.  
**Higher trim levels may cause loss of some seat features.**  
**Vented seat base fan removed from seat.**

♦\*Transfer height: 19" or 23" | Average install: 6-8 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A  
**OEM wire harness must be cut and extended under seat.**  
**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat  
 ♦HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

**2007-2014 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER****LK-SILC07R**

Seat height: ¾" higher than OEM (at lowest point on adjustable seat)  
 OEM shrouds must be trimmed.  
**Higher trim levels may cause loss of some seat features.**  
**Vented seat base fan removed from seat.**

♦\*Transfer height: 19" or 23" | Average install: 6-8 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A  
**OEM wire harness must be cut and extended under seat.**  
**★ NOT AVAILABLE** for 2007 model with seatbelt integrated into the seat  
 ♦HD models sit 4 inches higher. Estimated transfer height 23 inches from the ground.

**2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER****LK-SILC14L**

Seat height: OEM  
 OEM shrouds must be trimmed.  
 Vented seatback retained.  
 Lower B pillar shroud needs to be cut | STENCIL PROVIDED.  
**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

\*Transfer height: 20" | Average install: 7-9 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)  
**OEM wire harness must be cut and extended under seat.**  
**Vented seat base fan removed from seat.**

**Higher trim levels may cause loss of some seat features.****2015-2020 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER****LK-SILC14R**

Seat height: OEM  
 OEM shrouds must be trimmed.  
 Vented seatback retained.  
**Higher trim levels may cause loss of some seat features.**

\*Transfer height: 20" | Average install: 7-9 hrs.

Seat adjustments | FRONT: INFO N/A | BACK: OEM (7 inches of travel)  
**OEM wire harness must be cut and extended under seat.**  
**Vented seat base fan removed from seat.**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL****2021- 2026 Escalade / Suburban / Tahoe / Yukon - All models | DRIVER****LK-SILC19L**

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)  
 OEM shrouds must be trimmed.  
**Higher trim levels may cause loss of some seat features.**  
 ➔ Please specify if 12/16-way seat (power thigh) | additional parts supplied.  
**Extensive wire harness work required on fully equipped models. (Add time)**

\*Transfer height: 21" | Average install: 6-8 hrs.

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: ¾" less than OEM  
**OEM wire harness must be cut and extended under seat.**

➔ Please specify if equipped with seat memory. (add. parts &amp; time)

➔ Please specify if equipped with vented seat. (add. parts &amp; time)

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL****PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)**

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.***HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.****If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

ADAPT SOLUTIONS

BACK

12-2025

**2021- 2026 Escalade / Suburban / Tahoe / Yukon - All models | FRONT PASSENGER****LK-SILC19R**

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)  
OEM shrouds must be trimmed.

**Higher trim levels may cause loss of some seat features.**

➔ **Please specify if 12/16-way seat (power thigh) | additional parts supplied.**

**Extensive wire harness work required on fully equipped models. (Add time)**

**\*Transfer height: 21" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: 2 ¼" less than OEM | BACK: ¾" less than OEM  
**OEM wire harness must be cut and extended under seat.**

➔ **Please specify if equipped with vented seat. (Add. parts & time)**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**PLEASE NOTE: Sunroof diminishes headroom (Approx. 2 inches)**

**2008-2016♦ Acadia | FRONT PASSENGER****LK-TRV08R**

Seat height: INFO N/A

OEM shrouds must be trimmed.

Vehicle battery access available | Installation does not block access.

**GMC Acadia Limited 2017 (Built on 2016 body style)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: INFO N/A | BACK: INFO N/A

**OEM wire harness must be cut and extended under seat.**

**Seat support spring (OEM) must be cut | OEM reconfiguration not affected**

**2017-2025 Acadia | DRIVER****LK-ACA17L**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

Lower B pillar shroud must be cut | STENCIL PROVIDED

➔ **Please specify if POWER SEAT.**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Door must be shimmed | SHIM PROVIDED

★ **NOT AVAILABLE for 2017 ACADIA LIMITED MODEL**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

**Vented seat base fan removed from seat.**

**OEM wire harness must be cut and extended under seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**

**Seat offset 1" to the left of the steering.**

**If equipped with manual seats, recline handle is replaced | PROVIDED**

**2017-2025 Acadia | FRONT PASSENGER****LK-ACA17R**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

**2017 GMC Acadia Limited model use 2016 Acadia KIT**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

➔ **Please specify if POWER SEAT.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

**OEM wire harness must be cut and extended under seat.**

**Vented seat base fan removed from seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**

**2017-2025 Cadillac XT6 | DRIVER****LK-ACA17L**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

Lower B pillar shroud must be cut | STENCIL PROVIDED

➔ **Please specify if POWER SEAT.**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Door must be shimmed | SHIM PROVIDED

★ **NOT AVAILABLE for 2017 ACADIA LIMITED MODEL**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

**Vented seat base fan removed from seat.**

**OEM wire harness must be cut and extended under seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**

**Seat offset 1" to the left of the steering.**

**If equipped with manual seats, recline handle is replaced | PROVIDED**

**2017-2025 Cadillac XT6 | FRONT PASSENGER****LK-ACA17R**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

**2017 GMC Acadia Limited model use 2016 Acadia KIT**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

➔ **Please specify if POWER SEAT.**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

**OEM wire harness must be cut and extended under seat.**

**Vented seat base fan removed from seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**

**2019-2026 Blazer | DRIVER****LK-BLZ19L**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

Lower B pillar shroud must be cut | STENCIL PROVIDED

➔ **Please specify if POWER SEAT.**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

Door must be shimmed | SHIM PROVIDED

★ **NOT AVAILABLE for ELECTRIC MODEL (BLAZER EV)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

➔ **Please specify if equipped with vented seat. (Add. parts & time)**

**OEM wire harness must be cut and extended under seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**

**Seat offset 1" to the left of the steering.**

**If equipped with manual seats, recline handle is replaced | PROVIDED**

**2019-2026 Blazer | FRONT PASSENGER****LK-BLZ19R**

Seat height: 2 ½" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

➔ **Please specify if POWER SEAT.**

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE.**

★ **NOT AVAILABLE for ELECTRIC MODEL (BLAZER EV)**

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ¾" less than OEM | BACK: 1" less than OEM

➔ **Please specify if equipped with vented seat. (Add. parts & time)**

**OEM wire harness must be cut and extended under seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.**



|            |                                                       |                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                      |
|------------|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2008-2017♦ | Enclave   FRONT PASSENGER                             | <b>LK-TRV08R</b><br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Vehicle battery access available   Installation does not block access.                                                                                                                        | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b>                                                                   |
| 2018-2024  | Enclave   DRIVER                                      | <b>LK-TRV18L</b><br>Seat height: 3" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>➔ <b>Please specify if equipped with vented seat. (Add. parts &amp; time)</b>              | <b>*Transfer height: 19"   Average install: 10-14 hrs.</b><br>Seat adjustments   FRONT: 1¼" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b><br>★ <b>ONLY AVAILABLE</b> for model with <b>POWER SEATS.</b> |
| 2018-2024  | Enclave   FRONT PASSENGER                             | <b>LK-TRV18R</b><br>Seat height: 3" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ <b>Please specify if equipped with vented seat. (Add. parts &amp; time)</b>                                                                           | <b>*Transfer height: 19"   Average install: 10-14 hrs.</b><br>Seat adjustments   FRONT: 1¼" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b>                                                               |
| 2025-2026  | Enclave   FRONT PASSENGER                             | <b>LK-TRV24R</b><br>Seat height: 2 3/16" higher than OEM lowest<br>OEM shrouds must be trimmed.                                                                                                                                                                            | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: 1 ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                   |
| 2008-2017♦ | Traverse   FRONT PASSENGER                            | <b>LK-TRV08R</b><br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Vehicle battery access available   Installation does not block access.                                                                                                                        | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Seat support spring (OEM) must be cut   OEM reconfiguration not affected</b>                                                                   |
| 2018-2023  | Traverse   DRIVER                                     | <b>LK-TRV18L</b><br>Seat height: 3" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>➔ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b>              | <b>*Transfer height: 19"   Average install: 10-14 hrs.</b><br>Seat adjustments   FRONT: 1¼" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b><br>★ <b>ONLY AVAILABLE</b> for model with <b>POWER SEATS.</b> |
| 2018-2023  | Traverse   FRONT PASSENGER                            | <b>LK-TRV18R</b><br>Seat height: 3" higher than OEM lowest (3" adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ <b>Please specify if equipped with vented seat. (add. parts &amp; time)</b>                                                                           | <b>*Transfer height: 19"   Average install: 10-14 hrs.</b><br>Seat adjustments   FRONT: 1¼" less than OEM   BACK: ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b>                                                               |
| 2024-2026  | Traverse   FRONT PASSENGER                            | <b>LK-TRV24R</b><br>Seat height: 2 3/16" higher than OEM lowest<br>OEM shrouds must be trimmed.                                                                                                                                                                            | <b>*Transfer height: 20"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: 1 ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                   |
| 2018-2024  | Enclave   2 <sup>nd</sup> ROW LEFT (driver side)      | <b>LK-TRV18CL</b><br>Seat height: OEM<br>★ <b>NOT AVAILABLE</b> for 8 passenger model.<br>➔ <b>Please specify if equipped with heated seat. (add. parts &amp; time)</b>                                                                                                    | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 2 ½" more than OEM   BACK: 1" more than OEM<br><b>Seatback recline no longer adjustable   Remains completely upright.</b><br><b>Seatback flat folding feature cancelled   Cannot be folded.</b>                                                |
| 2018-2023  | Traverse   2 <sup>nd</sup> ROW LEFT (driver side)     | <b>LK-TRV18CL</b><br>Seat height: OEM<br>★ <b>NOT AVAILABLE</b> for 8 passenger model.<br>➔ <b>Please specify if equipped with heated seat. (add. parts &amp; time)</b>                                                                                                    | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 2 ½" more than OEM   BACK: 1" more than OEM<br><b>Seatback recline no longer adjustable   Remains completely upright.</b><br><b>Seatback flat folding feature cancelled   Cannot be folded.</b>                                                |
| 2018-2024  | Enclave   2 <sup>nd</sup> ROW RIGHT (passenger side)  | <b>LK-TRV18CR</b><br>Seat height: OEM<br><b>Seatback recline no longer adjustable   Remains completely upright.</b><br><b>Seatback flat folding feature cancelled   Cannot be folded.</b><br>➔ <b>Please specify if equipped with heated seat. (add. parts &amp; time)</b> | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 2 ½" more than OEM   BACK: 1" more than OEM<br><b>'Smart Slide®' quick access to 3<sup>rd</sup> row feature no longer functional.</b><br>★ <b>NOT AVAILABLE</b> for 8 passenger model.                                                         |
| 2018-2023  | Traverse   2 <sup>nd</sup> ROW RIGHT (passenger side) | <b>LK-TRV18CR</b><br>Seat height: OEM<br><b>Seatback recline no longer adjustable   Remains completely upright.</b><br><b>Seatback flat folding feature cancelled   Cannot be folded.</b><br>➔ <b>Please specify if equipped with heated seat. (add. parts &amp; time)</b> | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 2 ½" more than OEM   BACK: 1" more than OEM<br><b>'Smart Slide®' quick access to 3<sup>rd</sup> row feature no longer functional.</b><br>★ <b>NOT AVAILABLE</b> for 8 passenger model.                                                         |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025

**2010-2017◆ Terrain / Equinox | FRONT PASSENGER****LK-TER10R**

Seat height: OEM

OEM shrouds must be trimmed.

Outer seat shroud removed and replaced | PROVIDED.

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.**\*Transfer height: 19" | Average install: 5-7 hrs.**

Seat adjustments | FRONT: OEM | BACK: 1" less than OEM

**OEM wire harness must be cut and extended under seat.**

Seat recline handle removed and replaced | PROVIDED.

**2018-2024 Terrain / Equinox | DRIVER****LK-TER18L**

Seat height: 2 ¼" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

Lower B pillar shroud must be cut.

**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: OEM | BACK: ½" less than OEM

**OEM wire harness must be cut and extended under seat.****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.****NOT AVAILABLE FOR EV MODEL****2018-2024 Terrain / Equinox | FRONT PASSENGER****LK-TER18R**

Seat height: 2" higher than OEM lowest (3" adjustable seat)

OEM shrouds must be trimmed.

★ Adapt Solutions' signature TALL programing **NOT AVAILABLE**.☞ Please specify if **POWER SEAT**.**\*Transfer height: 19" | Average install: 6-8 hrs.**

Seat adjustments | FRONT: ½" more than OEM | BACK: 1" less than OEM

**OEM wire harness must be cut and extended under seat.****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.****NOT AVAILABLE FOR EV MODEL**☞ Please specify if equipped with vented seat. **(add. parts & time)****2018-2026 Odyssey | 2<sup>nd</sup> ROW LEFT (driver side)****LK-HDA18CL**

Seat height: 1 inch higher than OEM

Jump seat in 8 passenger model is retained.

**CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE****\*Transfer height: 19" | Average install: 4-6 hrs.**

Seat adjustments | FRONT: 2 ¼" more than OEM | BACK: ¾" more than OEM

☞ Please specify if **7 or 8 passengers**.

Option Available: Adapt Solutions 100 pounds capacity Seat Anchor kit

**2018-2026 Odyssey | 2<sup>nd</sup> ROW RIGHT (passenger side)****LK-HDA18CR**

Seat height: 1 inch higher than OEM

Jump seat in 8 passenger model is retained.

**CAUTION: Window of mid-row door must always be closed for LINK Operation. If open, door will not fully open. DANGER OF VEHICLE DAMAGE****\*Transfer height: 19"**

Seat adjustments | FRONT: 2 ¼" more than OEM | BACK: ¾" more than OEM

☞ Please specify if **7 or 8 passengers**.

Option Available: Adapt Solutions 100 pounds capacity Seat Anchor kit

**2020-2025 Palisade | DRIVER****LK-PAL20L**

Seat height: 1 ¾" lower than OEM highest | 3/8" higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Door must be shimmed | SHIM PROVIDED

**If your seat is equipped with extendable thigh support, feature is cancelled****\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 ¾" less than OEM | BACK: 1 ¾" more than OEM

**OEM wire harness must be cut and extended under seat.****If your seat is equipped with ventilation, feature is cancelled****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees****★ NOT AVAILABLE FOR MODELS WITH MANUAL SEAT****2020-2025 Palisade | FRONT PASSENGER****LK-PAL20R**

Seat height: 2 1/8" lower than OEM highest | 3/8" higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Door must be shimmed | SHIM PROVIDED

**If your seat is equipped with ventilation, feature is cancelled****\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 ¾" less than OEM | BACK: 1 ¾" more than OEM

**OEM wire harness must be cut and extended under seat.****Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees****★ NOT AVAILABLE FOR MODELS WITH MANUAL SEAT****2022-2026 Ariya | DRIVER****LK-ARY22L**

Seat height: 2 1/8" lower than OEM highest | 7/8" higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Door must be shimmed | SHIM PROVIDED

**\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 2" less than OEM | BACK: 3 1/4" more than OEM

**OEM wire harness must be cut and extended under seat.****Seat leans towards rear of vehicle once outside. ANGLE: 4.5 degrees****Fabric flap behind the seat has to be cut & modified****★ Adapt Solutions' signature TALL programing NOT AVAILABLE.****2022-2026 Ariya | FRONT PASSENGER****LK-ARY22R**

Seat height: 2 1/8" lower than OEM highest | 7/8" higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

☞ Please specify if **POWER SEAT****\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 2 3/4" less than OEM | BACK: 4" more than OEM

Door must be shimmed | SHIM PROVIDED

**Fabric flap behind the seat has to be cut & modified****OEM wire harness must be cut and extended under seat.**

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.****HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.****If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**



| 2023-2026                                                                                                                                                                                                                                                                                                               | EV9   DRIVER                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LK-EV924L<br>Seat height: 1 3/8" lower than OEM highest   1" higher than OEM lowest<br>OEM shrouds must be trimmed   STENCIL PROVIDED<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>★ NOT AVAILABLE FOR MODELS WITH OEM POWER LEGS                                                                    | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 2" less than OEM   BACK: 3" more than OEM<br>OEM wire harness must be cut and extended under seat.<br>Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees<br>Fabric flap behind the seat has to be cut & modified                                                                                                            |
| 2023-2026                                                                                                                                                                                                                                                                                                               | EV9   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                                      |
| LK-EV924R<br>Seat height: 1 7/8" lower than OEM highest   1" higher than OEM lowest<br>OEM shrouds must be trimmed   STENCIL PROVIDED<br>★ NOT AVAILABLE FOR MODELS WITH OEM POWER LEGS<br>Vented seat base fan removed from seat.                                                                                      | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 2" less than OEM   BACK: 3" more than OEM<br>OEM wire harness must be cut and extended under seat.<br>Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees<br>Fabric flap behind the seat has to be cut & modified                                                                                                            |
| 2006-2014                                                                                                                                                                                                                                                                                                               | Sedona   2 <sup>nd</sup> ROW LEFT (driver side) ♦♦not available for SHORT WHEELBASE                                                                                                                                                                                                                                                                                                                                        |
| LK-KIA06CL<br>Seat height: ½ inch higher than OEM<br>OEM shrouds must be trimmed.                                                                                                                                                                                                                                       | *Transfer height: 19"   Average install: 4-6 hrs.<br>Seat adjustments   FRONT: 1 ½ more than OEM   BACK: 1" more than OEM<br>★ MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.                                                                                                                                                                                                                               |
| 2006-2014                                                                                                                                                                                                                                                                                                               | Sedona   2 <sup>nd</sup> ROW RIGHT (passenger side) ♦♦not available for SHORT WHEELBASE                                                                                                                                                                                                                                                                                                                                    |
| LK-KIA06CR<br>Seat height: ½ inch higher than OEM<br>OEM shrouds must be trimmed.                                                                                                                                                                                                                                       | *Transfer height: 19"   Average install: 4-6 hrs.<br>Seat adjustments   FRONT: 1 ½ more than OEM   BACK: 1" more than OEM<br>★ MUST BE A LONG WHEELBASE – NOT AVAILABLE FOR SHORT WHEELBASE.                                                                                                                                                                                                                               |
| 2015-2021                                                                                                                                                                                                                                                                                                               | Sedona   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                                   |
| LK-KIA16R<br>Seat height: OEM (adjustable seat = 3" of travel – sits 1" higher than lowest)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>⇒ Please specify if POWER SEATS   additional parts supplied.                                                                | *Transfer height: 19"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: ¾ less than OEM   BACK: 1¼ more than OEM<br>OEM wire harness must be cut and extended under seat.<br>Higher trim levels may cause loss of some seat features.<br>Vented seat base fan removed from seat.                                                                                                                                    |
| 2015-2021                                                                                                                                                                                                                                                                                                               | Sedona   2 <sup>nd</sup> ROW LEFT (driver side)                                                                                                                                                                                                                                                                                                                                                                            |
| LK-KIA16CL<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>★ NOT AVAILABLE FOR MODELS WITH OEM FOOTREST   Discontinued in Canada 2019-2020 model.                                                                                                                                                                | *Transfer height: 19"   Average install: 7-9 hrs.<br>Seat adjustments   FRONT: 1½ more than OEM   BACK: OEM<br>⇒ Please specify if equipped with heated seats. (Add. parts & time)                                                                                                                                                                                                                                         |
| 2015-2021                                                                                                                                                                                                                                                                                                               | Sedona   2 <sup>nd</sup> ROW RIGHT (passenger side)                                                                                                                                                                                                                                                                                                                                                                        |
| LK-KIA16CR<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>⇒ Please specify if equipped with OEM footrest   LK-KIA16CFR (Footrest removed)                                                                                                                                                                       | *Transfer height: 19"   Average install: 7-9 hrs.<br>Seat adjustments   FRONT: 1½ more than OEM   BACK: OEM<br>⇒ Please specify if equipped with heated seats. (Add. parts & time)                                                                                                                                                                                                                                         |
| 2022-2026                                                                                                                                                                                                                                                                                                               | Carnival   DRIVER                                                                                                                                                                                                                                                                                                                                                                                                          |
| LK-KIA22L<br>Seat height: 1 ¾" lower than OEM highest   1 ¼" higher than OEM lowest<br>B pillar shroud needs to be cut   STENCIL PROVIDED<br>OEM seat trim must be modified   STENCIL PROVIDED<br>★ NOT AVAILABLE FOR MODELS WITH MANUAL SEAT.<br>★ Adapt Solutions' signature TALL programing NOT AVAILABLE            | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: ¾ less than OEM   BACK: 3/4 more than OEM<br>OEM wire harness must be cut and extended under seat.<br>Floor mat behind the LINK has to be removed or modified<br>Fabric flap behind the seat has to be cut & modified<br>Vented seat base fan removed from seat.<br>⇒ Please specify if equipped with seat memory. (Add. parts & time)    |
| 2022-2026                                                                                                                                                                                                                                                                                                               | Carnival   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                                                 |
| LK-KIA22R<br>Seat height: 1 1/8" higher than OEM highest   1 1/8" higher than OEM lowest<br>OEM seat trim must be modified   STENCIL PROVIDED<br>Control box needs to be relocated.<br>Custom tool provided for access to spare wheel under LINK.<br>⇒ Please specify if POWER SEATS different install manual supplied. | *Transfer height: 19"   Average install: 10-12 hrs.<br>Seat adjustments   FRONT: 1 7/8" less than OEM   BACK: 1 3/8" more than OEM<br>OEM wire harness must be cut and extended under seat.<br>Occupant sensor plug must be extended directly from the floor<br>Floor mat behind the LINK has to be removed or modified<br>Fabric flap behind the seat has to be cut & modified<br>Vented seat base fan removed from seat. |
| 2022-2026                                                                                                                                                                                                                                                                                                               | Carnival   2 <sup>nd</sup> ROW LEFT (driver side)                                                                                                                                                                                                                                                                                                                                                                          |
| LK-KIA22CL<br>Seat height: 9/16" higher than OEM highest   9/16" higher than OEM lowest<br>OEM seat trim must be modified   STENCIL PROVIDED                                                                                                                                                                            | *Transfer height: 18 1/4"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: 1 7/8" less than OEM   BACK: 1" less than OEM<br>★ NOT AVAILABLE IF EQUIPPED WITH POWER SEAT<br>Rear foam of the seat cushion must be modified                                                                                                                                                                                          |
| 2022-2026                                                                                                                                                                                                                                                                                                               | Carnival   2 <sup>nd</sup> ROW RIGHT (passenger side)                                                                                                                                                                                                                                                                                                                                                                      |
| LK-KIA22CR<br>Seat height: 9/16" higher than OEM highest   9/16" higher than OEM lowest<br>OEM seat trim must be modified   STENCIL PROVIDED                                                                                                                                                                            | *Transfer height: 18 1/4"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: 1 7/8" less than OEM   BACK: 1" less than OEM<br>★ NOT AVAILABLE IF EQUIPPED WITH POWER SEAT<br>Rear foam of the seat cushion must be modified                                                                                                                                                                                          |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025


**2020-2025 Telluride | DRIVER**
**LK-PAL20L**

Seat height: 1 3/4" lower than OEM highest | 3/8" higher than OEM lowest  
OEM shrouds must be trimmed | STENCIL PROVIDED

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

Door must be shimmed | SHIM PROVIDED

**If your seat is equipped with extendable thigh support, feature is cancelled**

**\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 3/4" less than OEM | BACK: 1 3/4" more than OEM

**OEM wire harness must be cut and extended under seat.**

**If your seat is equipped with ventilation, feature is cancelled**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees**

**★ NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

**2020-2025 Telluride | FRONT PASSENGER**
**LK-PAL20R**

Seat height: 2 1/8" lower than OEM highest | 3/8" higher than OEM lowest

OEM shrouds must be trimmed | STENCIL PROVIDED

Door must be shimmed | SHIM PROVIDED

**If your seat is equipped with ventilation, feature is cancelled**

**\*Transfer height: 19" | Average install: 10-12 hrs.**

Seat adjustments | FRONT: 1 3/4" less than OEM | BACK: 1 3/4" more than OEM

**OEM wire harness must be cut and extended under seat.**

**Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees**

**★ NOT AVAILABLE FOR MODELS WITH MANUAL SEAT**

**\*ESTIMATED** height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. **Please schedule accordingly.**

**HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.**

**If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL**

**ADAPT SOLUTIONS**

**BACK**

12-2025



| 2011-2020◆ Sienna   DRIVER                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LK-TOY11L</b><br>Seat height: OEM (Manual seat)   1" lower than OEM top (adjustable seat)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>➔ Please specify if POWER SEATS   additional parts supplied.<br>➔ Please specify if ALL WHEEL DRIVE   additional parts supplied. | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 3.5" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Armrest must be modified   Retained. Action required for use.</b><br>➔ Please specify if ADJUSTABLE ARMREST WITH BUTTON.<br>PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)                  |
| 2011-2020◆ Sienna   FRONT PASSENGER                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY11R</b><br>Seat height: OEM (Manual seat)   1" lower than OEM top (adjustable seat)<br>OEM shrouds must be trimmed.<br>➔ Please specify if POWER SEATS   additional parts supplied.<br>➔ Please specify if JBL SOUND SYSTEM   additional parts supplied.                                                             | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 3.5" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>➔ Please specify if ALL WHEEL DRIVE   additional parts supplied.<br>PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)                                                                             |
| 2011-2020◆ Sienna   2 <sup>nd</sup> ROW LEFT (driver side)                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY11CL</b><br>Seat height: OEM<br>OEM shrouds must be replaced   PROVIDED.<br>PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)<br>➔ Please specify if equipped with OEM footrest   LK-TOY11CFL Footrest removed                                                                                                    | <b>*Transfer height: 19"   Average install: 7-9 hrs.</b><br>Seat adjustments   FRONT: 5 ¼" less than OEM   BACK: OEM (9" travel)<br><b>Gas tank must be partially lowered to access floor adaptor bolts.</b><br><b>★ NOT AVAILABLE FOR 8 PASSENGER SIENNA (60/40 SPLIT)</b>                                                                                                                  |
| 2011-2020◆ Sienna   2 <sup>nd</sup> ROW RIGHT (passenger side)                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY11CR</b><br>Seat height: OEM<br>OEM shrouds must be replaced   PROVIDED.<br>➔ Please specify if equipped with OEM footrest   LK-TOY11CFR Footrest removed                                                                                                                                                            | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 5 ¼" less than OEM   BACK: OEM (9" travel)<br>PLEASE SEE ADDITIONAL SPECIFICATION SHEET. (BATTERY)<br><b>★ NOT AVAILABLE FOR 8 PASSENGER with OEM Footrest</b>                                                                                                                                         |
| 2021-2026 Sienna   DRIVER                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY21L</b><br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>➔ Please specify if POWER SEATS   additional parts supplied.<br>(Black trims will be supplied for all interiors)                                                                         | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 3" less than OEM   BACK: 2 ½" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ Fan removed from seat and seatback.</b><br><b>★ Adapt Solutions' signature TALL programming NOT AVAILABLE.</b><br><b>➔ Please specify if SEAT is equipped with LUMBAR SUPPORT.</b> |
| LIMITED SPACE   TIGHT APPLICATION. Watch video for details. <a href="#">▶Click here</a>                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                              |
| 2021-2026 Sienna   FRONT PASSENGER                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY21R</b><br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>➔ Please specify if POWER SEATS   additional parts supplied.<br>(Black trims will be supplied for all interiors)                                                                         | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 3.5" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ Fan removed from seat and seatback.</b><br><b>★ Adapt Solutions' signature TALL programming NOT AVAILABLE.</b>                                                                                  |
| 2021-2026 Sienna   2 <sup>nd</sup> ROW LEFT (driver side)                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY21C7L</b><br>Seat height: 5/16" higher than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>(Black trims will be supplied for all interiors)                                                                                                                                                  | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 7/8" more than OEM   BACK: 3 ¼" less than OEM.<br><b>★ NOT AVAILABLE FOR 8 PASSENGER SIENNA (60/40 SPLIT)</b><br>➔ Please specify if equipped with OEM footrest                                                                                                                                        |
| 2021-2026 Sienna   2 <sup>nd</sup> ROW RIGHT (passenger side)                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TOY21C7R</b><br>Seat height: 5/16" higher than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>(Black trims will be supplied for all interiors)                                                                                                                                                  | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 7/8" more than OEM   BACK: 3 ¼" less than OEM.<br><b>★ NOT AVAILABLE FOR 8 PASSENGER with OEM Footrest</b><br>➔ Please specify if 8 passengers   LK-TOY21C8R.                                                                                                                                          |
| 2005-2023 Tacoma Access Cab – Suicide door   FRONT PASSENGER                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TACD05R</b><br>Seat height: 1" higher than OEM<br>OEM shrouds must be trimmed.<br><b>★ Adapt Solutions' signature TALL programming NOT AVAILABLE.</b>                                                                                                                                                                   | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 1/2" less than OEM   BACK: 1" less than OEM<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                                            |
| 2005-2023 Tacoma Double Cab – 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>LK-TACD05R</b><br>Seat height: 1" higher than OEM<br>OEM shrouds must be trimmed.                                                                                                                                                                                                                                          | <b>*Transfer height: 19"   Average install: 4-6 hrs.</b><br>Seat adjustments   FRONT: 1/2" less than OEM   BACK: 1" less than OEM<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                                            |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025



| 2014-2021 Tundra Double Cab - 4 door (2 smaller)   DRIVER                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LK-TUN14L</b><br>Seat height: OEM (Manual seat)   1" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>⤿ Please specify if 12 way seat (power thigh)   additional parts supplied.                                                           | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Vented seat base fan retained.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                        |
| 2014-2021 Tundra Double Cab - 4 door (2 smaller)   FRONT PASSENGER                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-TUN14R</b><br>Seat height: OEM (Manual seat)   1" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                                                                                   | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat. (In LIMITED &amp; 1794)</b>                                                                                                   |
| 2014-2021 Tundra Crew Max - 4 door   DRIVER                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-TUN14L</b><br>Seat height: OEM (Manual seat)   1" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>⤿ Please specify if 12 way seat (power thigh)   additional parts supplied.                                                           | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br>Vented seat base fan retained.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                        |
| 2014-2021 Tundra Crew Max - 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-TUN14R</b><br>Seat height: OEM (Manual seat)   1" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br><b>Higher trim levels may cause loss of some seat features.</b>                                                                                                                                   | <b>*Transfer height: 21"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 1" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat. (In LIMITED &amp; 1794)</b>                                                                                                   |
| 2022-2026 Tundra Crew Max - 4 door   DRIVER                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-TUN22L</b><br>Seat height: 2" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br>Door must be shimmed   SHIM PROVIDED<br>Control box needs to be relocated.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>⤿ Please specify if 12 way seat (power thigh)   additional parts supplied. | <b>*Transfer height: 21 1/2"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 1/2" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Fabric flap behind the seat has to be cut &amp; modified</b><br>Ventilated seat removed<br><b>★ ONLY AVAILABLE FOR POWER SEATS.</b>                            |
| 2022-2026 Tundra Crew Max - 4 door   FRONT PASSENGER                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-TUN22R</b><br>Seat height: 2" higher than OEM lowest(adjustable seat)<br>OEM shrouds must be trimmed.<br>Door must be shimmed   SHIM PROVIDED<br>Control box needs to be relocated.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED                                                                                | <b>*Transfer height: 21 1/2"   Average install: 8-10 hrs.</b><br>Seat adjustments   FRONT: 1/2" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Fabric flap behind the seat has to be cut &amp; modified</b><br>Ventilated seat removed<br><b>★ ONLY AVAILABLE FOR POWER SEATS.</b>                            |
| 2013-2018♦ Rav 4   FRONT PASSENGER                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-RAV13R</b><br>Seat height: ½" higher than OEM<br>OEM shrouds must be trimmed.<br>⤿ Please specify if POWER SEATS   additional parts supplied.                                                                                                                                                                                  | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 3 ¼" less than OEM   BACK: 2 ¼" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                            |
| 2019-2025 Rav 4   FRONT PASSENGER                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-RAV19R</b><br>Seat height: ½" higher than OEM<br>OEM shrouds must be trimmed.<br>Door must be shimmed   SHIM PROVIDED<br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b><br>Compatible with HYBRID model.                                                                                                   | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: ½" less than OEM   BACK: OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b><br><b>Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.</b><br><b>★ ONLY AVAILABLE FOR MANUAL SEATS.</b> |
| 2008-2016♦ Venza   FRONT PASSENGER**                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-VN208R</b><br>Seat height: INFO N/A<br>OEM shrouds must be trimmed.<br>Door opening increased with shim   PROVIDED.<br>★ Adapt Solutions' signature TALL programing <b>NOT AVAILABLE.</b>                                                                                                                                      | <b>*Transfer height: 19"   Average install: 5-7 hrs.</b><br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>★ NOT AVAILABLE IF EQUIPPED WITH POWER SEAT ON PASSENGER SIDE.</b>                                                                                                       |
| 2014-2019♦ Highlander   FRONT PASSENGER                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                |
| <b>LK-HLD14R</b><br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>⤿ Please specify if POWER SEATS   additional parts supplied.                                                                                                                                    | <b>*Transfer height: 19"   Average install: 6-8 hrs.</b><br>Seat adjustments   FRONT: 2 ¼" less than OEM.   BACK: 1 ¼" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Vented seat base fan removed from seat.</b><br>Vented seatback retained.                                                                            |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

ADAPT SOLUTIONS

BACK

12-2025



| 2020-2026                                                                                                                                                                                                           | Grand Highlander   FRONT PASSENGER                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LK-HLD24R<br>Seat height: 1 3/8" lower than OEM highest   7/8" higher than OEM lowest<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>Compatible with HYBRID model. | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 7/8" less than OEM   BACK: 1 1/8" more than OEM<br><b>Vented seat base fan removed from seat.</b><br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.</b> |
| 2020-2026                                                                                                                                                                                                           | Highlander   FRONT PASSENGER                                                                                                                                                                                                                                                                                                   |
| LK-HLD24R<br>Seat height: 1 3/8" lower than OEM highest   7/8" higher than OEM lowest<br>OEM shrouds must be trimmed.<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br>Compatible with HYBRID model. | *Transfer height: 19"   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 7/8" less than OEM   BACK: 1 1/8" more than OEM<br><b>Vented seat base fan removed from seat.</b><br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Seat leans towards rear of vehicle once outside. ANGLE: 5 degrees.</b> |



Volkswagen

| 2009-2012                                                                                                                                                                                                                                                                                                                                     | Routan   DRIVER                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LK-CHRG08L<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Outer seat shroud removed and replaced   PROVIDED<br>Power seat buttons integrated into provided shroud.<br>➔ Please specify if equipped with power seats.                                                                                                                  | *Transfer height: 19"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br>Lower B pillar shroud needs to be cut   STENCIL PROVIDED.<br><b>Armrest must be removed   COVER CAP PROVIDED.</b><br><b>OEM wire harness must be cut and extended under seat.</b><br>Mid-row seat (Stow 'N Go) immediately behind LINK cannot be stowed.                                  |
| 2009-2012                                                                                                                                                                                                                                                                                                                                     | Routan   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                              |
| LK-CHRG08R<br>Seat height: OEM<br>OEM shrouds must be trimmed.<br>Mid-row seat (Stow 'N Go) immediately behind LINK cannot be stowed.                                                                                                                                                                                                         | *Transfer height: 19"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: INFO N/A   BACK: INFO N/A<br><b>OEM wire harness must be cut and extended under seat.</b>                                                                                                                                                                                                                              |
| 2009-2012                                                                                                                                                                                                                                                                                                                                     | Routan   2 <sup>nd</sup> ROW LEFT (driver side)                                                                                                                                                                                                                                                                                                                                                       |
| LK-CHRG08CL<br>Seat height: OEM<br>OEM shrouds must be trimmed.                                                                                                                                                                                                                                                                               | *Transfer height: 19"   Average install: 6-8 hrs.<br>Seat   FRONT: 5 inches more than OEM   BACK: OEM<br>★ Must be Stow 'N Go seating (not bench)                                                                                                                                                                                                                                                     |
| 2009-2012                                                                                                                                                                                                                                                                                                                                     | Routan   2 <sup>nd</sup> ROW RIGHT (passenger side)                                                                                                                                                                                                                                                                                                                                                   |
| LK-CHRG08CR<br>Seat height: OEM<br>OEM shrouds must be trimmed.                                                                                                                                                                                                                                                                               | *Transfer height: 19"   Average install: 6-8 hrs.<br>Seat adjustments   FRONT: 5 inches more than OEM   BACK: OEM<br>★ Must be Stow 'N Go seating (not bench)                                                                                                                                                                                                                                         |
| 2018-2026                                                                                                                                                                                                                                                                                                                                     | Atlas   DRIVER                                                                                                                                                                                                                                                                                                                                                                                        |
| LK-ATL18L<br>Seat height: 1" lower than OEM highest   1 1/2" higher than OEM lowest<br>Outer seat trim panel modified. Inner trim panel cut   STENCIL PROVIDED.<br>Lower B-pillar shroud needs to be trimmed   STENCIL PROVIDED.<br>➔ Please specify if equipped with seat memory (add parts & time)<br>Memory control needs to be relocated. | *Transfer height: Coming Soon   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 1 1/2" less than OEM   BACK: 2 1/2" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Fabric flap behind the seat has to be cut &amp; modified</b><br>★ Adapt Solutions' signature TALL programming <b>NOT AVAILABLE.</b><br>Black trims will be supplied for all interiors |
| LIMITED SPACE   TIGHT APPLICATION.                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                       |
| 2018-2026                                                                                                                                                                                                                                                                                                                                     | Atlas   FRONT PASSENGER                                                                                                                                                                                                                                                                                                                                                                               |
| LK-ATL18R<br>Seat height: 1" lower than OEM highest   1 1/2" higher than OEM lowest<br>OEM shrouds must be trimmed.   STENCIL PROVIDED.<br>Lower B-pillar shroud needs to be trimmed   STENCIL PROVIDED.<br>➔ Please specify if Manual Seat.<br><b>* NOT AVAILABLE</b> model for manual seats between 2018-2022                               | *Transfer height: Coming Soon   Average install: 8-10 hrs.<br>Seat adjustments   FRONT: 2 1/2" less than OEM   BACK: 1 1/2" more than OEM<br><b>OEM wire harness must be cut and extended under seat.</b><br><b>Fabric flap behind the seat has to be cut &amp; modified</b><br>★ Adapt Solutions' signature TALL programming <b>NOT AVAILABLE.</b><br>Black trims will be supplied for all interiors |

\*ESTIMATED height and installation time in base model. Install times as reference only and apply to seasoned installers.

THE FIRST INSTALLATIONS will likely take a few additional hours. *Please schedule accordingly.*

HIGHER TRIM LEVELS REQUIRE ADDITIONAL INSTALLATION TIME.

If equipped with TV/DVD in seatback, UNIT NO LONGER FUNCTIONAL

# ASENTO | XL-SEAT

HI-LIFT



## FIND A DEALER

Looking for a dealer near you or a client? Use our interactive map to find one.



## HOW IT WORKS VIDEO

In just a few minutes, see all of the key features of the product.



## PRODUCT VIDEO

Overview of the ASENTO & SPEEDY-LIFT in motion.



## HIGHLIGHTS:

- OEM seat and adjustments remain intact
- Easy to use, foldable and removable transfer board.
- Can be paired with the SPEEDY-LIFT
- Driver or front passenger applications available
- 3-year warranty
- 275 lbs capacity.



## THINGS TO NOTE

OEM plastic shroud and trim might be modified or replaced on a per vehicle basis for the transfer board operation. If additional information is required, we, or our authorized dealers, will provide information needed on request.



# XL SEAT | ASENTTO QUICK REFERENCE

★ = HI-LIFT available with XL-SEAT  
HI-LIFT NOT AVAILABLE with ASENTTO

page 1 of 3

♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

| CHRYSLER                                      |               | DRIVER | FRONT PASSENGER |
|-----------------------------------------------|---------------|--------|-----------------|
| Caravan / Grand Caravan / Town & Country      | 2008 - 2020 ★ | ✓      | ✓               |
| Grand Caravan                                 | 2021 - 2026   | ✓      | ✓               |
| Jeep Wrangler - 4 door                        | ♦2007 - 2018  | ✓★     | ✓★              |
| Pacifica                                      | 2017 - 2026   | ✓      | ✓               |
| Ram 1500   2500   3500 Reg Cab - 2 door       | ♦2003 - 2009  | ✓      | ✓               |
| Ram 1500   2500   3500 Quad Cab - 4 door      | ♦2003 - 2009  | ✓      | ✓               |
| Ram 1500   2500   3500 Crew/Mega Cab - 4 door | ♦2006 - 2009  | ✓      | ✓               |
| Ram 1500 CLASSIC Crew Cab - 4 door            | 2009 - 2024   | ✓      | ✓               |
| Ram 1500 Crew Cab - 4 door                    | 2019 - 2026   | ✓★     | ✓★              |
| Ram 1500 CLASSIC Quad Cab - 4 door            | 2009 - 2024   | ✓      | ✓               |
| Ram 1500 Quad Cab - 4 door                    | 2019 - 2026   | ✓★     | ✓★              |
| Ram 2500/3500 Crew/Mega Cab - 4 door          | 2010 - 2018   | ✓      | ✓               |
| Voyager                                       | 2020 - 2026   | ✓      | ✓               |
| FORD                                          |               | DRIVER | FRONT PASSENGER |
| Edge                                          | 2011 - 2014   | ✓      | ✓               |
| Edge                                          | 2015 - 2024   | ✓      | ✓               |
| Explorer                                      | 2011 - 2019   | ✓      | ✓               |
| Explorer                                      | 2020 - 2026   | ✓★     | ✓★              |
| Expedition / Navigator                        | 2018 - 2024   | ✓★     | ✓★              |
| F-150 Reg Cab - 2 door                        | ♦2004 - 2008  | ✓      | ✓               |
| F-150 Reg Cab - 2 door, small suicide door    | ♦2009 - 2010  | ✓      | ✓               |
| F-150 Super Cab - Suicide door                | ♦2004 - 2008  | ✓★     | ✓★              |
| F-150 Super Cab - Suicide door                | ♦2009 - 2014  | ✓★     | ✓★              |
| F-150 Super Cab - Suicide door                | 2015 - 2026   | ✓★     | ✓★              |
| F-150 Super Crew Cab - 4 door                 | ♦2004 - 2008  | ✓      | ✓               |
| F-150 Super Crew Cab - 4 door                 | ♦2009 - 2014  | ✓      | ✓               |
| F-150 Super Crew Cab - 4 door                 | 2015 - 2017   | ✓      | ✓               |
| F-150 Super Crew Cab - 4 door                 | 2018 - 2026   | ✓      | ✓               |
| F-250, F-350, F-450 Super Cab - Suicide door  | ♦2008 - 2016  | ✓      | ✓               |
| F-250, F-350, F-450 Super Cab - Suicide door  | 2017 - 2026   | ✓      | ✓               |
| F-250, F-350, F-450 Super Crew - 4 door       | ♦2008 - 2016  | ✓      | ✓               |
| F-250, F-350, F-450 Super Crew - 4 door       | 2017 - 2026   | ✓      | ✓               |
| Lincoln MKX                                   | 2016 - 2018   | ✓      | ✓               |
| Mark LT - 4 door                              | ♦2006 - 2008  | ✓      | ✓               |
| Nautilus                                      | 2019 - 2023   | ✓      | ✓               |

\*ESTIMATED height

# XL SEAT/ASENTO QUICK REFERENCE

page 2 of 3

♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

| FORD                                                   |              | DRIVER | FRONT PASSENGER |
|--------------------------------------------------------|--------------|--------|-----------------|
| Ranger Super Crew Cab – 4 Door                         | 2019 - 2023  | ✓      | ✓               |
| Ranger Super Crew Cab – 4 Door                         | 2024 - 2026  | ✓      | ✓               |
| Raptor Super Cab - Suicide door                        | ♦2011 - 2016 | ✓*     | ✓*              |
| Raptor Super Cab - Suicide door                        | 2017 - 2026  | ✓*     | ✓*              |
| Raptor Super Crew Cab - 4 door                         | ♦2011 - 2016 | ✓      | ✓               |
| Raptor Super Crew Cab - 4 door                         | 2017 - 2026  | ✓      | ✓               |
| GENERAL MOTORS                                         |              | DRIVER | FRONT PASSENGER |
| Acadia                                                 | 2017 - 2023  | ✓      | ✓               |
| Avalanche                                              | ♦2007 - 2010 | ✓      | ✓               |
| Avalanche                                              | ♦2011 - 2013 | ✓      | ✓               |
| Blazer                                                 | 2019 - 2026  | ✓*     | ✓*              |
| Canyon / Colorado Extended Cab - Suicide door          | ♦2004 - 2012 | ✓      | ✓               |
| Canyon / Colorado Extended Cab - Suicide door          | ♦2015 - 2022 | ✓      | ✓               |
| Canyon / Colorado Crew Cab – 4 door                    | ♦2015 - 2022 | ✓      | ✓               |
| Escalade / Suburban / Tahoe / Yukon - All models       | ♦2007 - 2010 | ✓      | ✓               |
| Escalade / Suburban / Tahoe / Yukon - All models       | 2011 - 2014  | ✓      | ✓               |
| Escalade / Suburban / Tahoe / Yukon - All models       | 2015 - 2020  | ✓      | ✓               |
| Escalade / Suburban / Tahoe / Yukon - All models       | 2021 - 2026  | ✓      | ✓               |
| Sierra / Silverado Regular Cab - 2 door                | ♦1999 - 2006 | ✓      | ✓               |
| Sierra / Silverado Extended Cab - Without suicide door | ♦1999 - 2002 | ✓      | ✓               |
| Sierra / Silverado Extended Cab - Suicide door         | ♦2001 - 2006 | ✓      | ✓               |
| Sierra / Silverado Extended Cab - Suicide door         | ♦2007 - 2013 | ✓      | ✓               |
| Sierra / Silverado Crew Cab - 4 door                   | ♦2007 - 2010 | ✓      | ✓               |
| Sierra / Silverado Crew Cab - 4 door                   | ♦2011 - 2013 | ✓      | ✓               |
| Sierra / Silverado <b>HD</b> (2500/3500) –Crew Cab     | ♦2007 - 2010 | ✓      | ✓               |
| Sierra / Silverado <b>HD</b> (2500/3500) –Crew Cab     | ♦2011 - 2014 | ✓      | ✓               |
| Sierra / Silverado <b>HD</b> (2500/3500) –Extended Cab | ♦2007 - 2014 | ✓      | ✓               |
| Sierra / Silverado Double Cab – 4 door (2 smaller)     | 2014 - 2018  | ✓      | ✓               |
| Sierra / Silverado Crew Cab - 4 door                   | 2014 - 2018  | ✓      | ✓               |
| Sierra / Silverado Double Cab - 4 door                 | 2019 - 2026  | ✓*     | ✓*              |
| Sierra / Silverado Crew Cab - 4 door                   | 2019 - 2026  | ✓*     | ✓*              |
| Sierra / Silverado <b>HD</b> (2500/3500) – All models  | 2015 - 2019  | ✓      | ✓               |
| Sierra / Silverado <b>HD</b> (2500/3500) – All models  | 2020 - 2026  | ✓*     | ✓*              |
| Terrain / Equinox                                      | 2018 - 2024  | ✓*     | ✓*              |
| Traverse / Enclave                                     | 2018 - 2024  | ✓      | ✓               |
| HONDA                                                  |              | DRIVER | FRONT PASSENGER |
| Odyssey                                                | ♦2005 - 2010 | ★ ✓    | ✓               |
| Odyssey                                                | ♦2011 - 2017 | ✓      | ✓               |
| Odyssey                                                | 2018 - 2026  | ✓      | ✓               |
| HYUNDAI                                                |              | DRIVER | FRONT PASSENGER |
| Palisade                                               | 2020 - 2025  | ✓*     | ✓*              |

\*ESTIMATED height

ADAPT SOLUTIONS  
BACK  
12-2025

# XL SEAT/ASENTO QUICK REFERENCE

page 3 of 3

♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time.

| KIA                                    |              | DRIVER | FRONT PASSENGER |
|----------------------------------------|--------------|--------|-----------------|
| EV9                                    | 2024 - 2026  | ✓      | ✓               |
| Sedona                                 | 2015 - 2021  | ✓      | ✓               |
| Carnival                               | 2022 - 2026  | ✓*     | ✓               |
| Telluride                              | 2020 - 2025  | ✓*     | ✓*              |
| MERCEDES                               |              | DRIVER | FRONT PASSENGER |
| Metris                                 | 2016 - 2023  | ✓      | ✓               |
| NISSAN                                 |              | DRIVER | FRONT PASSENGER |
| Ariya                                  | 2022 - 2026  | ✓      | ✓               |
| SUBARU                                 |              | DRIVER | FRONT PASSENGER |
| Forester                               | 2014 - 2018  | ✓      | ✓               |
| TESLA                                  |              | DRIVER | FRONT PASSENGER |
| X                                      | 2015 - 2020  | ✓      | ✓               |
| X                                      | 2021 - 2026  | ✓      | ✓               |
| TOYOTA                                 |              | DRIVER | FRONT PASSENGER |
| 4 Runner                               | 2010 - 2024  | ✓      | ✓               |
| Highlander                             | ♦2014 - 2019 | ✓      | ✓               |
| Rav 4                                  | ♦2006 - 2012 | ✓      | ✓               |
| Rav 4                                  | ♦2013 - 2018 | ✓*     | ✓*              |
| Rav 4                                  | 2019 - 2025  | ✓      | ✓               |
| Sienna                                 | ♦2004 - 2010 | ★ ✓    | ✓               |
| Sienna                                 | ♦2011 - 2020 | ★ ✓    | ✓               |
| Sienna                                 | 2021 - 2026  | ✓      | ✓               |
| Tacoma Access Cab - Suicide door       | 2005 - 2015  | ✓      | ✓               |
| Tacoma Double Cab - 4 reg. door        | 2005 - 2015  | ✓      | ✓               |
| Tacoma Double Cab - 4 reg. door        | 2016 - 2023  | ✓      | ✓               |
| Tacoma Access Cab - Suicide door       | 2016 - 2023  | ✓      | ✓               |
| Tundra Double Cab - 4 door (2 smaller) | 2014 - 2021  | ✓      | ✓               |
| Tundra Crew Max - 4 door               | 2014 - 2021  | ✓      | ✓               |
| VOLKSWAGEN                             |              | DRIVER | FRONT PASSENGER |
| Routan                                 | ♦2009 - 2012 | ★ ✓    | ✓               |
| Atlas                                  | 2018 - 2026  | ✓      | ✓               |

Notes to specific applications marked \* on the XL-SEAT/ASENTO QUICK REFERENCE

|         |                       |           |                                                            |
|---------|-----------------------|-----------|------------------------------------------------------------|
| ASENTO  | Ram 2500 / 3500       | 2019-2026 | * NOT AVAILABLE. Space and transfer height not compatible. |
| XL-SEAT | Jeep Wrangler– 4 Door | 2007-2018 | *NOT AVAILABLE for JL model (2018)                         |
| ASENTO  | F-150 Super Cab       | 2009-2014 | *NOT AVAILABLE for model with ONLY 2 DOORS.                |
| ASENTO  | F-150 Super Cab       | 2009-2014 | *NOT AVAILABLE for model with ONLY 2 DOORS.                |
| ASENTO  | Ranger Super Cab      | 2019-2023 | *NOT AVAILABLE.                                            |
| ASENTO  | Expedition            | 2018-2024 | *NOT AVAILABLE for model with MANUAL SEAT.                 |
| ASENTO  | Explorer              | 2020-2026 | *NOT AVAILABLE for model with MANUAL SEAT.                 |
| ASENTO  | Blazer                | 2019-2026 | *NOT AVAILABLE for ELECTRIC MODEL (Blazer EV)              |
| ASENTO  | Sierra\ Silverado     | 2019-2026 | *NOT AVAILABLE for ELECTRIC MODEL                          |
| ASENTO  | Terrain\ Equinox      | 2018-2024 | *NOT AVAILABLE for ELECTRIC MODEL                          |
| ASENTO  | Palisade              | 2020-2025 | *NOT AVAILABLE for model with MANUAL SEAT.                 |
| ASENTO  | Telluride             | 2020-2025 | *NOT AVAILABLE for model with MANUAL SEAT.                 |
| ASENTO  | Navigator             | 2018-2024 | *NOT AVAILABLE for model with PERFECT POSITION SEAT.       |
| ASENTO  | Carnival              | 2022-2026 | *NOT AVAILABLE for model with MANUAL SEAT (Driver).        |
| XL-SEAT | Rav 4                 | 2013-2018 | *NOT AVAILABLE for model with POWER SEATS.                 |

\*ESTIMATED height

ADAPT SOLUTIONS  
BACK  
12-2025

◆ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for estimated lead time.

★ = HI-LIFT available with XL-SEAT. HI-LIFT NOT AVAILABLE with ASENTO

**ASENTO** | PAGE 1 OF 4

The ASENTO is available in driver & front passenger positions

**HI-LIFT** NOT AVAILABLE with **ASENTO**



| 2021-2026                                                                                                      | Grand Caravan              |                                                                        |
|----------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------|
| EV-CHR17                                                                                                       |                            | *Height: 21" / Average install: 2-4 hrs                                |
| Lower B-pillar shroud must be modified.                                                                        |                            | Seatbelt pre-tensioner must be relocated.                              |
| 2017-2026                                                                                                      | Pacifica                   |                                                                        |
| EV-CHR17                                                                                                       |                            | *Height: 21" / Average install: 2-4 hrs                                |
| Lower B-pillar shroud must be modified.                                                                        |                            | Seatbelt pre-tensioner must be relocated.                              |
| <b>Compatible with HYBRID model.</b>                                                                           |                            |                                                                        |
| 2020-2026                                                                                                      | Voyager                    |                                                                        |
| EV-CHR17                                                                                                       |                            | *Height: 21" / Average install: 2-4 hrs                                |
| Lower B-pillar shroud must be modified.                                                                        |                            | Seatbelt pre-tensioner must be relocated.                              |
| 2019-2026                                                                                                      | Ram 1500 Crew Cab – 4 door |                                                                        |
| EV-RAMQ19                                                                                                      |                            | *Height: 24" / Average install: 3-5 hrs                                |
| Doorsill shrouds must be cut   STENCIL PROVIDED.                                                               |                            | Lower B pillar shroud replaced   PROVIDED.                             |
| ⤴ Please specify if <b>POWER SEATS</b>   <b>additional parts supplied. Buttons relocated to front of seat.</b> |                            | ⤴ Please specify if <b>NEW BODY STYLE</b> or <b>CLASSIC-2018 MODEL</b> |
| <b>PASSENGER SIDE ONLY:</b> Jack kit assembly must be relocated.                                               |                            |                                                                        |
| 2019-2026                                                                                                      | Ram 1500 Quad Cab – 4 door |                                                                        |
| EV-RAMQ19                                                                                                      |                            | *Height: 24" / Average install: 3-5 hrs                                |
| Doorsill shrouds must be cut   STENCIL PROVIDED.                                                               |                            | Lower B pillar shroud replaced   PROVIDED.                             |
| ⤴ Please specify if <b>POWER SEATS</b>   <b>additional parts supplied. Buttons relocated to front of seat.</b> |                            | ⤴ Please specify if <b>NEW BODY STYLE</b> or <b>CLASSIC-2018 MODEL</b> |
| <b>PASSENGER SIDE ONLY:</b> Jack kit assembly must be relocated.                                               |                            |                                                                        |



| 2015-2024                                                                     | Edge                                        |                                                            |
|-------------------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------|
| EV-EDG15                                                                      |                                             | *Height: 22½" / Average install: 2-4 hrs                   |
| Lower B-pillar shroud must be modified.                                       |                                             |                                                            |
| 2018-2024                                                                     | Expedition / Navigator                      |                                                            |
| EV-EXP18                                                                      |                                             | *Height: 25.75" / Average install: 3-5 hrs                 |
| Lower B-pillar shroud must be modified.   STENCIL PROVIDED                    |                                             | OEM Seat trim must be modified                             |
| <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT.</b>                       |                                             | Power seat buttons relocated to the front of the seat      |
| <b>NOT AVAILABLE</b> for model with <b>PERFECT POSITION SEAT (Navigator).</b> |                                             |                                                            |
| 2020-2026                                                                     | Explorer                                    |                                                            |
| EV-EXL20                                                                      |                                             | *Height: 22" / Average install: 2-4 hrs                    |
| Lower B-pillar shroud must be modified.   STENCIL PROVIDED                    |                                             | <b>NOT AVAILABLE</b> for model with <b>MANUAL SEAT.</b>    |
| 2017-2026                                                                     | Raptor Super Crew Cab - 4 door              |                                                            |
| EV-F150C18                                                                    |                                             | *Height: 28" / Average install: 2-4 hrs                    |
| Upper B-pillar shroud modified.                                               |                                             | Lower B-pillar shroud must be modified.   STENCIL PROVIDED |
| 2018-2026                                                                     | F-150 Super Crew Cab – 4 door               |                                                            |
| EV-F150C18                                                                    |                                             | *Height: 26" / Average install: 2-4 hrs                    |
| Upper B-pillar shroud modified.                                               |                                             | Lower B-pillar shroud must be modified.   STENCIL PROVIDED |
| 2017-2026                                                                     | F-250, F-350, F-450 Super Crew Cab – 4 door |                                                            |
| EV-F150C18                                                                    |                                             | *Height: 28" / Average install: 2-4 hrs                    |
| Upper B-pillar shroud modified.                                               |                                             | Lower B-pillar shroud must be modified.   STENCIL PROVIDED |
| 2016-2022                                                                     | Lincoln MKX / Nautilus                      |                                                            |
| EV-EDG15                                                                      |                                             | *Height: 22½" / Average install: 2-4 hrs                   |
| Lower B-pillar shroud must be modified.                                       |                                             |                                                            |
| 2019-2023                                                                     | Ranger Super Crew Cab                       |                                                            |
| EV-RNG19                                                                      |                                             | *Height: 25" / Average install: 3-5 hrs                    |
| Lower B-pillar shroud must be modified.   STENCIL PROVIDED                    |                                             | OEM seat trim must be modified.   STENCIL PROVIDED         |
| 2024-2026                                                                     | Ranger Super Crew Cab                       |                                                            |
| EV-RNG24                                                                      |                                             | *Height: 25 ¾" / Average install: 2-4 hrs                  |
| Lower B-pillar shroud must be modified.   STENCIL PROVIDED                    |                                             |                                                            |

\*ESTIMATED height

ADAPT SOLUTIONS

BACK

12-2025



|                                                                                                                                                                                                                                                                           |                                                                     |                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2017-2023                                                                                                                                                                                                                                                                 | Acadia                                                              |                                                                                                                                                                     |
| EV-ACA17                                                                                                                                                                                                                                                                  |                                                                     | *Height: 21" / Average install: 2-4 hrs<br>⇨ Please specify if POWER SEATS   additional parts supplied.                                                             |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>If equipped with manual seats, recline handle is replaced   PROVIDED                                                                                                                                             |                                                                     |                                                                                                                                                                     |
| 2019-2026                                                                                                                                                                                                                                                                 | Blazer                                                              |                                                                                                                                                                     |
| EV-BLZ19                                                                                                                                                                                                                                                                  |                                                                     | *Height: 21"-23" / Average install: 2-4 hrs<br>⇨ Please specify if POWER SEATS   additional parts supplied.<br><b>*NOT AVAILABLE for ELECTRIC MODEL (Blazer EV)</b> |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>If equipped with manual seats, recline handle is replaced   PROVIDED                                                                                                                                             |                                                                     |                                                                                                                                                                     |
| 2015-2022                                                                                                                                                                                                                                                                 | Canyon / Colorado Extended Cab - Suicide door                       |                                                                                                                                                                     |
| EV-COLX15                                                                                                                                                                                                                                                                 |                                                                     | *Height: 25" / Average install: 3-5 hrs                                                                                                                             |
| Seat shroud must be modified   PARTS SUPPLIED.                                                                                                                                                                                                                            |                                                                     |                                                                                                                                                                     |
| 2015-2022                                                                                                                                                                                                                                                                 | Canyon / Colorado Crew Cab - 4 door                                 |                                                                                                                                                                     |
| EV-COLC15                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24.5" / Average install: 3-5 hrs                                                                                                                           |
| Seat shroud must be modified   PARTS SUPPLIED.<br>Lower B-pillar shroud must be modified.                                                                                                                                                                                 |                                                                     |                                                                                                                                                                     |
| 2014-2018                                                                                                                                                                                                                                                                 | Sierra / Silverado Double Cab - 4 door (2 smaller)                  |                                                                                                                                                                     |
| EV-SILC14                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24" (4x4) / Average install: 2-4 hrs                                                                                                                       |
| Lower B-pillar shroud must be modified.<br>Seat shroud must be modified   PARTS SUPPLIED.                                                                                                                                                                                 |                                                                     |                                                                                                                                                                     |
| 2014-2018                                                                                                                                                                                                                                                                 | Sierra / Silverado Crew Cab - 4 door                                |                                                                                                                                                                     |
| EV-SILC14                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24" (4x4) / Average install: 2-4 hrs                                                                                                                       |
| Lower B-pillar shroud must be modified.<br>Seat shroud must be modified   PARTS SUPPLIED.                                                                                                                                                                                 |                                                                     |                                                                                                                                                                     |
| 2019-2026                                                                                                                                                                                                                                                                 | Sierra / Silverado Double Cab - 4 door                              |                                                                                                                                                                     |
| EV-SILC19                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24.5" (4x4) / Average install: 3-5 hrs                                                                                                                     |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>⇨ Please specify if 12/16 WAY SEATS   additional parts supplied.<br>⇨ Please specify if POWER SEATS   additional parts supplied. Buttons relocated to front of seat.<br><b>*NOT AVAILABLE for ELECTRIC MODEL</b> |                                                                     |                                                                                                                                                                     |
| 2019-2026                                                                                                                                                                                                                                                                 | Sierra / Silverado Crew Cab - 4 door                                |                                                                                                                                                                     |
| EV-SILC19                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24.5" (4x4) / Average install: 3-5 hrs                                                                                                                     |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>⇨ Please specify if 12/16 WAY SEATS   additional parts supplied.<br>⇨ Please specify if POWER SEATS   additional parts supplied. Buttons relocated to front of seat.<br><b>*NOT AVAILABLE for ELECTRIC MODEL</b> |                                                                     |                                                                                                                                                                     |
| 2015-2019                                                                                                                                                                                                                                                                 | Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab) |                                                                                                                                                                     |
| EV-SILC14                                                                                                                                                                                                                                                                 |                                                                     | *Height: 25 & 24" • (4X4) / Average install: 2-4 hrs                                                                                                                |
| Lower B-pillar shroud must be modified.<br>• 2500 model is one inch higher off the ground than the 3500 model.                                                                                                                                                            |                                                                     |                                                                                                                                                                     |
| 2020-2026                                                                                                                                                                                                                                                                 | Sierra / Silverado HD (2500/3500) – All models (Double or Crew Cab) |                                                                                                                                                                     |
| EV-SILC19                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24.5" • / Average install: 2-4 hrs                                                                                                                         |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>⇨ Please specify if 12/16 WAY SEATS   additional parts supplied.<br>⇨ Please specify if POWER SEATS   additional parts supplied. Buttons relocated to front of seat.<br><b>*NOT AVAILABLE for ELECTRIC MODEL</b> |                                                                     |                                                                                                                                                                     |
| • Transfer height may vary with tires, wheels and suspension.                                                                                                                                                                                                             |                                                                     |                                                                                                                                                                     |
| 2015-2020                                                                                                                                                                                                                                                                 | Escalade / Suburban / Tahoe / Yukon - All models                    |                                                                                                                                                                     |
| EV-SILC14                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24" (4x4) / Average install: 2-4 hrs                                                                                                                       |
| Lower B-pillar shroud must be modified.                                                                                                                                                                                                                                   |                                                                     |                                                                                                                                                                     |
| 2021-2026                                                                                                                                                                                                                                                                 | Escalade / Suburban / Tahoe / Yukon - All models                    |                                                                                                                                                                     |
| EV-SILC19                                                                                                                                                                                                                                                                 |                                                                     | *Height: 24.5" (4x4) / Average install: 3-5 hrs                                                                                                                     |
| Lower B pillar shroud must be cut   STENCIL PROVIDED.<br>⇨ Please specify if 12/16 WAY SEATS   additional parts supplied.<br>⇨ Please specify if POWER SEATS   additional parts supplied. Buttons relocated to front of seat.                                             |                                                                     |                                                                                                                                                                     |
| 2018-2024                                                                                                                                                                                                                                                                 | Terrain / Equinox                                                   |                                                                                                                                                                     |
| EV-TER18                                                                                                                                                                                                                                                                  |                                                                     | *Height: 21" / Average install: 3-5 hrs                                                                                                                             |

\*ESTIMATED height

Lower B-pillar shroud must be modified.

☞Please specify if **POWER SEAT**.

**\*NOT AVAILABLE for ELECTRIC MODEL**

Lower seat shroud must be replaced | PROVIDED.

Seat recline handle must be replaced in manual seat model | PROVIDED.

## 2018-2024 Traverse / Enclave

EV-TRV18

Seat shroud must be modified | STENCIL PROVIDED.

\*Height: 21" / Average install: 3-5 hrs

Lower B-pillar shroud must be modified.

**ASENTO** | PAGE 3 OF 4

The **ASENTO** is available in driver & front passenger positions

**HI-LIFT** NOT AVAILABLE with **ASENTO**



## 2018-2026 Odyssey

EV-HDA18

Lower B-pillar shroud must be modified.

\*Height: 21" / Average install: 2-4 hrs



## 2020-2025 Palisade

EV-PAL20

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

**\*NOT AVAILABLE for model with MANUAL SEAT**

\*Height: 20 7/8" / Average install: 2-4 hrs



## 2024-2026 EV9

EV-EV924

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

\*Height: 22-1/2" / Average install: 2-4 hrs

## 2022-2026 Carnival

EV-KIA22

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

**OEM seat controls wire must be cut and extended**

\*Height: 21" / Average install: 4-6 hrs

Power seat controls must be relocated to the front of the seat

**\*NOT AVAILABLE for model with MANUAL SEAT (Driver).**

## 2020-2025 Telluride

EV-PAL20

Lower B-pillar shroud must be modified. | STENCIL PROVIDED.

**\*NOT AVAILABLE for model with MANUAL SEAT**

\*Height: 20 7/8" / Average install: 2-4 hrs



## 2016-2023 Metris

EV-MET16

Lower B-pillar shroud must be modified.

\*Height: 22" / Average install: 2-4 hrs



## 2022-2026 Ariya

EV-ARY22

Lower B-pillar shroud must be modified. | STENCIL PROVIDED

\*ESTIMATED height

\*Height: 21" / Average install: 2-4 hrs

MANUAL SEAT model: seat handle must be replaced | provided

ADAPT SOLUTIONS

BACK

12-2025

➤ Please specify if equipped with power seats.

## 2014-2018 Forester

EV-FOR14

Lower B-pillar shroud must be modified.

\*Height: 20.5" / Average install: 2-4 hrs

## ASENTO | PAGE 4 OF 4

The ASENTO is available in driver & front passenger positions

HI-LIFT NOT AVAILABLE with ASENTO



## 2015-2020 Tesla X

EV-TESX15

Lower B-pillar shroud must be modified - STENCIL PROVIDED  
(Black trims will be supplied for all interiors)

\*Height: 19" / Average install: 2-4 hrs

## 2021-2026 Tesla X

EV-TESX21

Lower B-pillar shroud must be modified - STENCIL PROVIDED

\*Height: 19" / Average install: 2-4 hrs



## 2021-2026 Sienna

EV-TOY21

MANUAL SEAT model: seat handle must be replaced | provided  
(Black trims will be supplied for all interiors)

➤ Please specify if SEAT is equipped with LUMBAR SUPPORT.

➤ Please specify if POWERED SEATS. OEM seat trim must be modified - STENCIL NOT PROVIDED FOR RIGHT - Parts supplied. Buttons relocated to front of seat.

\*Height: 20 3/4" / Average install: 2-4 hrs

Lower B-pillar shroud must be modified.  
Limited legroom and headroom due to door dimensions.

## 2016-2023 Tacoma Access Cab - Suicide door

EV-TACA16

Modification of the doorsill moulding required.

\*Height: 24.5" / Average install: 2-4 hrs

## 2014-2021 Tundra Double Cab - 4 door (2 smaller)

EV-TUN14

Lower B-pillar shroud must be modified.

\*Height: 25.5" / Average install: 2-4 hrs

## 2014-2021 Tundra Crew Max - 4 door

EV-TUN14

Lower B-pillar shroud must be modified.

\*Height: 25.5" / Average install: 2-4 hrs

## 2019-2025 Rav 4

EV-RAV19

Seat handles must be replaced | PROVIDED.

➤ Please specify if POWER SEATS | additional parts supplied. Shroud must be modified. Buttons relocated to front of seat.

\*Height: 23" / Average install: 3-5 hrs

Compatible with HYBRID model.

## 2014-2019 Highlander

EV-HLD14

Lower B-pillar shroud must be modified.

\*Height: 22" / Average install: 2-4 hrs

Compatible with HYBRID model.



Volkswagen

## 2018-2026 Atlas

\*ESTIMATED height

ADAPT SOLUTIONS

BACK

12-2025



★ = Available with HI-LIFT

**2008-2020 Caravan / Town & Country** (★discontinued 2016)

**XLS-CHRG08 ★ Available with HI-LIFT**

Removal or modification of doorsill moulding required.

**If power seat, controls may need to be relocated.**
**\*Height: 18" / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

☞ **Please specify if equipped with power seats.**
**2003-2009 ♦ Ram Reg Cab - 2 door (1500, 2500, 3500)**
**XLS-RAMR02**
**If power seat, controls may need to be relocated.**

The seatbelt anchor must be connected to our equipment.

**OEM Map pocket may need to be removed or modified on some models**
**\*Height: 27" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

**2003-2009 ♦ Ram Quad Cab- 4 door (1500, 2500, 3500)**
**XLS-RAMQ02**

Lower B-pillar trim to be replaced by one provided for driver side.

The OEM B-pillar trim and shrouds need to be trimmed for passenger side.

The seatbelt retractor must be relocated to our equipment.

**\*Height: 27" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

**OEM Map pocket may need to be removed or modified on some models**
**2009-2024 Ram 1500 Quad Cab CLASSIC- 4 door**
**XLS-RAMQ09**

Tight application. Trims may get scratched.

**If power seat, controls may need to be relocated.**

Seat reclining handles will have to be replaced with those provided.

**\*Height: 27" (4X4) / Average install: 2-4 hrs**

Lower B-pillar trim to be replaced by one provided.

Removal or modification of doorsill moulding required.

**2009-2024 Ram 1500 Crew Cab - 4 door**
**XLS-RAMQ09**

Lower B-pillar trim to be replaced by one provided.

**If power seat, controls may need to be relocated.**

Tight application. Trims may get scratched.

**\*Height: 27" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

Removal or modification of doorsill moulding required.

**2006-2009 ♦ Ram Mega Cab - 4 big doors (1500, 2500, 3500)**
**XLS-RAMQ02**

Lower B-pillar trim to be replaced by one provided for driver side.

The OEM B-pillar trim and shrouds need to be trimmed for passenger side.

Seat reclining handles will have to be replaced with those provided.

**\*Height: 27" (4X4) / Average install: 2-4 hrs**

The seatbelt retractor must be relocated to our equipment.

**OEM Map pocket may need to be removed or modified on some models**
**2010-2018 Ram 2500/3500 Crew/Mega Cab - 4 doors**
**XLS-RAMQ09**

Lower B-pillar trim to be replaced by one provided.

**If power seat, controls may need to be relocated.**

Tight application. Trims may get scratched.

**\*Height: 27" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.

Removal or modification of doorsill moulding required.

**2007-2018 Jeep Wrangler - 4 door**
**XLS-WRG07**

Lower B-pillar trim to be replaced by one provided.

**\*NOT AVAILABLE for JL model (2018)**
**\*Height: 27.5" (4X4) / Average install: 2-4 hrs**

Seat reclining handles will have to be replaced with those provided.




★ = Available with **HI-LIFT**

| 2006-2008 ♦                                                                                                 | Mark LT - 4 door                           |                                                                                                       |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------|
| XLS-F150C04                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| Removal or modification of doorsill moulding required.<br>If power seat, controls may need to be relocated. |                                            | Tight application. Trims may get scratched.                                                           |
| 2004-2008 ♦                                                                                                 | F-150 Reg Cab - 2 door                     |                                                                                                       |
| XLS-F150S04                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| Removal or modification of doorsill moulding required.<br>If power seat, controls may need to be relocated. |                                            | Tight application. Trims may get scratched.                                                           |
| 2009-2010 ♦                                                                                                 | F-150 Reg Cab - 2 door, small suicide door |                                                                                                       |
| XLS-F150C09                                                                                                 |                                            | *Height: 24.5" (4X4) / Average install: 2-4 hrs                                                       |
| The OEM B-pillar trim will need to be trimmed.<br>If power seat, controls may need to be relocated.         |                                            | Tight application. Trims may get scratched.<br>Removal or modification of doorsill moulding required. |
| 2004-2008 ♦                                                                                                 | F-150 Super Cab - Suicide door             |                                                                                                       |
| XLS-F150S04                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| Removal or modification of doorsill moulding required.<br>If power seat, controls may need to be relocated. |                                            | Tight application. Trims may get scratched.                                                           |
| 2009-2014 ♦                                                                                                 | F-150 Super Cab - Suicide door             |                                                                                                       |
| XLS-F150S09                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| The OEM B-pillar trim will need to be trimmed.<br>NOT AVAILABLE for model with ONLY 2 DOORS.                |                                            | Removal or modification of doorsill moulding required.                                                |
| 2015-2026                                                                                                   | F-150 Super Cab - Suicide door             |                                                                                                       |
| XLS-F150S15                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| Interior door panel must be modified   STENCIL & REPLACEMENT CUTOUT PROVIDED                                |                                            |                                                                                                       |
| 2011-2016 ♦                                                                                                 | Raptor Super Cab - Suicide door            |                                                                                                       |
| XLS-F150S09                                                                                                 |                                            | *Height: 26.5" (4X4) / Average install: 2-4 hrs                                                       |
| The OEM B-pillar trim will need to be trimmed.                                                              |                                            | Removal or modification of doorsill moulding required.                                                |
| 2017-2026                                                                                                   | Raptor Super Cab - Suicide door            |                                                                                                       |
| XLS-F150S15                                                                                                 |                                            | *Height: 27.5" (4X4) / Average install: 2-4 hrs                                                       |
| Interior door panel must be modified   STENCIL & REPLACEMENT CUTOUT PROVIDED                                |                                            |                                                                                                       |

\*ESTIMATED height

ADAPT SOLUTIONS

BACK

12-2025



★ = Available with **HI-LIFT**

|                                                                                                                                                                                                 |                                                                                                                                                                                                     |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>2004-2008 ♦</b>                                                                                                                                                                              | <b>F-150 Super Crew Cab - 4 door</b>                                                                                                                                                                |  |
| <b>XLS-F150C04</b><br>The OEM B-pillar trim will need to be trimmed.<br><b>If power seat, controls may need to be relocated.</b>                                                                | <b>*Height: 26.5" (4X4) / Average install: 2-4 hrs</b><br>Tight application. Trims may get scratched.<br>Removal or modification of doorsill moulding required.                                     |  |
| <b>2009-2014 ♦</b>                                                                                                                                                                              | <b>F-150 Super Crew Cab - 4 door</b>                                                                                                                                                                |  |
| <b>XLS-F150C09</b><br>The OEM B-pillar trim will need to be trimmed.                                                                                                                            | <b>*Height: 25.5" (4X4) / Average install: 2-4 hrs</b><br>The seat belt detonator must be relocated to the floor adaptor.                                                                           |  |
| <b>2015-2017</b>                                                                                                                                                                                | <b>F-150 Super Crew Cab - 4 door</b>                                                                                                                                                                |  |
| <b>XLS-F150C15</b><br><b>The OEM B-pillar shroud will need to be trimmed   STENCIL PROVIDED.</b><br><b>If power seat, controls may need to be relocated.</b>                                    | <b>*Height: 24.5" (4X4) / Average install: 2-4 hrs</b><br>Tight application. Trims may get scratched.<br>Removal or modification of doorsill moulding required.                                     |  |
| <b>2011-2016 ♦</b>                                                                                                                                                                              | <b>Raptor Super Crew Cab - 4 door</b>                                                                                                                                                               |  |
| <b>XLS-F150C09</b><br>The OEM B-pillar trim will need to be trimmed.                                                                                                                            | <b>*Height: 25.5" (4X4) / Average install: 2-4 hrs</b><br>The seat belt detonator must be relocated to the floor adaptor.                                                                           |  |
| <b>2008-2016 ♦</b>                                                                                                                                                                              | <b>F-250, F-350, F-450 Super Cab - Suicide door</b>                                                                                                                                                 |  |
| <b>XLS-F250S08</b><br>Tight application. Trims may get scratched.<br><b>If power seat, controls may need to be relocated.</b>                                                                   | <b>*Height: 27" (4X4) / Average install: 2-4 hrs</b><br>Removal or modification of doorsill moulding required.<br><b>This installation requires bolting to the rocker panel.</b>                    |  |
| <b>2008-2016 ♦</b>                                                                                                                                                                              | <b>F-250, F-350, F-450 Crew Cab - 4 door</b>                                                                                                                                                        |  |
| <b>XLS-F250C08</b><br>Tight application. Trims may get scratched.<br><b>If power seat, controls may need to be relocated.</b><br><b>This installation requires bolting to the rocker panel.</b> | <b>*Height: 27" (4X4)</b><br>Removal or modification of doorsill moulding required.<br>The seatbelt retractor must be relocated to our equipment.<br>The OEM B-pillar trim will need to be trimmed. |  |
| <b>2017-2026</b>                                                                                                                                                                                | <b>F-250, F-350, F-450 Super Cab - Suicide door</b>                                                                                                                                                 |  |
| <b>XLS-F150S15</b><br><b>Interior door panel must be modified, STENCIL &amp; CUTOUT PROVIDED</b>                                                                                                | <b>• *Height: 27" (4X4) / Average install: 2-4 hrs</b><br>• 2017 Ford F-250 & F-350 4X4 model sit 1" lower than the 2017 F-150.                                                                     |  |
| <b>2011-2014</b>                                                                                                                                                                                | <b>Sierra / Silverado Crew Cab-1500- 4 door</b>                                                                                                                                                     |  |
| <b>XLS-EDG11</b><br>Seat reclining handles will have to be replaced with those provided.                                                                                                        | <b>*Height: 21"</b><br>The OEM B-pillar trim will need to be trimmed.                                                                                                                               |  |
| <b>2011-2019</b>                                                                                                                                                                                | <b>Explorer</b>                                                                                                                                                                                     |  |
| <b>XLS-EXL11</b><br>The OEM B-pillar trim will need to be trimmed.                                                                                                                              | <b>*Height: 23.5"</b><br>Tight application. Trims may get scratched.                                                                                                                                |  |


★ = Available with **HI-LIFT**

|                                                                                                                                                                                                                                                                                                    |                                                                        |                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>2007-2010 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Avalanche</b>                                                       |                                                                                                                                                                                                                                  |
| <b>XLS-SILC07</b><br>Tight application. Trims may get scratched.                                                                                                                                                                                                                                   |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b>                                                                                                                                                                         |
| <b>2011-2013 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Avalanche</b>                                                       |                                                                                                                                                                                                                                  |
| <b>XLS-SILC11</b><br><b>If power seat, controls may need to be relocated.</b>                                                                                                                                                                                                                      |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Lower B-pillar trim to be replaced by one provided.                                                                                                                  |
| <b>2004-2012 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Canyon / Colorado Extended Cab - Suicide door</b>                   |                                                                                                                                                                                                                                  |
| <b>XLS-COLX04</b><br>Seat reclining handles will have to be replaced with those provided.                                                                                                                                                                                                          |                                                                        | <b>*Height: 21" (2X4) / Average install: 2-4 hrs</b><br>Removal or modification of doorsill moulding required.                                                                                                                   |
| <b>1999-2006 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Regular Cab - 2 door</b>                         |                                                                                                                                                                                                                                  |
| <b>XLS-SILR99</b><br>Tight application. Trims may get scratched.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                                        |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br><b>If power seat, controls may need to be relocated.</b>                                                                                                             |
| <b>1999-2002 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Extended Cab - Without suicide door</b>          |                                                                                                                                                                                                                                  |
| <b>XLS-SILR99</b><br><b>This installation requires bolting to the rocker panel.</b><br><b>If power seat, controls may need to be relocated.</b><br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                         |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Removal or modification of doorsill moulding required.<br>The OEM B-pillar trim will need to be trimmed.                                                             |
| <b>2001-2006 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Extended Cab - Suicide door</b>                  |                                                                                                                                                                                                                                  |
| <b>XLS-SILX03</b><br>Seat reclining handles will have to be replaced with those provided.<br><b>If power seat, controls may need to be relocated.</b><br><b>This installation requires bolting to the rocker panel.</b><br><b>OEM Map pocket may need to be removed or modified on some models</b> |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>•Transfer height may vary with tires, wheels and suspension.<br>Removal or modification of doorsill moulding required.<br>The OEM map pocket may need to be removed. |
| <b>2007-2013 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Extended Cab - Suicide door</b>                  |                                                                                                                                                                                                                                  |
| <b>XLS-SILX07</b><br>The seatbelt retractor must be relocated to our equipment.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                         |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Removal or modification of doorsill moulding required.                                                                                                               |
| <b>2007-2010 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Crew Cab - 4 door</b>                            |                                                                                                                                                                                                                                  |
| <b>XLS-SILC07</b><br>Tight application. Trims may get scratched.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                                        |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b>                                                                                                                                                                         |
| <b>2011-2013 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado Crew Cab - 4 door</b>                            |                                                                                                                                                                                                                                  |
| <b>XLS-SILC11</b><br><b>If power seat, controls may need to be relocated.</b><br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                           |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Lower B-pillar trim to be replaced by one provided.                                                                                                                  |
| <b>2007-2014 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado HD (2500/3500) – Extended Cab – Suicide door</b> |                                                                                                                                                                                                                                  |
| <b>XLS-SILX07</b><br>Tight application. Trims may get scratched.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                                        |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b>                                                                                                                                                                         |
| <b>2007-2010 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door</b>           |                                                                                                                                                                                                                                  |
| <b>XLS-SILC07</b><br>Tight application. Trims may get scratched.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                                        |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b>                                                                                                                                                                         |
| <b>2011-2014 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Sierra / Silverado HD (2500/3500) – Crew Cab - 4 door</b>           |                                                                                                                                                                                                                                  |
| <b>XLS-SILC11</b><br><b>If power seat, controls may need to be relocated.</b><br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                           |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Lower B-pillar trim to be replaced by one provided.                                                                                                                  |
| <b>2007-2010 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Escalade / Suburban / Tahoe / Yukon - All models</b>                |                                                                                                                                                                                                                                  |
| <b>XLS-SILC07</b><br>Tight application. Trims may get scratched.<br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                                        |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b>                                                                                                                                                                         |
| <b>2011-2014 ♦</b>                                                                                                                                                                                                                                                                                 | <b>Escalade / Suburban / Tahoe / Yukon - All models</b>                |                                                                                                                                                                                                                                  |
| <b>XLS-SILC11</b><br><b>If power seat, controls may need to be relocated.</b><br><b>OEM Map pocket may need to be removed or modified on some models</b>                                                                                                                                           |                                                                        | <b>*Height: 24"-25" (4X4) / Average install: 2-4 hrs</b><br>Lower B-pillar trim to be replaced by one provided.                                                                                                                  |

\*ESTIMATED height


**2005-2010 ♦ Odyssey**
**XLS-HDA05 ★ Available with HI-LIFT**

 Tight application. Trims may get scratched.  
 The seatbelt anchor must be connected to our equipment.

**\*Height: 18" / Average install: 2-4 hrs**
**If power seat, controls may need to be relocated.**
**2011-2017 ♦ Odyssey**
**XLS-HDA11**

 Tight application. Trims may get scratched.  
 The OEM B-pillar trim will need to be trimmed.

**\*Height: 21" / Average install: 2-4 hrs**
**If power seat, controls may need to be relocated.**

**2015-2021 Sedona**
**XLS-KIA16**

Lower B pillar shroud needs to be cut | STENCIL PROVIDED.

**\*Height: 20.5" / Average install: 2-4 hrs**

Seat shroud must be cut | STENCIL &amp; MODIFIED TRIM PROVIDED


**2004-2010 ♦ Sienna**
**XLS-TOY04 ★ Available with HI-LIFT**
**If power seat, controls may need to be relocated.**
**\*Height: 18" / Average install: 2-4 hrs**
**2011-2020 ♦ Sienna**
**XLS-TOY11 ★ Available with HI-LIFT**

Tight application. Trims may get scratched.

**\*Height: 22" / Average install: 2-4 hrs**
**If power seat, controls may need to be relocated.**
**2005-2015 Tacoma Access Cab - Suicide door**
**XLS-TACA05**

The OEM seat and door trim will need to be trimmed.

**\*Height: 24.5" (4X4) / Average install: 2-4 hrs**
**2005-2015 Tacoma Double Cab – 4 reg. door**
**XLS-TACD05**

The OEM B-pillar trim will need to be trimmed.

**\*Height: 24.5" (4X4) / Average install: 2-4 hrs**

Removal or modification of doorsill moulding required.

**2016-2023 Tacoma Double Cab – 4 reg. door**
**XLS-TACD16**

The OEM B-pillar trim removed and replaced | PROVIDED

**\*Height: 25.5" (4X4) / Average install: 2-4 hrs**
**2010-2024 4 Runner**
**XLS-T4R10**

Tight application. Trims may get scratched.

**\*Height: 25.5" (4X4) / Average install: 2-4 hrs**

The OEM B-pillar trim will need to be trimmed.

**2006-2012 ♦ RAV 4**
**XLS-RAV06**

Seat reclining handles will have to be replaced with those provided.

**\*Height: 21.5" / Average install: 2-4 hrs**
**If power seat, controls may need to be relocated.**
**2013-2018 ♦ RAV 4**
**XLS-RAV13**

 Tight application. Trims may get scratched.  
 Seat reclining handles will have to be replaced with those provided.

**\*Height: 21" / Average install: 2-4 hrs**
**NOT AVAILABLE if equipped with power seats**

\*ESTIMATED height





**Volkswagen**

★ = Available with **HI-LIFT**

**2009-2012 ♦**

**Routan**

**XLS-CHRG08 ★ Available with HI-LIFT**

Seat reclining handles will have to be replaced with those provided.

**If power seat, controls may need to be relocated.**

**\*Height: 18" / Average install: 2-4 hrs**

Removal or modification of doorsill moulding required.

# SPEEDY-LIFT



## FIND A DEALER

Looking for a dealer near you or a client, use our interactive map to find one.



## HOW IT WORKS VIDEO

In just a few minutes, see all the key features of the product.



## PRODUCT VIDEO

Overview of the ASENTO & SPEEDY-LIFT in motion with music.



## HIGHLIGHTS:

- Fast moving complete with automatic locking mechanism.
- Takes up very little space; in most applications only one seat is removed.
- 95 lbs capacity.
- 3-year warranty.
- Adapter available for folding chairs – less than 2 lbs and easily removed.

**Part # SL-WCBR-00**



## THINGS TO NOTE

Designed for mid-row in minivans, manual rigid or folding frame wheelchair.

# SPEEDY-LIFT QUICK REFERENCE

The SPEEDY-LIFT is available in the mid-row on the driver & passenger side

| CHRYSLER                                                                       |                                               |              |
|--------------------------------------------------------------------------------|-----------------------------------------------|--------------|
| Caravan / Town & Country - Stow 'N Go                                          |                                               | 2005 - 2007  |
| Town & Country - Swivel 'N Go                                                  |                                               | 2008 - 2011  |
| Caravan / Town & Country                                                       |                                               | ♦2008 - 2020 |
| Grand Caravan                                                                  |                                               | *2021 - 2026 |
| Pacifica                                                                       |                                               | *2017 - 2026 |
| Voyager * (USA)                                                                |                                               | 2020 - 2026  |
| HONDA                                                                          |                                               |              |
| Odyssey                                                                        |                                               | ♦2005 - 2010 |
| Odyssey                                                                        |                                               | ♦2011 - 2017 |
| Odyssey                                                                        |                                               | 2018 - 2026  |
| KIA                                                                            |                                               |              |
| Sedona                                                                         |                                               | *2015 - 2021 |
| Carnival                                                                       |                                               | 2022 - 2026  |
| MAZDA                                                                          |                                               |              |
| Mazda 5                                                                        | *Discontinued in USA in 2015, 2017 in Canada. | ♦2006 - 2017 |
| MERCEDES                                                                       |                                               |              |
| Metris                                                                         |                                               | 2016 - 2023  |
| TESLA                                                                          |                                               |              |
| X                                                                              |                                               | *2015 - 2026 |
| TOYOTA                                                                         |                                               |              |
| Sienna                                                                         |                                               | ♦2004 - 2010 |
| Sienna - 7 passenger                                                           |                                               | ♦2011 - 2020 |
| Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed) |                                               | ♦2011 - 2020 |
| Sienna - 7 passenger                                                           |                                               | 2021 - 2026  |
| Sienna - 8 passenger (*passenger side note: all mid-row seats will be removed) |                                               | 2021 - 2026  |
| VOLKSWAGEN                                                                     |                                               |              |
| Routan                                                                         |                                               | ♦2009 - 2012 |

## Notes to specific applications marked \* on the SPEEDY-LIFT QUICK REFERENCE

|               |           |                                                                                       |
|---------------|-----------|---------------------------------------------------------------------------------------|
| Grand Caravan | 2021-2026 | *NOT AVAILABLE passenger side for model with Bench seat & 8 passengers LXi model.     |
| Toyota Sienna | 2011-2020 | *NOT AVAILABLE for models with OEM footrest.                                          |
| Pacifica      | 2017-2026 | *NOT AVAILABLE for PINNACLE (2021 & up) model                                         |
| Voyager       | 2020-2026 | *NOT AVAILABLE passenger side for model with Bench seat & 8 passengers LXi model.     |
| Sedona        | 2015-2021 | *NOT AVAILABLE for models with OEM footrest   Discontinued in Canada 2019-2020 model. |
| Tesla X       | 2015-2026 | *NOT AVAILABLE passenger side for model with Bench seat.                              |
| Tesla X       | 2021-2026 | *NOT AVAILABLE for model with Bucket Seat.                                            |

♦ Due to the age of the application, shipping LEAD TIME of installation kit might vary. Contact us directly for estimated lead time



|                                                                                                                               |                                                                          |                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2005-2007<br>SP-CHRG05                                                                                                        | Caravan / Town & Country – Stow ‘N Go<br>*Average install: 1.5-2.5 hours | The OEM seat will remain trapped in the floor if a <b>SPEEDY-LIFT</b> is installed.                                                                                                                                           |
| 2008-2011<br>SP-CHRG05                                                                                                        | Town & Country – Swivel ‘N Go<br>*Average install: 1.5-2.5 hours         |                                                                                                                                                                                                                               |
| 2008-2020<br>SP-CHRG05                                                                                                        | Grand Caravan / Town & Country<br>*Average install: 1.5-2.5 hours        | The OEM seat will remain trapped in the floor if a <b>SPEEDY-LIFT</b> is installed.                                                                                                                                           |
| 2021-2026<br>SP-CHR20                                                                                                         | Grand Caravan<br>*Average install: 1.5-2.5 hours                         | <p>⤵ Please specify driver or passenger side application - Left or Right.</p> <p>⤵ Please specify 2<sup>nd</sup> Row Seating: Bench or Stow ‘N Go</p> <p>If <b>Stow ‘n Go</b>, OEM seat will remain trapped in the floor.</p> |
| <b>NOT AVAILABLE</b> PASSENGER side model with bench seat.<br><b>NOT AVAILABLE</b> for BUCKET SEATS model without STOW ‘N GO. |                                                                          |                                                                                                                                                                                                                               |
| 2017-2026<br>SP-CHR17                                                                                                         | Chrysler Pacifica<br>*Average install: 1.5-2.5 hours                     | <p>The OEM seat will remain trapped in the floor if a <b>SPEEDY-LIFT</b> is installed.</p> <p>⤵ Please specify driver or passenger side application - Left or Right.</p> <p>⤵ Please specify Hybrid Model.</p>                |
| <b>NOT AVAILABLE</b> for PINNACLE (2021 & up) model                                                                           |                                                                          |                                                                                                                                                                                                                               |
| 2020-2026<br>SP-CHR20                                                                                                         | Voyager (USA)<br>*Average install: 1.5-2.5 hours                         | <p>⤵ Please specify driver or passenger side application - Left or Right.</p> <p>⤵ Please specify 2<sup>nd</sup> Row Seating: Bench or Stow ‘N Go</p> <p>If <b>Stow ‘n Go</b>, OEM seat will remain trapped in the floor.</p> |
| <b>NOT AVAILABLE</b> PASSENGER side model with bench seat.<br><b>NOT AVAILABLE</b> for BUCKET SEATS without STOW ‘N GO.       |                                                                          |                                                                                                                                                                                                                               |



|                         |                                            |                                                                        |
|-------------------------|--------------------------------------------|------------------------------------------------------------------------|
| 2005-2010 ♦<br>SP-HDA05 | Odyssey<br>*Average install: 1.5-2.5 hours | ⤵ Please specify driver or passenger side application - Left or Right. |
| 2011-2017 ♦<br>SP-HDA11 | Odyssey<br>*Average install: 1.5-2.5 hours | In the 8-passenger model, the jump seat must be removed.               |
| 2018-2026<br>SP-HDA18   | Odyssey<br>*Average install: 1.5-2.5 hours | In the 8-passenger model, the jump seat must be removed.               |



|                       |                                             |                                                                                                                                                                                             |
|-----------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2015-2021<br>SP-KIA16 | Sedona<br>*Average install: 1.5-2.5 hours   | <b>NOT AVAILABLE</b> for models with <b>OEM footrest</b> .<br><i>Discontinued in Canada 2019-2020 model.</i>                                                                                |
| 2022-2026<br>SP-KIA22 | Carnival<br>*Average install: 1.5-2.5 hours | <p>⤵ Please specify if equipped with OEM footrest VIP Lounge Seats model SX</p> <p>Footrest option only: The seat on the opposite side remains in place but can no longer fully recline</p> |



2006-2017 ♦  
SP-MZD506

Mazda 5

\*Average install: 1.5-2.5 hours \*Mazda 5 discontinued in USA in 2015; 2017 in Canada.



Mercedes-Benz

2016-2023  
SP-MET16

Metris

\*Average install: 1.5-2.5 hours ALL MIDROW SEATS MUST BE REMOVED



2015-2026  
SP-TESX15

Tesla X

\*Average install: 4 - 5 hours

NOT AVAILABLE PASSENGER side model with bench seat.

➡Please specify 2<sup>nd</sup> Row Seating: Bench or Bucket

NOT AVAILABLE for BUCKET SEAT model 2021+



2004-2010 ♦  
SP-TOY04

Sienna

2011-2020 ♦  
SP-TOY11

Sienna | 7 or 8 passenger minivans

\*Average install: 1.5-2.5 hours

In the right or passenger side of the 8-passenger minivan,  
ALL MIDROW SEATS MUST BE REMOVED

2021-2026  
SP-TOY21

Sienna | 7 or 8 passenger minivans

\*Average install: 1.5-2.5 hours

In the right or passenger side of the 8-passenger minivan,  
ALL MIDROW SEATS MUST BE REMOVED



Volkswagen

2009-2012 ♦  
SP-CHRG05

Routan

\*Average install: 1.5-2.5 hours

The OEM seat will remain trapped in the floor if a **SPEEDY-LIFT** is installed.

# HI-LIFT



## FIND A DEALER

Looking for a dealer near you or a client? Use our interactive map to find one.



## HOW IT WORKS VIDEO

In just a few minutes, see all the key features of the product.



## PRODUCT VIDEO

Overview of the XL-SEAT & HI-LIFT in motion.



## HIGHLIGHTS:

- Very compact and easy to use.
- Manual track allows for additional space inside the vehicle. Seat can be used in vehicle if chair is not being transported.
- Makes a great pair with the XL-SEAT.
- 75 lbs capacity.
- 3 year warranty.



## THINGS TO NOTE

Only available in limited minivan applications. See list on next page. Ideally for rigid frame chairs. Folding chairs are not likely to fit 'height wise' in the door opening and therefore would be stowed not folded.

# HI-LIFT QUICK REFERENCE

| CHRYSLER                                                                                                                              |                | DRIVER | FRONT PASSENGER |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------|--------|-----------------|
| Caravan / Grand Caravan / Town & Country                                                                                              | ★ 1991 - 2007  | ✓      | ✓               |
| Caravan / Grand Caravan / Town & Country                                                                                              | ★ 2005 - 2007  | ✓      | NOT AVAILABLE   |
| Caravan / Grand Caravan / Town & Country                                                                                              | ★ 2008 - 2020  | ✓      | ✓               |
| Voyager - Short & Long wheelbase                                                                                                      | ★ 1991 - 2003  | ✓      | ✓               |
| FORD                                                                                                                                  |                | DRIVER | FRONT PASSENGER |
| Freestar / Monterey                                                                                                                   | ★ 2004 - 2007  | ✓      | ✓               |
| Windstar                                                                                                                              | ★ 1999 - 2003  | ✓      | ✓               |
| GENERAL MOTORS                                                                                                                        |                | DRIVER | FRONT PASSENGER |
| Montana/Silhouette/Transport                                                                                                          | ★ 1997 - 2004  | ✓      | ✓               |
| Terreza/Uplander/Relay/Venture                                                                                                        | ★ 1997 - 2004  | ✓      | ✓               |
| Montana/Silhouette/Transport                                                                                                          | ★ 2005 - 2009  | ✓      | ✓               |
| Terreza/Uplander/Relay/Venture                                                                                                        | ★ 2005 - 2009  | ✓      | ✓               |
| HONDA                                                                                                                                 |                | DRIVER | FRONT PASSENGER |
| Odyssey                                                                                                                               | ★ 1999 - 2004  | ✓      | ✓               |
| Odyssey                                                                                                                               | ★ 2005 - 2010  | ✓      | ✓               |
| KIA                                                                                                                                   |                | DRIVER | FRONT PASSENGER |
| Sedona                                                                                                                                | ★ 2006 - 2012  | ✓      | ✓               |
| NISSAN                                                                                                                                |                | DRIVER | FRONT PASSENGER |
| Quest                                                                                                                                 | ★ 2011 - 2016♦ | ✓      | ✓               |
| TOYOTA                                                                                                                                |                | DRIVER | FRONT PASSENGER |
| Sienna                                                                                                                                | ★ 2004 - 2010  | ✓      | ✓               |
| Sienna                                                                                                                                | ★ 2011 - 2020  | ✓      | ✓               |
| VOLKSWAGEN                                                                                                                            |                | DRIVER | FRONT PASSENGER |
| Routan                                                                                                                                | ★ 2009 - 2012  | ✓      | ✓               |
| ♦ Due to the age of the application, shipping LEAD TIME of installation kit may vary. Contact us directly for an estimated lead time. |                |        |                 |

# XL-BOARD



## FIND A DEALER

Looking for a dealer near you or a client? Use our interactive map to find one.



## PRODUCT VIDEO

Overview of the XL-BOARD & SPEEDY-LIFT in motion.



## HIGHLIGHTS:

- 275 lbs capacity. Static board, no motor. Easy to use; folds up and out of the way.
- Ideal vehicle for those that want a sedan with space for their wheelchair. Works great when paired with the SPEEDY-LIFT.
- Keep up to 5 seats – depending on the size of the wheelchair.



## THINGS TO NOTE

This product is only available for the MAZDA 5. No other vehicles. Mazda 5 discontinued in 2015 in USA and 2017 in Canada.



# XL-BOARD QUICK REFERENCE

| MAZDA     |             |            |
|-----------|-------------|------------|
| Mazda 5 * | 2006 - 2017 | XLB-MZD506 |

\*Mazda 5 discontinued in USA in 2015; 2017 in Canada.

# POWER-PULL



## FIND A DEALER

Looking for a dealer near you or a client? Use our interactive map to find one.



## HOW IT WORKS VIDEO

In just a few minutes, see all the key features of the product.



## PRODUCT VIDEOS

Overview of the POWER-PULL in a side entry and rear entry lowered floor minivan, in motion.



## HIGHLIGHTS:

- Available in two models, one designed specifically for side entry and one designed specifically for rear entry.
- Does not take up space on the floor. Allows easy maneuvering.
- Multiple safety features and wireless pendant.
- Release feature allows easier positioning.
- 350 lbs capacity. 15 feet of strong, stainless steel cable.
- 3 year warranty.



## THINGS TO NOTE

Requires user to hook onto their wheelchair. Button must be depressed to make unit move.



## POWER-PULL QUICK REFERENCE

### LOWERED FLOOR MINIVAN

SIDE ENTRY

PP000-01

REAR ENTRY

PR000-01